

# BSgenome.Drerio.UCSC.danRer6

April 6, 2012

---

Drerio

*Danio rerio (Zebrafish) full genome (UCSC version danRer6)*

---

## Description

Danio rerio (Zebrafish) full genome as provided by UCSC (danRer6, Dec. 2008) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

sequences: danRer6.fa.gz, upstream1000.fa.gz, upstream2000.fa.gz and upstream5000.fa.gz files from <http://hgdownload.cse.ucsc.edu/goldenPath/danRer6/bigZips/>  
AGAPS masks: <http://hgdownload.cse.ucsc.edu/goldenPath/danRer6/database/gap.txt.gz>  
RM masks: <http://hgdownload.cse.ucsc.edu/goldenPath/danRer6/bigZips/danRer6.fa.out.gz>  
TRF masks: <http://hgdownload.cse.ucsc.edu/goldenPath/danRer6/bigZips/danRer6.trf.bed.gz>

See [?BSgenomeForge](#) and the BSgenomeForge vignette (vignette("BSgenomeForge")) in the BSgenome software package for how to make a BSgenome data package.

## Author(s)

H. Pages

## See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

## Examples

```
Drerio
seqlengths(Drerio)
Drerio$chr1 # same as Drerio[["chr1"]]

if ("AGAPS" %in% masknames(Drerio)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
```

```
{
  ## Replace all masks by the inverted AGAPS mask
  masks(seq) <- gaps(masks(seq)["AGAPS"])
  unique_letters <- uniqueLetters(seq)
  if (any(unique_letters != "N"))
    stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Drerio)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Drerio[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

\*Topic **data**

Drerio, [1](#)

\*Topic **package**

Drerio, [1](#)

`available.genomes`, [1](#)

`BSgenome-class`, [1](#)

`BSgenome.Drerio.UCSC.danRer6` (Drerio), [1](#)

`BSgenome.Drerio.UCSC.danRer6-package`

(Drerio), [1](#)

`BSgenomeForge`, [1](#)

`DNAString-class`, [1](#)

Drerio, [1](#)