

Package ‘RNASeqDataSubset’

March 25, 2013

Title Subset of BAM files from the ‘‘TBX20’’ experiment

Description Dual transcriptional activator and repressor roles of TBX20 regulate adult cardiac structure and function. A subset of the RNA-Seq data.

Version 0.99.1

Author D. Bindreither

Maintainer D. Bindreither <daniel.bindreither@gmail.com>

Depends Rsamtools (>= 1.9.8)

Imports xtable

Collate getBamFileList.R

biocViews ExperimentData, RNAseqData

License LGPL

R topics documented:

| | |
|------------------------------------|----------|
| RNASeqDataSubset-package | 1 |
| getBamFileList | 2 |
| Index | 4 |

RNASeqDataSubset-package

Utilities returning the paths to BAM files of the data package

Description

The package contains 6 subset of BAM files from the TBX20 RNA-Seq experiment.

Details

The TBX20 data set basically provides ChIP-Seq and RNA-Seq data. In here only the RNA-Seq part of the data is utilized. TBX20 (T-box 20) is a transcriptional regulator essential for cardiac development and maintenance of mouse heart tissue. In this study TBX20 was knocked out by using a Tamoxifen mediated conditional knock-out system. Transcriptional changes caused by the ablation of the second exon of TBX20 result in rapid onset of heart failures and the subsequent death of the mice. TBX20 knock-out adult heart tissue was compared to wild type adult heart tissue. The associated RNA-Seq raw data can be retrieved by the following code chunk.

References

Noboru J. Sakabe, Ivy Aneas, Tao Shen, Leila Shokri, Soo-Young Park, Martha L. Bulyk, Sylvia M. Evans and Marcelo A. Nobrega Human Molecular Genetics Date: Feb 2012 *Dual transcriptional activator and repressor roles of TBX20 regulate adult cardiac structure and function*

Examples

```
bfs <- getBamFileList()
```

| | |
|----------------|---|
| getBamFileList | <i>Retrieving file paths pointing to the BAM files.</i> |
|----------------|---|

Description

Retrieves the file paths for accessing the data of the RNASeqDataSubset package.

Usage

```
getBamFileList(...)
```

Arguments

... Arguments to be passed to or from methods.

Details

Accessory function to the BAM files of the RNASeqDataSubset package.

Value

Returns a named character vector pointing to the BAM files included in RNASeqDataSubset package.

Author(s)

D. Bindreither

See Also

RNASeqDataSubset

Examples

```
bfl <- getBamFileList()  
bfl
```

Index

*Topic **utilities**

RNASeqDataSubset-package, [1](#)

[getBamFileList](#), [2](#)

RNASeqDataSubset

(RNASeqDataSubset-package), [1](#)

RNASeqDataSubset-package, [1](#)