Package 'colonCA'

March 25, 2013

Title exprSet for Alon et al. (1999) colon cancer data				
Version 1.4.10				
Author Sylvia Merk Description exprSet for Alon et al. (1999) colon cancer data				
			Maintainer W Sylvia Merk <sylvia.merk@ukmuenster.de> License LGPL Depends Biobase (>= 2.5.5)</sylvia.merk@ukmuenster.de>	
piocViews ExperimentData, Cancer, Colon				
R topics documented:				
colonCA				
Index				
colonCA	Data from the microarray experiment done by Alon et al. (1999)			
Description				
samples (40 tumor	contains an exprSet instance for the Alon et al. (1999) colon cancer data. 62 samples, 22 normal samples) from colon-cancer patients were analyzed with a cleotide Hum6000 array.			
Usage				
data(colonCA)				

2 colonCA

Format

Expression set with 2000 genes and 62 samples.

There are 3 covariates listed.

• expNr: Number of sample.

• samp: Sample code.

positive: Normal tissue, negative: Tumor tissue

• class: Tissue identity.

n: Normal tissue, t: Tumor tissue

Details

40 samples are from tumors (labelled as "negative") and 22 samples are from normal (labelled as "positive") biopsies from healthy parts of the colons of the same patients.

Two thousand out of around 6500 genes were selected based on the confidence in the measured expression levels (for details refer to publication). No further preprocessing (normalization etc.) was done.

Note: the featureNames in this dataset were not unique when submitted; make.names(unique=TRUE) was run and some featureNames have suffix .1, .2, etc. added to establish uniqueness.

Source

http://microarray.princeton.edu/oncology/affydata/index.html

References

U. Alon et al. (1999): Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissue probed by oligonucleotide arrays. *Proc. Natl. Acad. Sci. USA* **96**, 6745-6750

Examples

```
\label{eq:library} \begin{split} & library(Biobase) \\ & data(colonCA) \\ & xx <- exprs(colonCA) \\ & dim(xx) \\ & xx[1:5,1:5] \\ & colonCA\$class \\ & featureNames(colonCA)[1:20] \\ & colnames(xx) <- as.character(colonCA\$class) \\ & xx[1:5,1:5] \end{split}
```

Index

 ${\rm *Topic}~ \begin{array}{c} \textbf{datasets} \\ {\rm colonCA, \, 1} \end{array}$

colonCA, 1