

Package ‘SBMLR’

October 9, 2013

Title SBML-R Interface and Analysis Tools

Version 1.56.0

Date 2012-04-27

Author Tomas Radivoyevitch

Description This package contains a systems biology markup language (SBML) interface and biochemical system analysis tools with illustrative examples.

Maintainer Tomas Radivoyevitch <txr24@case.edu>

Depends XML, deSolve

biocViews GraphsAndNetworks, Pathways, NetworkAnalysis

License GPL-2

URL <http://epbi-radivot.cwru.edu/SBMLR/SBMLR.html>

R topics documented:

Ops.SBML	2
readSBML	3
readSBMLR	4
saveSBML	5
saveSBMLR	6
simulate	7
summary.SBML	9
Index	11

Ops.SBML

Check the equality of the species and reactions of two SBML models

Description

This function tests the equivalence of two models with respect to the species and reaction data frames generated by summary.

Usage

```
## S3 method for class 'SBML'  
Ops(e1,e2)
```

Arguments

e1 The first of the two model objects of class SBML which are to be compared.
e2 The second model object.

Value

A list containing the following two boolean dataframes

species The equality of species information tabularized as a data frame.
reactions The equality of reaction information tabularized as a dataframe.

Author(s)

Tom Radivoyevitch

See Also

[summary.SBML](#)

Examples

```
library(SBMLR)  
curto1=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))  
curto2=readSBML(file.path(system.file(package="SBMLR"), "models/curto.xml"))  
curto1==curto2
```

readSBML	<i>Convert an SBML file into an R model object of class SBML</i>
----------	--

Description

This function converts an SBML level 2 file into a corresponding R model structure of class SBML.

Usage

```
readSBML(filename)
```

Arguments

filename An SBML level 2 model input file.

Details

A limited subset of SBML level 2 models is currently supported, e.g. events and function definitions are not covered.

Value

A corresponding SBML model object in R.

Note

This function replaces read.SBML of older versions.

Author(s)

Tom Radivoyevitch

See Also

[readSBMLR](#)

Examples

```
library(SBMLR)
curtoX=readSBML(file.path(system.file(package="SBMLR"), "models/curto.xml"))
curtoR=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
curtoX==curtoR
```

`readSBMLR`*Convert an SBMLR file into an R model object of class SBML*

Description

This function converts an SBMLR model definition in filename into a corresponding returned SBML model structure.

Usage

```
readSBMLR(filename)
```

Arguments

filename An SBMLR model definition file.

Details

A limited subset of SBML level 2 models is currently supported, e.g. events and function definitions are not covered.

Value

A corresponding SBML model object in R.

Note

This function replaces the use of source in older versions of SBMLR. It includes rate law and rule string to function, expression and MathML mappings.

Author(s)

Tom Radivoyevitch

See Also

[readSBML](#)

Examples

```
library(SBMLR)
curtoX=readSBML(file.path(system.file(package="SBMLR"), "models/curto.xml"))
curtoR=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
curtoX==curtoR
```

saveSBML	<i>Saves an R model object as an SBML file</i>
----------	--

Description

This function converts a class SBML model object in R into an SBML level 2 file.

Usage

```
saveSBML(model, filename)
```

Arguments

model	The model object in R.
filename	The name of the SBML file

Details

The output file is SBML level 2.

Value

No value returned.

Warning

SBML events and function definitions are NOT implemented.

Note

For speed, the SBML file is written incrementally, rather than first built as a DOM in R and then saved using `xmlSave`.

Author(s)

Tom Radivoyevitch

References

Radivoyevitch, T. A two-way interface between limited Systems Biology Markup Language and R. BMC Bioinformatics 5, 190 (2004).

See Also

[saveSBMLR](#)

Examples

```
library(SBMLR)
curtoR=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
saveSBML(curtoR,"curto.xml")
curtoX=readSBML("curto.xml")
curtoX==curtoR
summary(curtoR)
unlink("curto.xml")
```

saveSBMLR

Save an R model object of class SBML as an SBMLR file

Description

This function converts SBML model object in R into an SBMLR model definition file.

Usage

```
saveSBMLR(model, filename)
```

Arguments

model	The SBML model object to be mapped into the SBMLR model definition file.
filename	The file name of the destination SBMLR model definition file.

Value

No value returned.

Warning

SBML events and function definitions are NOT implemented.

Note

Similar to saveSBML, the file is written incrementally.

Author(s)

Tom Radivoyevitch

References

Radivoyevitch, T. A two-way interface between limited Systems Biology Markup Language and R. BMC Bioinformatics 5, 190 (2004).

See Also

[saveSBML](#)

Examples

```
library(SBMLR)
curto=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
saveSBMLR(curto,"curto.r")
curtoR=readSBMLR("curto.r")
curto==curtoR
summary(curtoR)
unlink("curto.r")
```

simulate

Simulate a model of class SBML

Description

This function simulates a model given the report times and optional modulators. It uses `lsoda` of the `odesolve` package.

Usage

```
simulate(model, times, modulator=NULL, X0=NULL, ...)
```

Arguments

model	The model object to be simulated. Initial conditions are passed through this object.
times	The sequence of time points to be sampled and provided as rows of the output matrix.
modulator	Null if there are no modulators (default), a vector of numbers if there are steady state Vmax modulators, and a list of interpolating functions if there are time course Vmax modulators.
X0	Override model initial conditions in simulations, particularly piece-wise perturbation simulations.
...	For compatibility with <code>simulate</code> of the <code>stats</code> package.

Details

This is a wrapper for `lsoda`.

Value

The data frame output that comes out of `lsoda`.

Note

Rules are implemented through time varying boundary conditions updated at each time point as a side effect within the (now internal) function `fderiv`.

Author(s)

Tom Radivoyevitch

References

For the folate cycle example given below: Morrison PF, Allegra CJ: Folate cycle kinetics in human breast cancer cells. *JBiolChem* 1989, 264(18):10552-10566.

Examples

```
##---- The following example performs a perturbation in PRPP from 5 to 50 uM in Curto et al.'s model.
library(SBMLR)
curto=readSBML(file.path(system.file(package="SBMLR"), "models/curto.xml"))
out1=simulate(curto,seq(-20,0,1))
curto$species$PRPP$ic=50
out2=simulate(curto,0:70)
outs=data.frame(rbind(out1,out2))
attach(outs)
par(mfrow=c(2,1))
plot(time,IMP,type="l")
plot(time,HX,type="l")
par(mfrow=c(1,1))
detach(outs)

# which should be the same plots as
curto=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
out1=simulate(curto,seq(-20,0,1))
curto$species$PRPP$ic=50
out2=simulate(curto,0:70)
outs=data.frame(rbind(out1,out2))
attach(outs)
par(mfrow=c(2,1))
plot(time,IMP,type="l")
plot(time,HX,type="l")
par(mfrow=c(1,1))
detach(outs)

##---- The following example uses fderiv to generate Morrison's folate system response to 1uM MTX

morr=readSBMLR(file.path(system.file(package="SBMLR"), "models/morrison.r"))
out1=simulate(morr,seq(-20,0,1))
morr$species$EMTX$ic=1
out2=simulate(morr,0:30)
outs=data.frame(rbind(out1,out2))
attach(outs)
par(mfrow=c(3,4))
plot(time,FH2b,type="l",xlab="Hours")
plot(time,FH2f,type="l",xlab="Hours")
plot(time,DHFRf,type="l",xlab="Hours")
plot(time,DHFRtot,type="l",xlab="Hours")
plot(time,CHOFH4,type="l",xlab="Hours")
plot(time,FH4,type="l",xlab="Hours")
```



```

plot(time,CH2FH4,type="l",xlab="Hours")
plot(time,CH3FH4,type="l",xlab="Hours")
plot(time,AICARsyn,type="l",xlab="Hours")
plot(time,MTR,type="l",xlab="Hours")
plot(time,TYMS,type="l",xlab="Hours")
#plot(time,EMTX,type="l",xlab="Hours")
plot(time,DHFReductase,type="l",xlab="Hours")
par(mfrow=c(1,1))
detach(outs)
morr$species$EMTX$ic=0

```

summary.SBML

Get summary information from an SBML model

Description

This function extracts information from a model of class SBML and returns it as a list. The list includes species and reaction information tabularized as data frames.

Usage

```

## S3 method for class 'SBML'
summary(object,...)

```

Arguments

object	A model object of class SBML from which information is to be extracted.
...	For compatibility with summary of the base package.

Details

no details

Value

A list containing the following elements

BC	A logical vector indicating which species are not state variables, i.e. which species are boundary conditions or auxillary variables.
y0	The initial state (boundary conditions excluded!).
nStates	The length of the state vector, i.e. the number of system states.
S0	The full set of species initial values.
nReactions	The number of reactions.
nSpecies	The number of species, including states, boundary conditions and possibly auxillary variables such as the total concentration of dihydrofolate reductase in the morrison.r model.

incid	The incidence/stoichiometry matrix. This usually contains ones and minus ones corresponding to fluxes either synthesizing or degrading (respectively) a state variable chemical species. This matrix multiplied by the flux vector on its right yields the corresponding concentration state variable time derivatives.
species	Species information (i.e. names, ICs, BCs, and compartments) as a data frame.
reactions	Reaction information tabularized as a dataframe, including string laws and initial fluxes.

Note

The list output can be attached to immediately define many model variables of interest.

Author(s)

Tom Radivoyevitch

Examples

```
library(SBMLR)
curto=readSBMLR(file.path(system.file(package="SBMLR"), "models/curto.r"))
summary(curto)
```

Index

*Topic **arith**

- readSBML, [3](#)
- readSBMLR, [4](#)
- saveSBML, [5](#)
- saveSBMLR, [6](#)

*Topic **math**

- Ops.SBML, [2](#)
- readSBML, [3](#)
- readSBMLR, [4](#)
- saveSBML, [5](#)
- saveSBMLR, [6](#)
- simulate, [7](#)
- summary.SBML, [9](#)

Ops.SBML, [2](#)

readSBML, [3](#), [4](#)
readSBMLR, [3](#), [4](#)

saveSBML, [5](#), [6](#)
saveSBMLR, [5](#), [6](#)

simulate, [7](#)

summary (summary.SBML), [9](#)
summary.SBML, [2](#), [9](#)