

# Quick Intro to SBMLR

Tom Radivoyevitch

October 14, 2013

## Introduction

*SBMLR* reads SBML files to and from an SBML-like R list of lists core object of class SBML, and it reads and writes these core objects into R text files that are well structured and light weight for editing. It also facilitates model simulations and model summaries.

## Model import, export, editing and viewing

The following code reads in Curto et al.'s purine metabolism model of 1998

```
> library(SBMLR)
> curto=readSBML(system.file("models", "curto.xml", package = "SBMLR"))
> head(summary(curto)$reactions)
```

	index	Laws	initialFluxes
ada	1	aada*ATP <sup>f</sup> ada4	2.079466999
ade	2	aade*Ade <sup>f</sup> ade6	0.009915724
adna	3	aadna*dATP <sup>f</sup> dnap9*dGTP <sup>f</sup> dnap10	10.038261346
adrnr	4	aadrnr*ATP <sup>f</sup> adrnr4*dATP <sup>f</sup> adrnr9*dGTP <sup>f</sup> adrnr10	0.201159500
ampd	5	aampd*ATP <sup>f</sup> fampd4*dGTP <sup>f</sup> fampd8*Pi <sup>f</sup> fampd18	5.640727920
aprt	6	aaprt*PRPP <sup>f</sup> faprt1*ATP <sup>f</sup> faprt4*Ade <sup>f</sup> faprt6	0.998075329

and the next two lines serialize the object *curto* of S3 class SBML (R list of lists) into a current working directory SBML (XML) file and editable R code SBMLR file. Relative to the option of using *dput* and *deparse*, *saveSBMLR* and *readSBMLR* ASCII text representations are more pleasant to look at and thus edit (the carriage returns are in the right places).

```
> saveSBML(curto,"curto.xml")
> saveSBMLR(curto,"curto.r")
```

These two files can then be read back in and compared as follows.

```
> curtoX=readSBML("curto.xml")
> curtoR=readSBMLR("curto.r")
> head((curtoX==curtoR)$species)
```

	index	initialConcentrations	boundaryConditions
PRPP	TRUE	TRUE	TRUE
IMP	TRUE	TRUE	TRUE
SAMP	TRUE	TRUE	TRUE
ATP	TRUE	TRUE	TRUE
SAM	TRUE	TRUE	TRUE
Ade	TRUE	TRUE	TRUE

```
> head((curtoX==curtoR)$reactions)
```

	index	Laws	initialFluxes
ada	TRUE	TRUE	TRUE
ade	TRUE	TRUE	TRUE
adna	TRUE	TRUE	TRUE
adrnr	TRUE	TRUE	TRUE
ampd	TRUE	TRUE	TRUE
aprt	TRUE	TRUE	TRUE

Values in these two dataframes are TRUE where the initial concentrations, fluxes, and reaction rate laws (as strings) are equal.

## Model simulation

The following simulation first shows that the initial condition is a steady state. It then shows the time course response to an increase in [PRPP] from 5 uM to 50 uM.

```
> out1=sim(curto,seq(-20,0,1))
> curto$species$PRPP$ic=50
> out2=sim(curto,0:70)
> outs=data.frame(rbind(out1,out2))
> attach(outs)
> par(mfrow=c(2,1))
> plot(time,IMP,type="l",xlab="minutes",ylab="IMP (uM)")
> plot(time,HX,type="l",xlab="minutes",ylab="HX (uM)")
> par(mfrow=c(1,1))
> detach(outs)
```

The modulator argument to *sim* is either NULL, a vector of numbers, or a list of interpolation functions (time varying enzyme concentration boundary conditions). The vector and list lengths are equal to the number of reactions; in the vector case reaction rate law amplitude parameters are multiplied by 1 at times less than zero and the corresponding vector element thereafter. The following code doubles the amplitude parameters of Curto et al's 37 reactions at t=0; concentrations then stay the same as fluxes double.

```
> curto$species$PRPP$ic=5 # return PRPP IC to its original value
> sim(curto,(-10):10,modulator=rep(2,37)) # bumpless transfer in concentrations since all V
```

	time	PRPP	IMP	SAMP	ATP	SAM	Ade	XMP
1	-10	5.000000	98.26340	0.1981890	2475.350	3.991870	0.9847300	24.79300
2	-9	5.017097	98.25819	0.1981848	2475.352	3.991870	0.9849151	24.79299
3	-8	5.017231	98.25855	0.1981853	2475.354	3.991870	0.9848325	24.79298
4	-7	5.017280	98.25890	0.1981857	2475.354	3.991871	0.9847894	24.79296
5	-6	5.017315	98.25922	0.1981860	2475.355	3.991871	0.9847674	24.79295
6	-5	5.017341	98.25951	0.1981863	2475.355	3.991871	0.9847554	24.79294
7	-4	5.017360	98.25977	0.1981865	2475.354	3.991871	0.9847480	24.79293
8	-3	5.017375	98.26000	0.1981867	2475.354	3.991871	0.9847433	24.79293
9	-2	5.017386	98.26020	0.1981869	2475.354	3.991871	0.9847401	24.79292
10	-1	5.017395	98.26039	0.1981870	2475.354	3.991870	0.9847379	24.79291
11	0	5.017402	98.26058	0.1981872	2475.354	3.991870	0.9847361	24.79290
12	1	5.017411	98.26086	0.1981874	2475.354	3.991870	0.9847342	24.79289
13	2	5.017415	98.26110	0.1981876	2475.354	3.991870	0.9847331	24.79288
14	3	5.017419	98.26131	0.1981877	2475.354	3.991870	0.9847324	24.79287
15	4	5.017421	98.26150	0.1981879	2475.354	3.991870	0.9847319	24.79286
16	5	5.017422	98.26167	0.1981880	2475.354	3.991870	0.9847317	24.79286
17	6	5.017422	98.26181	0.1981881	2475.353	3.991870	0.9847316	24.79285
18	7	5.017422	98.26194	0.1981882	2475.353	3.991870	0.9847315	24.79285
19	8	5.017422	98.26206	0.1981883	2475.353	3.991870	0.9847315	24.79284
20	9	5.017422	98.26216	0.1981884	2475.353	3.991870	0.9847315	24.79284
21	10	5.017422	98.26226	0.1981885	2475.353	3.991870	0.9847315	24.79284
	GTP	dATP	dGTP	RNA	DNA	HX	Xa	Gua
1	410.2230	6.014130	3.025810	28680.50	5179.340	9.517850	5.059410	5.506380
2	410.2223	6.014135	3.025813	28680.50	5179.340	9.519836	5.059734	5.508591
3	410.2237	6.014136	3.025813	28680.49	5179.340	9.519291	5.059957	5.508056
4	410.2244	6.014137	3.025814	28680.49	5179.341	9.518845	5.060051	5.507660
5	410.2248	6.014137	3.025814	28680.49	5179.341	9.518494	5.060063	5.507373
6	410.2250	6.014138	3.025814	28680.49	5179.341	9.518221	5.060026	5.507162
7	410.2251	6.014138	3.025814	28680.49	5179.341	9.518010	5.059964	5.507004
8	410.2251	6.014139	3.025814	28680.49	5179.341	9.517849	5.059891	5.506887
9	410.2251	6.014139	3.025814	28680.49	5179.342	9.517728	5.059816	5.506798
10	410.2251	6.014139	3.025814	28680.49	5179.342	9.517638	5.059744	5.506731
11	410.2251	6.014140	3.025814	28680.49	5179.342	9.517565	5.059668	5.506674
12	410.2251	6.014141	3.025814	28680.49	5179.342	9.517495	5.059567	5.506611
13	410.2251	6.014142	3.025814	28680.49	5179.343	9.517470	5.059494	5.506575
14	410.2251	6.014142	3.025815	28680.49	5179.343	9.517462	5.059439	5.506549
15	410.2251	6.014143	3.025815	28680.49	5179.344	9.517471	5.059403	5.506534
16	410.2251	6.014144	3.025815	28680.49	5179.344	9.517490	5.059382	5.506526
17	410.2251	6.014145	3.025815	28680.49	5179.344	9.517515	5.059373	5.506522
18	410.2251	6.014146	3.025815	28680.49	5179.345	9.517541	5.059370	5.506520
19	410.2251	6.014147	3.025815	28680.49	5179.345	9.517566	5.059371	5.506519
20	410.2251	6.014148	3.025815	28680.49	5179.346	9.517590	5.059375	5.506519
21	410.2251	6.014148	3.025816	28680.49	5179.346	9.517612	5.059380	5.506518
	UA	ada	ade	adna	adrnr	ampd	aprt	
1	100.2930	2.079467	0.009915724	10.03826	0.2011595	5.640728	0.9963412	

2	100.2931	2.079469	0.009916749	10.03827	0.2011596	5.640732	0.9981831	
3	100.2932	2.079470	0.009916292	10.03827	0.2011597	5.640735	0.9981332	
4	100.2933	2.079471	0.009916053	10.03827	0.2011597	5.640735	0.9981052	
5	100.2935	2.079471	0.009915932	10.03827	0.2011597	5.640736	0.9980919	
6	100.2936	2.079471	0.009915865	10.03827	0.2011597	5.640735	0.9980853	
7	100.2938	2.079471	0.009915824	10.03827	0.2011597	5.640735	0.9980816	
8	100.2939	2.079471	0.009915798	10.03827	0.2011597	5.640735	0.9980795	
9	100.2940	2.079470	0.009915780	10.03827	0.2011597	5.640735	0.9980783	
10	100.2940	2.079470	0.009915768	10.03827	0.2011597	5.640735	0.9980775	
11	100.2941	4.158941	0.019831516	20.07655	0.4023194	11.281469	1.9961538	
12	100.2941	4.158940	0.019831495	20.07655	0.4023193	11.281468	1.9961526	
13	100.2940	4.158940	0.019831483	20.07655	0.4023193	11.281468	1.9961521	
14	100.2940	4.158940	0.019831475	20.07655	0.4023193	11.281467	1.9961516	
15	100.2939	4.158940	0.019831470	20.07655	0.4023193	11.281467	1.9961514	
16	100.2939	4.158940	0.019831467	20.07655	0.4023193	11.281467	1.9961513	
17	100.2938	4.158940	0.019831466	20.07655	0.4023193	11.281467	1.9961512	
18	100.2937	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511	
19	100.2937	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511	
20	100.2936	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511	
21	100.2936	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511	
	arna	asuc	asli	dada	den	dgnuc	dnaa	dnag
1	1985.621	8.003186	8.003185	0.2004510	2.386351	0.1008502	10.03756	6.826370
2	1985.621	8.003012	8.003012	0.2004511	2.402707	0.1008503	10.03756	6.826370
3	1985.621	8.003028	8.003027	0.2004512	2.402833	0.1008504	10.03756	6.826371
4	1985.622	8.003042	8.003041	0.2004512	2.402879	0.1008504	10.03756	6.826371
5	1985.622	8.003053	8.003053	0.2004512	2.402911	0.1008504	10.03756	6.826371
6	1985.622	8.003064	8.003063	0.2004512	2.402935	0.1008504	10.03756	6.826371
7	1985.622	8.003072	8.003072	0.2004512	2.402953	0.1008504	10.03756	6.826372
8	1985.622	8.003080	8.003080	0.2004512	2.402967	0.1008504	10.03756	6.826372
9	1985.622	8.003087	8.003087	0.2004513	2.402977	0.1008504	10.03756	6.826372
10	1985.622	8.003093	8.003093	0.2004513	2.402985	0.1008504	10.03756	6.826372
11	3971.245	16.006199	16.006199	0.4009026	4.805985	0.2017008	20.07513	13.652746
12	3971.245	16.006217	16.006217	0.4009026	4.806000	0.2017008	20.07513	13.652747
13	3971.245	16.006233	16.006233	0.4009027	4.806008	0.2017008	20.07513	13.652748
14	3971.245	16.006247	16.006247	0.4009027	4.806014	0.2017008	20.07513	13.652749
15	3971.245	16.006260	16.006259	0.4009028	4.806017	0.2017008	20.07514	13.652750
16	3971.245	16.006270	16.006270	0.4009028	4.806018	0.2017008	20.07514	13.652751
17	3971.245	16.006280	16.006280	0.4009029	4.806019	0.2017008	20.07514	13.652752
18	3971.245	16.006288	16.006288	0.4009030	4.806018	0.2017008	20.07514	13.652753
19	3971.245	16.006296	16.006296	0.4009030	4.806018	0.2017008	20.07514	13.652754
20	3971.245	16.006303	16.006303	0.4009031	4.806018	0.2017009	20.07514	13.652755
21	3971.245	16.006309	16.006309	0.4009031	4.806017	0.2017009	20.07515	13.652756
	gdna	gdrnr	gmpr	gmpr	gnuc	gprt	grna	gua
1	6.825859	0.1003440	0.5138721	1.595763	4.807078	3.738009	1323.532	1.154277
2	6.825863	0.1003438	0.5138758	1.595763	4.807071	3.753992	1323.532	1.154508
3	6.825864	0.1003439	0.5138768	1.595763	4.807085	3.753944	1323.532	1.154452

4	6.825864	0.1003440	0.5138774	1.595763	4.807093	3.753867	1323.533	1.154411
5	6.825865	0.1003440	0.5138776	1.595763	4.807097	3.753812	1323.533	1.154381
6	6.825865	0.1003440	0.5138777	1.595763	4.807099	3.753773	1323.533	1.154359
7	6.825865	0.1003440	0.5138778	1.595762	4.807100	3.753744	1323.533	1.154342
8	6.825866	0.1003440	0.5138777	1.595762	4.807100	3.753723	1323.533	1.154330
9	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753708	1323.533	1.154320
10	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753696	1323.533	1.154313
11	13.651733	0.2006880	1.0277554	3.191524	9.614202	7.507373	2647.066	2.308615
12	13.651734	0.2006880	1.0277553	3.191524	9.614202	7.507352	2647.066	2.308602
13	13.651735	0.2006879	1.0277552	3.191524	9.614202	7.507340	2647.066	2.308594
14	13.651736	0.2006879	1.0277552	3.191524	9.614201	7.507331	2647.066	2.308589
15	13.651737	0.2006878	1.0277551	3.191523	9.614201	7.507326	2647.066	2.308586
16	13.651738	0.2006878	1.0277551	3.191523	9.614201	7.507323	2647.066	2.308584
17	13.651739	0.2006878	1.0277550	3.191523	9.614201	7.507322	2647.066	2.308583
18	13.651740	0.2006877	1.0277549	3.191523	9.614201	7.507321	2647.066	2.308583
19	13.651741	0.2006877	1.0277549	3.191523	9.614201	7.507320	2647.066	2.308582
20	13.651742	0.2006876	1.0277548	3.191523	9.614201	7.507320	2647.066	2.308582
21	13.651743	0.2006876	1.0277547	3.191523	9.614201	7.507320	2647.066	2.308582
	hprt	hx	hxd	impd	inuc	mat	polyam	prpps
1	3.669760	0.04730928	1.191281	1.595762	2.642505	14.98849	1.007991	20.88492
2	3.684109	0.04732034	1.191443	1.595750	2.642393	14.98850	1.007991	20.88278
3	3.684104	0.04731730	1.191398	1.595751	2.642401	14.98850	1.007991	20.88275
4	3.684049	0.04731482	1.191362	1.595751	2.642409	14.98850	1.007991	20.88274
5	3.684001	0.04731287	1.191333	1.595752	2.642416	14.98850	1.007991	20.88274
6	3.683961	0.04731135	1.191311	1.595753	2.642422	14.98850	1.007991	20.88273
7	3.683929	0.04731017	1.191294	1.595754	2.642427	14.98850	1.007991	20.88273
8	3.683904	0.04730928	1.191281	1.595754	2.642432	14.98850	1.007991	20.88273
9	3.683883	0.04730860	1.191271	1.595755	2.642437	14.98850	1.007991	20.88273
10	3.683868	0.04730810	1.191264	1.595755	2.642441	14.98850	1.007991	20.88273
11	7.367707	0.09461539	2.382516	3.191511	5.284890	29.97699	2.015983	41.76545
12	7.367676	0.09461462	2.382504	3.191513	5.284902	29.97699	2.015983	41.76545
13	7.367658	0.09461434	2.382500	3.191514	5.284912	29.97699	2.015983	41.76545
14	7.367646	0.09461425	2.382499	3.191515	5.284921	29.97699	2.015983	41.76545
15	7.367640	0.09461435	2.382500	3.191516	5.284929	29.97699	2.015983	41.76545
16	7.367638	0.09461456	2.382503	3.191517	5.284936	29.97699	2.015983	41.76545
17	7.367638	0.09461483	2.382507	3.191518	5.284943	29.97699	2.015983	41.76545
18	7.367639	0.09461512	2.382512	3.191519	5.284948	29.97699	2.015983	41.76545
19	7.367641	0.09461540	2.382516	3.191519	5.284953	29.97699	2.015983	41.76545
20	7.367642	0.09461567	2.382520	3.191520	5.284958	29.97699	2.015983	41.76545
21	7.367644	0.09461592	2.382523	3.191520	5.284962	29.97699	2.015983	41.76545
	pyr	rnaa	rnag	trans	ua	x	xd	R5P Pi
1	9.99989	1985.551	1323.605	13.98050	2.314825	0.03071716	2.314841	18 1400
2	10.04334	1985.551	1323.605	13.98050	2.314828	0.03072109	2.314923	18 1400
3	10.04368	1985.551	1323.605	13.98050	2.314834	0.03072380	2.314979	18 1400
4	10.04380	1985.550	1323.605	13.98050	2.314842	0.03072494	2.315002	18 1400
5	10.04389	1985.550	1323.605	13.98050	2.314850	0.03072508	2.315005	18 1400

```

6 10.04396 1985.550 1323.605 13.98050 2.314858 0.03072464 2.314996 18 1400
7 10.04401 1985.550 1323.605 13.98050 2.314864 0.03072389 2.314980 18 1400
8 10.04404 1985.550 1323.605 13.98050 2.314870 0.03072300 2.314962 18 1400
9 10.04407 1985.550 1323.605 13.98050 2.314874 0.03072209 2.314943 18 1400
10 10.04409 1985.550 1323.605 13.98050 2.314877 0.03072121 2.314925 18 1400
11 20.08822 3971.101 2647.209 27.96101 4.629758 0.06144059 4.629812 18 1400
12 20.08827 3971.101 2647.209 27.96101 4.629760 0.06143812 4.629761 18 1400
13 20.08829 3971.101 2647.209 27.96101 4.629757 0.06143636 4.629724 18 1400
14 20.08831 3971.101 2647.209 27.96101 4.629753 0.06143501 4.629696 18 1400
15 20.08832 3971.101 2647.209 27.96101 4.629747 0.06143415 4.629678 18 1400
16 20.08832 3971.101 2647.209 27.96101 4.629740 0.06143363 4.629668 18 1400
17 20.08832 3971.101 2647.209 27.96101 4.629732 0.06143340 4.629663 18 1400
18 20.08832 3971.101 2647.209 27.96101 4.629725 0.06143334 4.629662 18 1400
19 20.08832 3971.101 2647.209 27.96101 4.629719 0.06143337 4.629662 18 1400
20 20.08832 3971.101 2647.209 27.96101 4.629714 0.06143346 4.629664 18 1400
21 20.08832 3971.101 2647.209 27.96101 4.629709 0.06143358 4.629667 18 1400

```

If half the fluxes increase and the other half decrease, both by 10 percent, both concentrations and fluxes change

```
> sim(curto,(-10):10,modulator=c(rep(1.1,20),rep(0.9,17))) # half up, half down, not bumps
```

	time	PRPP	IMP	SAMP	ATP	SAM	Ade	
1	-10	5.000000	98.26340	0.198189000	2475.35000	3.991870	0.9847300000	
2	-9	5.017097	98.25819	0.198184839	2475.35234	3.991870	0.9849150719	
3	-8	5.017231	98.25855	0.198185337	2475.35377	3.991870	0.9848325423	
4	-7	5.017280	98.25890	0.198185738	2475.35440	3.991871	0.9847893888	
5	-6	5.017315	98.25922	0.198186049	2475.35459	3.991871	0.9847674154	
6	-5	5.017341	98.25951	0.198186302	2475.35458	3.991871	0.9847553831	
7	-4	5.017360	98.25977	0.198186517	2475.35449	3.991871	0.9847479991	
8	-3	5.017375	98.26000	0.198186702	2475.35438	3.991871	0.9847432878	
9	-2	5.017386	98.26020	0.198186865	2475.35426	3.991871	0.9847401086	
10	-1	5.017395	98.26039	0.198187011	2475.35415	3.991870	0.9847378781	
11	0	5.017397	98.26056	0.198187143	2475.35286	3.991870	0.9847356517	
12	1	4.942535	97.64982	0.176888027	2097.34764	3.897048	0.8013936600	
13	2	5.263280	96.43285	0.156424565	1747.80994	3.757779	0.6111152456	
14	3	5.678427	94.79493	0.136080086	1418.61269	3.604306	0.4334448864	
15	4	6.207961	92.84137	0.115207953	1106.99359	3.431282	0.2850694110	
16	5	6.906085	90.75052	0.093545215	813.84574	3.229753	0.1708407185	
17	6	7.882150	88.89309	0.071071975	543.51724	2.985494	0.0889361966	
18	7	9.370372	88.20389	0.048063921	305.51246	2.672647	0.0360753637	
19	8	11.954162	91.78351	0.025759436	120.34011	2.240164	0.0088245552	
20	9	16.535129	113.03895	0.010344930	28.62120	1.668575	0.0010455832	
21	10	19.417933	167.86487	0.007564065	14.10885	1.380950	0.0003501131	
	XMP	GTP	dATP	dGTP	RNA	DNA	HX	Xa
1	24.79300	410.2230	6.014130	3.025810	28680.50	5179.340	9.5178500	5.059410
2	24.79299	410.2223	6.014135	3.025813	28680.50	5179.340	9.5198361	5.059734

3	24.79298	410.2237	6.014136	3.025813	28680.49	5179.340	9.5192907	5.059957
4	24.79296	410.2244	6.014137	3.025814	28680.49	5179.341	9.5188453	5.060051
5	24.79295	410.2248	6.014137	3.025814	28680.49	5179.341	9.5184941	5.060063
6	24.79294	410.2250	6.014138	3.025814	28680.49	5179.341	9.5182207	5.060026
7	24.79293	410.2251	6.014138	3.025814	28680.49	5179.341	9.5180098	5.059964
8	24.79293	410.2251	6.014139	3.025814	28680.49	5179.341	9.5178489	5.059891
9	24.79292	410.2251	6.014139	3.025814	28680.49	5179.342	9.5177278	5.059816
10	24.79291	410.2251	6.014139	3.025814	28680.49	5179.342	9.5176378	5.059744
11	24.79290	410.2251	6.014140	3.025814	28680.49	5179.342	9.5175735	5.059678
12	24.49250	421.2807	6.012598	3.026378	29048.29	5179.342	9.8442793	5.089136
13	24.22829	449.4004	6.007925	3.029316	29371.93	5179.341	9.6202444	5.150113
14	24.00079	489.6995	5.999332	3.035442	29664.27	5179.341	8.8685347	5.210558
15	23.81308	540.3001	5.985949	3.045132	29929.96	5179.342	7.6661495	5.253872
16	23.67127	601.3382	5.966942	3.058752	30168.06	5179.346	6.1109875	5.268422
17	23.58600	674.7568	5.941320	3.076824	30372.58	5179.352	4.3426398	5.243662
18	23.57648	765.0964	5.907563	3.100206	30530.09	5179.361	2.5826058	5.171131
19	23.68076	882.3177	5.862875	3.130442	30611.69	5179.371	1.1867023	5.052034
20	23.97258	1045.5200	5.802620	3.170440	30562.34	5179.380	0.5824007	4.920730
21	24.46735	1241.2312	5.730538	3.222250	30416.42	5179.387	0.9059304	4.892625
	Gua	UA	ada	ade	adna	adrnr	ampd	
1	5.506380	100.2930	2.07946700	0.0099157243	10.03826	0.2011595	5.64072792	
2	5.508591	100.2931	2.07946890	0.0099167492	10.03827	0.2011596	5.64073245	
3	5.508056	100.2932	2.07947007	0.0099162922	10.03827	0.2011597	5.64073451	
4	5.507660	100.2933	2.07947058	0.0099160532	10.03827	0.2011597	5.64073535	
5	5.507373	100.2935	2.07947074	0.0099159315	10.03827	0.2011597	5.64073555	
6	5.507162	100.2936	2.07947073	0.0099158649	10.03827	0.2011597	5.64073545	
7	5.507004	100.2938	2.07947066	0.0099158240	10.03827	0.2011597	5.64073526	
8	5.506887	100.2939	2.07947057	0.0099157979	10.03827	0.2011597	5.64073503	
9	5.506798	100.2940	2.07947047	0.0099157803	10.03827	0.2011597	5.64073480	
10	5.506731	100.2940	2.07947038	0.0099157679	10.03827	0.2011597	5.64073459	
11	5.506681	100.2940	2.28741626	0.0109073312	11.04210	0.2212756	6.20480547	
12	5.892294	100.2964	1.94776928	0.0097388557	11.04159	0.2176911	5.43010638	
13	6.367478	100.3094	1.63206172	0.0083899699	11.04152	0.2139888	4.68409297	
14	7.064254	100.3355	1.33298458	0.0069455449	11.04224	0.2100283	3.95368740	
15	8.049986	100.3720	1.04794371	0.0055158891	11.04350	0.2055896	3.23255689	
16	9.339793	100.4134	0.77757633	0.0041621521	11.04501	0.2003278	2.51923833	
17	10.921119	100.4519	0.52562272	0.0029066041	11.04652	0.1936400	1.81762962	
18	12.746625	100.4782	0.30060435	0.0017695327	11.04768	0.1843229	1.14214384	
19	14.684293	100.4820	0.12176299	0.0008156874	11.04784	0.1697360	0.53972027	
20	16.447357	100.4567	0.03023461	0.0002523713	11.04619	0.1491230	0.17020778	
21	18.787406	100.4117	0.01522383	0.0001382634	11.04728	0.1414420	0.09615831	
	aprt	arna	asuc	asli	dada	den	dgnuc	
1	0.9963412	1985.621	8.003186	8.003185	0.2004510	2.386351	0.1008502	
2	0.9981831	1985.621	8.003012	8.003012	0.2004511	2.402707	0.1008503	
3	0.9981332	1985.621	8.003028	8.003027	0.2004512	2.402833	0.1008504	
4	0.9981052	1985.622	8.003042	8.003041	0.2004512	2.402879	0.1008504	

5	0.9980919	1985.622	8.003053	8.003053	0.2004512	2.402911	0.1008504	
6	0.9980853	1985.622	8.003064	8.003063	0.2004512	2.402935	0.1008504	
7	0.9980816	1985.622	8.003072	8.003072	0.2004512	2.402953	0.1008504	
8	0.9980795	1985.622	8.003080	8.003080	0.2004512	2.402967	0.1008504	
9	0.9980783	1985.622	8.003087	8.003087	0.2004513	2.402977	0.1008504	
10	0.9980775	1985.622	8.003093	8.003093	0.2004513	2.402985	0.1008504	
11	1.0978841	2184.185	8.803410	8.803412	0.2204964	2.643286	0.1109354	
12	1.0660072	2173.664	9.186491	9.207382	0.2204399	2.660303	0.1109561	
13	1.0386337	2172.109	9.673547	9.693799	0.2202685	3.119270	0.1110638	
14	0.9852820	2173.695	10.275911	10.296451	0.2199535	3.763924	0.1112884	
15	0.9175052	2174.525	11.030532	11.051758	0.2194628	4.699091	0.1116437	
16	0.8430688	2171.336	12.022671	12.044755	0.2187660	6.155698	0.1121430	
17	0.7624262	2160.053	13.442905	13.465743	0.2178266	8.678972	0.1128056	
18	0.6698854	2133.286	15.779712	15.802475	0.2165890	13.820624	0.1136629	
19	0.5545466	2074.275	20.630038	20.650886	0.2149506	27.528879	0.1147714	
20	0.4155370	1973.614	32.743140	32.751295	0.2127414	71.999057	0.1162378	
21	0.3490613	1948.005	47.037493	47.038374	0.2100987	111.817231	0.1181374	
	dnaa	dnag	gdna	gdrnr	gmpr	gmps	gnuc	gprt
1	10.03756	6.826370	6.825859	0.1003440	0.5138721	1.5957628	4.807078	3.738009
2	10.03756	6.826370	6.825863	0.1003438	0.5138758	1.5957629	4.807071	3.753992
3	10.03756	6.826371	6.825864	0.1003439	0.5138768	1.5957629	4.807085	3.753944
4	10.03756	6.826371	6.825864	0.1003440	0.5138774	1.5957628	4.807093	3.753867
5	10.03756	6.826371	6.825865	0.1003440	0.5138776	1.5957627	4.807097	3.753812
6	10.03756	6.826371	6.825865	0.1003440	0.5138777	1.5957626	4.807099	3.753773
7	10.03756	6.826372	6.825865	0.1003440	0.5138778	1.5957625	4.807100	3.753744
8	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.5957624	4.807100	3.753723
9	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.5957623	4.807101	3.753708
10	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.5957622	4.807101	3.753696
11	11.04132	7.509010	7.508453	0.1103784	0.5652655	1.7553382	5.287811	4.129052
12	11.04132	7.509010	7.508106	0.1115850	0.5885786	1.7174248	5.415895	4.041127
13	11.04132	7.509009	7.508058	0.1145702	0.6300672	1.6773471	5.740186	4.166230
14	11.04132	7.509008	7.508551	0.1186844	0.6855960	1.6333969	6.201440	4.300264
15	11.04132	7.509010	7.509405	0.1236232	0.7541373	1.5835067	6.775283	4.493035
16	11.04133	7.509016	7.510433	0.1292989	0.8371372	1.5246581	7.460412	4.779765
17	11.04134	7.509025	7.511460	0.1357848	0.9389184	1.4517180	8.275389	5.209527
18	11.04136	7.509038	7.512250	0.1433395	1.0690038	1.3546656	9.266173	5.883611
19	11.04138	7.509052	7.512353	0.1525608	1.2490806	1.2122287	10.534607	7.048236
20	11.04140	7.509064	7.511233	0.1644975	1.4935997	1.0223248	12.273120	8.899792
21	11.04142	7.509075	7.511978	0.1777200	1.6420998	0.9422039	14.322647	9.289099
	grna	gua	hprr	hx	hxd	impd	inuc	mat
1	1323.532	1.154277	3.669760	0.047309283	1.1912809	1.595762	2.642505	14.988492
2	1323.532	1.154508	3.684109	0.047320340	1.1914425	1.595750	2.642393	14.988495
3	1323.532	1.154452	3.684104	0.047317303	1.1913981	1.595751	2.642401	14.988496
4	1323.533	1.154411	3.684049	0.047314824	1.1913619	1.595751	2.642409	14.988496
5	1323.533	1.154381	3.684001	0.047312868	1.1913333	1.595752	2.642416	14.988496
6	1323.533	1.154359	3.683961	0.047311346	1.1913111	1.595753	2.642422	14.988496



7	1323.533	1.154342	3.683929	0.047310172	1.1912939	1.595754	2.642427	14.988496
8	1323.533	1.154330	3.683904	0.047309277	1.1912809	1.595754	2.642432	14.988496
9	1323.533	1.154320	3.683883	0.047308602	1.1912710	1.595755	2.642437	14.988496
10	1323.533	1.154313	3.683868	0.047308101	1.1912637	1.595755	2.642441	14.988496
11	1191.179	1.038877	3.315467	0.042576969	1.0721326	1.436180	2.378200	13.489645
12	1185.442	1.074636	3.332796	0.044217211	1.0959128	1.435267	2.366367	13.239500
13	1184.594	1.117128	3.571860	0.043091716	1.0796361	1.431192	2.342745	13.047252
14	1185.459	1.176664	3.791615	0.039338649	1.0240241	1.425055	2.310857	12.830948
15	1185.911	1.256079	3.972777	0.033415804	0.9314975	1.417428	2.272679	12.575757
16	1184.173	1.352969	4.088331	0.025922096	0.8038571	1.408822	2.231641	12.262690
17	1178.019	1.463029	4.087726	0.017681114	0.6437933	1.400068	2.195024	11.858012
18	1163.421	1.580582	3.879534	0.009879397	0.4592448	1.393223	2.181399	11.293270
19	1131.239	1.696469	3.370061	0.004135120	0.2770311	1.395027	2.251939	10.420611
20	1076.341	1.795426	2.842661	0.001863262	0.1744218	1.430415	2.660281	9.330589
21	1062.375	1.918902	2.949564	0.003056128	0.2324439	1.507258	3.650168	9.073411
	polyam	prpps	pyr	rnaa	rnag	trans	ua	
1	1.0079912	20.88492	9.999890	1985.551	1323.605	13.980504	2.314825	
2	1.0079911	20.88278	10.043336	1985.551	1323.605	13.980503	2.314828	
3	1.0079913	20.88275	10.043676	1985.551	1323.605	13.980504	2.314834	
4	1.0079913	20.88274	10.043802	1985.550	1323.605	13.980504	2.314842	
5	1.0079914	20.88274	10.043890	1985.550	1323.605	13.980504	2.314850	
6	1.0079914	20.88273	10.043956	1985.550	1323.605	13.980505	2.314858	
7	1.0079914	20.88273	10.044005	1985.550	1323.605	13.980504	2.314864	
8	1.0079913	20.88273	10.044043	1985.550	1323.605	13.980504	2.314870	
9	1.0079913	20.88273	10.044071	1985.550	1323.605	13.980504	2.314874	
10	1.0079913	20.88273	10.044093	1985.550	1323.605	13.980504	2.314877	
11	0.9071922	18.79446	9.039689	1786.995	1191.244	12.582454	2.083391	
12	0.8877746	20.23712	8.868741	1809.912	1206.521	12.483027	2.083497	
13	0.8591690	21.86937	9.605978	1830.077	1219.963	12.334014	2.084094	
14	0.8275228	23.88576	10.578289	1848.292	1232.106	12.165452	2.085294	
15	0.7916829	26.53033	11.846525	1864.846	1243.141	11.969547	2.086972	
16	0.7497094	30.24239	13.563455	1879.682	1253.031	11.732836	2.088873	
17	0.6984818	35.95759	16.042963	1892.425	1261.525	11.432270	2.090646	
18	0.6322488	46.12511	19.983749	1902.238	1268.067	11.022190	2.091854	
19	0.5393768	69.24151	27.226707	1907.322	1271.456	10.398470	2.092030	
20	0.4137630	129.97707	41.107726	1904.248	1269.407	9.435202	2.090866	
21	0.3489800	176.61614	50.415448	1895.156	1263.346	8.864124	2.088798	
	x	xd	R5P	Pi				
1	0.03071716	2.314841	18	1400				
2	0.03072109	2.314923	18	1400				
3	0.03072380	2.314979	18	1400				
4	0.03072494	2.315002	18	1400				
5	0.03072508	2.315005	18	1400				
6	0.03072464	2.314996	18	1400				
7	0.03072389	2.314980	18	1400				
8	0.03072300	2.314962	18	1400				

```

9  0.03072209 2.314943 18 1400
10 0.03072121 2.314925 18 1400
11 0.02764837 2.083418 18 1400
12 0.02797125 2.090080 18 1400
13 0.02864556 2.103817 18 1400
14 0.02932191 2.117362 18 1400
15 0.02981142 2.127024 18 1400
16 0.02997677 2.130262 18 1400
17 0.02969567 2.124750 18 1400
18 0.02887985 2.108535 18 1400
19 0.02756489 2.081686 18 1400
20 0.02615067 2.051753 18 1400
21 0.02585280 2.045299 18 1400

```

Clearly, this system has stability sensitivity problems.

The folate model of Morrison and Allegra (JBC 1989) can be simulated as follows

```

> morr=readSBML(file.path(system.file(package="SBMLR"), "models/morrison.xml"))
> out1=sim(morr,seq(-20,0,1))
> morr$species$EMTX$ic=1 # bolus of methotrexate to 1 uM
> out2=sim(morr,0:30)
> outs=data.frame(rbind(out1,out2))
> attach(outs)
> par(mfrow=c(3,4))
> plot(time,FH2b,type="l",xlab="Hours")
> plot(time,FH2f,type="l",xlab="Hours")
> plot(time,DHFRf,type="l",xlab="Hours")
> plot(time,DHFRtot,type="l",xlab="Hours")
> plot(time,CHOFH4,type="l",xlab="Hours")
> plot(time,FH4,type="l",xlab="Hours")
> plot(time,CH2FH4,type="l",xlab="Hours")
> plot(time,CH3FH4,type="l",xlab="Hours")
> plot(time,AICARsyn,type="l",xlab="Hours")
> plot(time,MTR,type="l",xlab="Hours")
> plot(time,TYMS,type="l",xlab="Hours")
> #plot(time,EMTX,type="l",xlab="Hours")
> plot(time,DHFRductase,type="l",xlab="Hours")
> par(mfrow=c(1,1))
> detach(outs)

```

As final outputs in this document, the full curto summary and object are:

```
> summary(curto)
```

```

$Species
[1] 18

```

```

$sIDs
[1] "PRPP" "IMP" "SAMP" "ATP" "SAM" "Ade" "XMP" "GTP" "dATP" "dGTP"
[11] "RNA" "DNA" "HX" "Xa" "Gua" "UA" "R5P" "Pi"

$S0
      PRPP      IMP      SAMP      ATP      SAM      Ade
5.00000e+00 9.82634e+01 1.98189e-01 2.47535e+03 3.99187e+00 9.84730e-01
      XMP      GTP      dATP      dGTP      RNA      DNA
2.47930e+01 4.10223e+02 6.01413e+00 3.02581e+00 2.86805e+04 5.17934e+03
      HX      Xa      Gua      UA      R5P      Pi
9.51785e+00 5.05941e+00 5.50638e+00 1.00293e+02 1.80000e+01 1.40000e+03

$BC
PRPP  IMP  SAMP  ATP  SAM  Ade  XMP  GTP  dATP  dGTP  RNA  DNA  HX
FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
  Xa  Gua  UA  R5P  Pi
FALSE FALSE FALSE TRUE TRUE

$nStates
[1] 16

$y0
      PRPP      IMP      SAMP      ATP      SAM      Ade
5.00000e+00 9.82634e+01 1.98189e-01 2.47535e+03 3.99187e+00 9.84730e-01
      XMP      GTP      dATP      dGTP      RNA      DNA
2.47930e+01 4.10223e+02 6.01413e+00 3.02581e+00 2.86805e+04 5.17934e+03
      HX      Xa      Gua      UA
9.51785e+00 5.05941e+00 5.50638e+00 1.00293e+02

$nReactions
[1] 37

$rIDs
[1] "ada" "ade" "adna" "adrnr" "ampd" "aprt" "arna" "asuc"
[9] "asli" "dada" "den" "dgnuc" "dnaa" "dnag" "gdna" "gdrnr"
[17] "gmpr" "gmps" "gnuc" "gprt" "grna" "gua" "hprt" "hx"
[25] "hxd" "impd" "inuc" "mat" "polyam" "prpps" "pyr" "rnaa"
[33] "rnag" "trans" "ua" "x" "xd"

$rLaws
                                     ada
                                     "aada*ATP^fada4"
                                     ade
                                     "aade*Ade^fade6"
                                     adna

```

"aadna\*dATP^fdnap9\*dGTP^fdnap10"  
 adrnr  
 "aadrnr\*ATP^fadrnr4\*dATP^fadrnr9\*dGTP^fadrnr10"  
 ampd  
 "aampd\*ATP^fampd4\*GTP^fampd8\*Pi^fampd18"  
 aprt  
 "aaprt\*PRPP^faprt1\*ATP^faprt4\*Ade^faprt6"  
 arna  
 "aarna\*ATP^frnap4\*GTP^frnap8"  
 asuc  
 "aasuc\*IMP^fasuc2\*ATP^fasuc4\*GTP^fasuc8\*Pi^fasuc18"  
 asli  
 "aasli\*SAMP^fasli3\*ATP^fasli4"  
 dada  
 "adada\*dATP^fdada9"  
 den  
 "aden\*PRPP^fden1\*IMP^fden2\*ATP^fden4\*GTP^fden8\*Pi^fden18"  
 dgnuc  
 "adgnuc\*dGTP^fdgnuc10"  
 dnaa  
 "adnaa\*DNA^fdnan12"  
 dnag  
 "adnag\*DNA^fdnan12"  
 gdna  
 "agdna\*dATP^fdnap9\*dGTP^fdnap10"  
 gdrnr  
 "agdrnr\*GTP^fgdrnr8\*dATP^fgdrnr9\*dGTP^fgdrnr10"  
 gmpr  
 "agmpr\*IMP^fgmpr2\*ATP^fgmpr4\*XMP^fgmpr7\*GTP^fgmpr8"  
 gmps  
 "agmps\*ATP^fgmps4\*XMP^fgmps7"  
 gnuc  
 "agnuc\*GTP^fgnuc8\*Pi^fgnuc18"  
 gprr  
 "agprr\*PRPP^fgprr1\*GTP^fgprr8\*Gua^fgprr15"  
 grna  
 "agrna\*ATP^frnap4\*GTP^frnap8"  
 gua  
 "agua\*Gua^fgua15"  
 hprr  
 "ahprr\*PRPP^fhprr1\*IMP^fhprr2\*HX^fhprr13"  
 hx  
 "ahx\*HX^fhx13"  
 hxd  
 "ahxd\*HX^fhxd13"  
 impd

```

"aimpd*IMP^fimpd2*XMP^fimpd7*GTP^fimpd8"
    inuc
"ainuc*IMP^finuc2*Pi^finuc18"
    mat
"amat*ATP^fmat4*SAM^fmat5"
    polyam
"apolyam*SAM^fpolyam5"
    prpps
"aprpps*PRPP^fprpps1*ATP^fprpps4*GTP^fprpps8*R5P^fprpps17*Pi^fprpps18"
    pyr
"apyr*PRPP^fpyr1"
    rnaa
"arnaa*RNA^frnan11"
    rnag
"arnag*RNA^frnan11"
    trans
"atrans*SAM^ftrans5"
    ua
"aua*UA^fua16"
    x
"ax*Xa^fx14"
    xd
"axd*Xa^fxd14"

```

\$V0

	ada	ade	adna	adrnr	ampd	aprt
	2.079467e+00	9.915724e-03	1.003826e+01	2.011595e-01	5.640728e+00	9.963412e-01
	arna	asuc	asli	dada	den	dgnuc
	1.985621e+03	8.003186e+00	8.003185e+00	2.004510e-01	2.386351e+00	1.008502e-01
	dnaa	dnag	gdna	gdrnr	gmpr	gmps
	1.003756e+01	6.826370e+00	6.825859e+00	1.003440e-01	5.138721e-01	1.595763e+00
	gnuc	gprt	grna	gua	hprt	hx
	4.807078e+00	3.738009e+00	1.323532e+03	1.154277e+00	3.669760e+00	4.730928e-02
	hxd	impd	inuc	mat	polyam	prpps
	1.191281e+00	1.595762e+00	2.642505e+00	1.498849e+01	1.007991e+00	2.088492e+01
	pyr	rnaa	rnag	trans	ua	x
	9.999890e+00	1.985551e+03	1.323605e+03	1.398050e+01	2.314825e+00	3.071716e-02
	xd					
	2.314841e+00					

\$globalVec

NULL

\$incid

	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]	[,8]	[,9]	[,10]	[,11]	[,12]	[,13]	[,14]
PRPP	0	0	0	0	0	-1	0	0	0	0	-1	0	0	0

IMP	0	0	0	0	1	0	0	-1	0	0	1	0	0	0
SAMP	0	0	0	0	0	0	0	1	-1	0	0	0	0	0
ATP	-1	0	0	-1	-1	1	-1	0	1	0	0	0	0	0
SAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ade	0	-1	0	0	0	-1	0	0	0	0	0	0	0	0
XMP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GTP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
dATP	0	0	-1	1	0	0	0	0	0	-1	0	0	1	0
dGTP	0	0	0	0	0	0	0	0	0	0	0	-1	0	1
RNA	0	0	0	0	0	0	1	0	0	0	0	0	0	0
DNA	0	0	1	0	0	0	0	0	0	0	0	0	-1	-1
HX	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Xa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gua	0	0	0	0	0	0	0	0	0	0	0	1	0	0
UA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	[,15]	[,16]	[,17]	[,18]	[,19]	[,20]	[,21]	[,22]	[,23]	[,24]	[,25]	[,26]		
PRPP	0	0	0	0	0	-1	0	0	-1	0	0	0	0	
IMP	0	0	1	0	0	0	0	0	1	0	0	0	-1	
SAMP	0	0	0	0	0	0	0	0	0	0	0	0	0	
ATP	0	0	0	0	0	0	0	0	0	0	0	0	0	
SAM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ade	0	0	0	0	0	0	0	0	0	0	0	0	0	
XMP	0	0	0	-1	0	0	0	0	0	0	0	0	1	
GTP	0	-1	-1	1	-1	1	-1	0	0	0	0	0	0	
dATP	0	0	0	0	0	0	0	0	0	0	0	0	0	
dGTP	-1	1	0	0	0	0	0	0	0	0	0	0	0	
RNA	0	0	0	0	0	0	1	0	0	0	0	0	0	
DNA	1	0	0	0	0	0	0	0	0	0	0	0	0	
HX	0	0	0	0	0	0	0	0	-1	-1	-1	0	0	
Xa	0	0	0	0	0	0	0	1	0	0	1	0	0	
Gua	0	0	0	0	1	-1	0	-1	0	0	0	0	0	
UA	0	0	0	0	0	0	0	0	0	0	0	0	0	
	[,27]	[,28]	[,29]	[,30]	[,31]	[,32]	[,33]	[,34]	[,35]	[,36]	[,37]			
PRPP	0	0	0	1	-1	0	0	0	0	0	0	0	0	
IMP	-1	0	0	0	0	0	0	0	0	0	0	0	0	
SAMP	0	0	0	0	0	0	0	0	0	0	0	0	0	
ATP	0	-1	0	0	0	1	0	1	0	0	0	0	0	
SAM	0	1	-1	0	0	0	0	-1	0	0	0	0	0	
Ade	0	0	1	0	0	0	0	0	0	0	0	0	0	
XMP	0	0	0	0	0	0	0	0	0	0	0	0	0	
GTP	0	0	0	0	0	0	1	0	0	0	0	0	0	
dATP	0	0	0	0	0	0	0	0	0	0	0	0	0	
dGTP	0	0	0	0	0	0	0	0	0	0	0	0	0	
RNA	0	0	0	0	0	-1	-1	0	0	0	0	0	0	
DNA	0	0	0	0	0	0	0	0	0	0	0	0	0	
HX	1	0	0	0	0	0	0	0	0	0	0	0	0	

Xa	0	0	0	0	0	0	0	0	0	-1	-1
Gua	0	0	0	0	0	0	0	0	0	0	0
UA	0	0	0	0	0	0	0	0	-1	0	1

\$nRules

[1] 0

\$ruleIDs

NULL

\$species

	index	initialConcentrations	boundaryConditions
PRPP	1	5.00000e+00	FALSE
IMP	2	9.82634e+01	FALSE
SAMP	3	1.98189e-01	FALSE
ATP	4	2.47535e+03	FALSE
SAM	5	3.99187e+00	FALSE
Ade	6	9.84730e-01	FALSE
XMP	7	2.47930e+01	FALSE
GTP	8	4.10223e+02	FALSE
dATP	9	6.01413e+00	FALSE
dGTP	10	3.02581e+00	FALSE
RNA	11	2.86805e+04	FALSE
DNA	12	5.17934e+03	FALSE
HX	13	9.51785e+00	FALSE
Xa	14	5.05941e+00	FALSE
Gua	15	5.50638e+00	FALSE
UA	16	1.00293e+02	FALSE
R5P	17	1.80000e+01	TRUE
Pi	18	1.40000e+03	TRUE

\$reactions

	index
ada	1
ade	2
adna	3
adrnr	4
ampd	5
aprt	6
arna	7
asuc	8
asli	9
dada	10
den	11
dgnuc	12
dnaa	13

dnag	14
gdna	15
gdrnr	16
gmpr	17
gmps	18
gnuc	19
gprr	20
grna	21
gua	22
hprt	23
hx	24
hxd	25
impd	26
inuc	27
mat	28
polyam	29
prpps	30
pyr	31
rnaa	32
rnag	33
trans	34
ua	35
x	36
xd	37

# Laws

ada	aada*ATP^fada4
ade	aade*Ade^fade6
adna	aadna*dATP^fdnap9*dGTP^fdnap10
adrnr	aadrnr*ATP^fadrnr4*dATP^fadrnr9*dGTP^fadrnr10
ampd	aampd*ATP^fampd4*dGTP^fampd8*Pi^fampd18
aprr	aaprr*PRPP^faprr1*ATP^faprr4*Ade^faprr6
arna	aarna*ATP^frnap4*dGTP^frnap8
asuc	aasuc*IMP^fasuc2*ATP^fasuc4*dGTP^fasuc8*Pi^fasuc18
asli	aasli*SAMP^fasli3*ATP^fasli4
dada	adada*dATP^fdada9
den	aden*PRPP^fden1*IMP^fden2*ATP^fden4*dGTP^fden8*Pi^fden18
dgnuc	adgnuc*dGTP^fdgnuc10
dnaa	adnaa*dNA^fdnan12
dnag	adnag*dNA^fdnan12
gdna	agdna*dATP^fdnap9*dGTP^fdnap10
gdrnr	agdrnr*dGTP^fgdrnr8*dATP^fgdrnr9*dGTP^fgdrnr10
gmpr	agmpr*IMP^fgmpr2*ATP^fgmpr4*XMP^fgmpr7*dGTP^fgmpr8
gmps	agmps*ATP^fgmps4*XMP^fgmps7
gnuc	agnuc*dGTP^fgnuc8*Pi^fgnuc18
gprr	agprr*PRPP^fgprr1*dGTP^fgprr8*Gua^fgprr15
grna	agrna*ATP^frnap4*dGTP^frnap8



gua		agua*Gua <sup>fgua15</sup>
hpert		ahprt*PRPP <sup>fhprt1</sup> *IMP <sup>fhprt2</sup> *HX <sup>fhprt13</sup>
hx		ahx*HX <sup>fhx13</sup>
hxd		ahxd*HX <sup>fhxd13</sup>
impd		aimpd*IMP <sup>fimpd2</sup> *XMP <sup>fimpd7</sup> *GTP <sup>fimpd8</sup>
inuc		ainuc*IMP <sup>finuc2</sup> *Pi <sup>finuc18</sup>
mat		amat*ATP <sup>fmat4</sup> *SAM <sup>fmat5</sup>
polyam		apolyam*SAM <sup>fpolyam5</sup>
prpps	aprpps*PRPP <sup>fprpps1</sup> *ATP <sup>fprpps4</sup> *GTP <sup>fprpps8</sup> *R5P <sup>fprpps17</sup> *Pi <sup>fprpps18</sup>	
pyr		apyr*PRPP <sup>fpyr1</sup>
rnaa		arnaa*RNA <sup>frnan11</sup>
rnag		arnag*RNA <sup>frnan11</sup>
trans		atrans*SAM <sup>ftrans5</sup>
ua		aua*UA <sup>fua16</sup>
x		ax*Xa <sup>fx14</sup>
xd		axd*Xa <sup>fxd14</sup>
	initialFluxes	
ada	2.079467e+00	
ade	9.915724e-03	
adna	1.003826e+01	
adrnr	2.011595e-01	
ampd	5.640728e+00	
aprt	9.963412e-01	
arna	1.985621e+03	
asuc	8.003186e+00	
asli	8.003185e+00	
dada	2.004510e-01	
den	2.386351e+00	
dgnuc	1.008502e-01	
dnaa	1.003756e+01	
dnag	6.826370e+00	
gdna	6.825859e+00	
gdrnr	1.003440e-01	
gmpr	5.138721e-01	
gmps	1.595763e+00	
gnuc	4.807078e+00	
gprt	3.738009e+00	
grna	1.323532e+03	
gua	1.154277e+00	
hpert	3.669760e+00	
hx	4.730928e-02	
hxd	1.191281e+00	
impd	1.595762e+00	
inuc	2.642505e+00	
mat	1.498849e+01	
polyam	1.007991e+00	

```

prpps  2.088492e+01
pyr    9.999890e+00
rnaa   1.985551e+03
rnag    1.323605e+03
trans  1.398050e+01
ua      2.314825e+00
x       3.071716e-02
xd      2.314841e+00

```

```
> curto
```

```
$sbml
```

```

                                xmlns
"http://www.sbml.org/sbml/level2" level
                                version "2"
                                "1"

```

```
$id
```

```
[1] "curto"
```

```
$notes
```

```

[1] "This is a purine metabolism model that is geared toward studies of gout."
[2] "The model is fully described in Curto et al., MBSC 151 (1998) pp 1-49"
[3] "The model uses Generalized Mass Action (GMA;i.e. power law) descriptions of reaction ra
[4] "Such descriptions are local approximations that assume independent substrate binding."
[5] "The de novo purine flux vden= 2.39 is in umole/min/KG, i.e. 2.4*60=144 uM/h if we let e
[6] "liter of water. Morrison and Allegra (JBC, 1989) have vden at 650 uM/h (model) and 415
[7] "The IC's below have been set to the system's steady state."
[8] "The units in this model are micromolar(uM) and minutes."
[9] "A cell volume of 1 is used so that amounts and concentrations are the same thing."

```

```
$compartments
```

```
$compartments$cell
```

```
$compartments$cell$id
```

```
[1] "cell"
```

```
$compartments$cell$size
```

```
[1] 1
```

```
$compartments$cell$name
```

```
[1] "cell"
```

```
$species
```

```
$species$PRPP
```

```

$species$PRPP$id
[1] "PRPP"

$species$PRPP$ic
[1] 5

$species$PRPP$compartment
[1] "cell"

$species$PRPP$bc
[1] FALSE

$species$IMP
$species$IMP$id
[1] "IMP"

$species$IMP$ic
[1] 98.2634

$species$IMP$compartment
[1] "cell"

$species$IMP$bc
[1] FALSE

$species$SAMP
$species$SAMP$id
[1] "SAMP"

$species$SAMP$ic
[1] 0.198189

$species$SAMP$compartment
[1] "cell"

$species$SAMP$bc
[1] FALSE

$species$ATP
$species$ATP$id
[1] "ATP"

$species$ATP$ic

```

```
[1] 2475.35
```

```
$species$ATP$compartment
```

```
[1] "cell"
```

```
$species$ATP$bc
```

```
[1] FALSE
```

```
$species$SAM
```

```
$species$SAM$id
```

```
[1] "SAM"
```

```
$species$SAM$ic
```

```
[1] 3.99187
```

```
$species$SAM$compartment
```

```
[1] "cell"
```

```
$species$SAM$bc
```

```
[1] FALSE
```

```
$species$Ade
```

```
$species$Ade$id
```

```
[1] "Ade"
```

```
$species$Ade$ic
```

```
[1] 0.98473
```

```
$species$Ade$compartment
```

```
[1] "cell"
```

```
$species$Ade$bc
```

```
[1] FALSE
```

```
$species$XMP
```

```
$species$XMP$id
```

```
[1] "XMP"
```

```
$species$XMP$ic
```

```
[1] 24.793
```

```
$species$XMP$compartment
```

```
[1] "cell"
```

```
$species$XMP$bc  
[1] FALSE
```

```
$species$GTP  
$species$GTP$id  
[1] "GTP"
```

```
$species$GTP$ic  
[1] 410.223
```

```
$species$GTP$compartment  
[1] "cell"
```

```
$species$GTP$bc  
[1] FALSE
```

```
$species$dATP  
$species$dATP$id  
[1] "dATP"
```

```
$species$dATP$ic  
[1] 6.01413
```

```
$species$dATP$compartment  
[1] "cell"
```

```
$species$dATP$bc  
[1] FALSE
```

```
$species$dGTP  
$species$dGTP$id  
[1] "dGTP"
```

```
$species$dGTP$ic  
[1] 3.02581
```

```
$species$dGTP$compartment  
[1] "cell"
```

```
$species$dGTP$bc  
[1] FALSE
```

```

$species$RNA
$species$RNA$id
[1] "RNA"

$species$RNA$ic
[1] 28680.5

$species$RNA$compartment
[1] "cell"

$species$RNA$bc
[1] FALSE

$species$DNA
$species$DNA$id
[1] "DNA"

$species$DNA$ic
[1] 5179.34

$species$DNA$compartment
[1] "cell"

$species$DNA$bc
[1] FALSE

$species$HX
$species$HX$id
[1] "HX"

$species$HX$ic
[1] 9.51785

$species$HX$compartment
[1] "cell"

$species$HX$bc
[1] FALSE

$species$Xa
$species$Xa$id
[1] "Xa"

```

```
$species$Xa$ic
```

```
[1] 5.05941
```

```
$species$Xa$compartment
```

```
[1] "cell"
```

```
$species$Xa$bc
```

```
[1] FALSE
```

```
$species$Gua
```

```
$species$Gua$id
```

```
[1] "Gua"
```

```
$species$Gua$ic
```

```
[1] 5.50638
```

```
$species$Gua$compartment
```

```
[1] "cell"
```

```
$species$Gua$bc
```

```
[1] FALSE
```

```
$species$UA
```

```
$species$UA$id
```

```
[1] "UA"
```

```
$species$UA$ic
```

```
[1] 100.293
```

```
$species$UA$compartment
```

```
[1] "cell"
```

```
$species$UA$bc
```

```
[1] FALSE
```

```
$species$R5P
```

```
$species$R5P$id
```

```
[1] "R5P"
```

```
$species$R5P$ic
```

```
[1] 18
```

```
$species$R5P$compartment  
[1] "cell"
```

```
$species$R5P$bc  
[1] TRUE
```

```
$species$Pi  
$species$Pi$id  
[1] "Pi"
```

```
$species$Pi$ic  
[1] 1400
```

```
$species$Pi$compartment  
[1] "cell"
```

```
$species$Pi$bc  
[1] TRUE
```

```
$globalParameters  
list()
```

```
$rules  
list()
```

```
$reactions  
$reactions$ada  
$reactions$ada$id  
[1] "ada"
```

```
$reactions$ada$reversible  
[1] FALSE
```

```
$reactions$ada$reactants  
[1] "ATP"
```

```
$reactions$ada$products  
[1] "HX"
```

```
$reactions$ada$parameters  
aada fada4  
0.001062 0.970000
```



```

$reactions$aada$mathmlLaw
<apply>
  <times/>
  <ci>aada</ci>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fada4</ci>
  </apply>
</apply>

$reactions$aada$exprLaw
aada * ATP^fada4

$reactions$aada$strLaw
[1] "aada*ATP^fada4"

$reactions$aada$law
function (r, p = NULL)
{
  aada = p["aada"]
  fada4 = p["fada4"]
  ATP = r["ATP"]
  aada * ATP^fada4
}
<environment: 0x032780c4>

$reactions$ade
$reactions$ade$id
[1] "ade"

$reactions$ade$reversible
[1] FALSE

$reactions$ade$reactants
[1] "Ade"

$reactions$ade$parameters
aade fade6
0.01 0.55

$reactions$ade$mathmlLaw
<apply>
  <times/>
  <ci>aade</ci>

```

```

<apply>
  <power/>
  <ci>Ade</ci>
  <ci>fade6</ci>
</apply>
</apply>

$reactions$ade$exprLaw
aade * Ade^fade6

$reactions$ade$strLaw
[1] "aade*Ade^fade6"

$reactions$ade$law
function (r, p = NULL)
{
  aade = p["aade"]
  fade6 = p["fade6"]
  Ade = r["Ade"]
  aade * Ade^fade6
}
<environment: 0x0300c2d8>

$reactions$adna
$reactions$adna$id
[1] "adna"

$reactions$adna$reversible
[1] FALSE

$reactions$adna$reactants
[1] "dATP"

$reactions$adna$modifiers
[1] "dGTP"

$reactions$adna$products
[1] "DNA"

$reactions$adna$parameters
  aadna  fdnap9 fdnap10
3.2789  0.4200  0.3300

$reactions$adna$mathmlLaw
<apply>

```

```

</times/>
<apply>
  <times/>
  <ci>aadna</ci>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fdnap9</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fdnap10</ci>
</apply>
</apply>

$reactions$adna$exprLaw
aadna * dATP^fdnap9 * dGTP^fdnap10

$reactions$adna$strLaw
[1] "aadna*dATP^fdnap9*dGTP^fdnap10"

$reactions$adna$law
function (r, p = NULL)
{
  aadna = p["aadna"]
  fdnap9 = p["fdnap9"]
  fdnap10 = p["fdnap10"]
  dATP = r["dATP"]
  dGTP = r["dGTP"]
  aadna * dATP^fdnap9 * dGTP^fdnap10
}
<environment: 0x0321f114>

$reactions$adrnr
$reactions$adrnr$id
[1] "adrnr"

$reactions$adrnr$reversible
[1] FALSE

$reactions$adrnr$reactants
[1] "ATP"

```

```

$reactions$adnrn$modifiers
[1] "dGTP" "dATP"

$reactions$adnrn$products
[1] "dATP"

$reactions$adnrn$parameters
      aadnrn  fadnrn4  fadnrn9 fadnrn10
      0.0602   0.1000  -0.3000   0.8700

$reactions$adnrn$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aadnrn</ci>
      <apply>
        <power/>
        <ci>ATP</ci>
        <ci>fadnrn4</ci>
      </apply>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fadnrn9</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fadnrn10</ci>
</apply>
</apply>

$reactions$adnrn$exprLaw
aadnrn * ATP^fadnrn4 * dATP^fadnrn9 * dGTP^fadnrn10

$reactions$adnrn$strLaw
[1] "aadnrn*ATP^fadnrn4*dATP^fadnrn9*dGTP^fadnrn10"

$reactions$adnrn$law
function (r, p = NULL)
{

```

```

aadrnr = p["aadrnr"]
fadrnr4 = p["fadrnr4"]
fadrnr9 = p["fadrnr9"]
fadrnr10 = p["fadrnr10"]
ATP = r["ATP"]
dGTP = r["dGTP"]
dATP = r["dATP"]
aadrnr * ATP^fadrnr4 * dATP^fadrnr9 * dGTP^fadrnr10
}
<environment: 0x02b7b360>

```

```

$reactions$ampd
$reactions$ampd$id
[1] "ampd"

```

```

$reactions$ampd$reversible
[1] FALSE

```

```

$reactions$ampd$reactants
[1] "ATP"

```

```

$reactions$ampd$modifiers
[1] "GTP" "Pi"

```

```

$reactions$ampd$products
[1] "IMP"

```

```

$reactions$ampd$parameters
  aampd  fampd4  fampd8  fampd18
0.02688 0.80000 -0.03000 -0.10000

```

```

$reactions$ampd$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aampd</ci>
      <apply>
        <power/>
        <ci>ATP</ci>
        <ci>fampd4</ci>
      </apply>
    </apply>
  </apply>

```

```

    <apply>
      <power/>
      <ci>GTP</ci>
      <ci>fampd8</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fampd18</ci>
  </apply>
</apply>

$reactions$aampd$exprLaw
aampd * ATP^fampd4 * GTP^fampd8 * Pi^fampd18

$reactions$aampd$strLaw
[1] "aampd*ATP^fampd4*GTP^fampd8*Pi^fampd18"

$reactions$aampd$law
function (r, p = NULL)
{
  aampd = p["aampd"]
  fampd4 = p["fampd4"]
  fampd8 = p["fampd8"]
  fampd18 = p["fampd18"]
  ATP = r["ATP"]
  GTP = r["GTP"]
  Pi = r["Pi"]
  aampd * ATP^fampd4 * GTP^fampd8 * Pi^fampd18
}
<environment: 0x036d98d4>

$reactions$aprt
$reactions$aprt$id
[1] "aprt"

$reactions$aprt$reversible
[1] FALSE

$reactions$aprt$reactants
[1] "PRPP" "Ade"

$reactions$aprt$modifiers
[1] "ATP"

```

```

$reactions$aprt$products
[1] "ATP"

$reactions$aprt$parameters
  aaprt faprt1 faprt4 faprt6
233.80  0.50 -0.80  0.75

$reactions$aprt$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aaprt</ci>
    <apply>
      <power/>
      <ci>PRPP</ci>
      <ci>faprt1</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>faprt4</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>Ade</ci>
  <ci>faprt6</ci>
</apply>
</apply>

$reactions$aprt$exprLaw
aaprt * PRPP^faprt1 * ATP^faprt4 * Ade^faprt6

$reactions$aprt$strLaw
[1] "aaprt*PRPP^faprt1*ATP^faprt4*Ade^faprt6"

$reactions$aprt$law
function (r, p = NULL)
{
  aaprt = p["aaprt"]
  faprt1 = p["faprt1"]

```

```

    faprt4 = p["faprt4"]
    faprt6 = p["faprt6"]
    PRPP = r["PRPP"]
    Ade = r["Ade"]
    ATP = r["ATP"]
    aaprt * PRPP^faprt1 * ATP^faprt4 * Ade^faprt6
  }
<environment: 0x03136730>

```

```

$reactions$arna
$reactions$arna$id
[1] "arna"

```

```

$reactions$arna$reversible
[1] FALSE

```

```

$reactions$arna$reactants
[1] "ATP"

```

```

$reactions$arna$modifiers
[1] "GTP"

```

```

$reactions$arna$products
[1] "RNA"

```

```

$reactions$arna$parameters
  aarna frnap4 frnap8
614.50  0.05  0.13

```

```

$reactions$arna$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aarna</ci>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>frnap4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>frnap8</ci>
  </apply>

```



```

</apply>
</apply>

$reactions$aarna$exprLaw
aarna * ATP^frnap4 * GTP^frnap8

$reactions$aarna$strLaw
[1] "aarna*ATP^frnap4*GTP^frnap8"

$reactions$aarna$law
function (r, p = NULL)
{
  aarna = p["aarna"]
  frnap4 = p["frnap4"]
  frnap8 = p["frnap8"]
  ATP = r["ATP"]
  GTP = r["GTP"]
  aarna * ATP^frnap4 * GTP^frnap8
}
<environment: 0x02a2e7d0>

$reactions$asuc
$reactions$asuc$id
[1] "asuc"

$reactions$asuc$reversible
[1] FALSE

$reactions$asuc$reactants
[1] "IMP"

$reactions$asuc$modifiers
[1] "ATP" "GTP" "Pi"

$reactions$asuc$products
[1] "SAMP"

$reactions$asuc$parameters
  aasuc  fasuc2  fasuc4  fasuc8  fasuc18
3.5932  0.4000 -0.2400  0.2000 -0.0500

$reactions$asuc$mathmlLaw
<apply>
  <times/>
</apply>

```

```

</times>
<apply>
  <times>
    <apply>
      <times>
        <ci>aasuc</ci>
        <apply>
          <power/>
          <ci>IMP</ci>
          <ci>fasuc2</ci>
        </apply>
      </apply>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>fasuc4</ci>
    </apply>
  </apply>
<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fasuc8</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>Pi</ci>
  <ci>fasuc18</ci>
</apply>
</apply>

$reactions$asuc$exprLaw
aasuc * IMP^fasuc2 * ATP^fasuc4 * GTP^fasuc8 * Pi^fasuc18

$reactions$asuc$strLaw
[1] "aasuc*IMP^fasuc2*ATP^fasuc4*GTP^fasuc8*Pi^fasuc18"

$reactions$asuc$law
function (r, p = NULL)
{
  aasuc = p["aasuc"]
  fasuc2 = p["fasuc2"]
  fasuc4 = p["fasuc4"]
  fasuc8 = p["fasuc8"]
  fasuc18 = p["fasuc18"]
  IMP = r["IMP"]

```

```

      ATP = r["ATP"]
      GTP = r["GTP"]
      Pi = r["Pi"]
      aasuc * IMP^fasuc2 * ATP^fasuc4 * GTP^fasuc8 * Pi^fasuc18
    }
  <environment: 0x03232314>

```

```

$reactions$asli
$reactions$asli$id
[1] "asli"

```

```

$reactions$asli$reversible
[1] FALSE

```

```

$reactions$asli$reactants
[1] "SAMP"

```

```

$reactions$asli$modifiers
[1] "ATP"

```

```

$reactions$asli$products
[1] "ATP"

```

```

$reactions$asli$parameters
      aasli  fasli3  fasli4
66544.00    0.99   -0.95

```

```

$reactions$asli$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aasli</ci>
    <apply>
      <power/>
      <ci>SAMP</ci>
      <ci>fasli3</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fasli4</ci>
  </apply>
</apply>

```

```

$reactions$asli$exprLaw
aasli * SAMP^fasli3 * ATP^fasli4

$reactions$asli$strLaw
[1] "aasli*SAMP^fasli3*ATP^fasli4"

$reactions$asli$law
function (r, p = NULL)
{
  aasli = p["aasli"]
  fasli3 = p["fasli3"]
  fasli4 = p["fasli4"]
  SAMP = r["SAMP"]
  ATP = r["ATP"]
  aasli * SAMP^fasli3 * ATP^fasli4
}
<environment: 0x02bb38fc>

```

```

$reactions$dada
$reactions$dada$id
[1] "dada"

```

```

$reactions$dada$reversible
[1] FALSE

```

```

$reactions$dada$reactants
[1] "dATP"

```

```

$reactions$dada$products
[1] "HX"

```

```

$reactions$dada$parameters
  adada  fdada9
0.03333 1.00000

```

```

$reactions$dada$mathmlLaw
<apply>
  <times/>
  <ci>adada</ci>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fdada9</ci>
  </apply>

```

```

</apply>

$reactions$dada$exprLaw
adada * dATP^fdada9

$reactions$dada$strLaw
[1] "adada*dATP^fdada9"

$reactions$dada$law
function (r, p = NULL)
{
  adada = p["adada"]
  fdada9 = p["fdada9"]
  dATP = r["dATP"]
  adada * dATP^fdada9
}
<environment: 0x03285520>

$reactions$den
$reactions$den$id
[1] "den"

$reactions$den$reversible
[1] FALSE

$reactions$den$reactants
[1] "PRPP"

$reactions$den$modifiers
[1] "dGTP" "IMP" "ATP" "GTP" "Pi"

$reactions$den$products
[1] "IMP"

$reactions$den$parameters
      aden  fden1  fden2  fden4  fden8  fden18
5.2728  2.0000 -0.0600 -0.2500 -0.2000 -0.0800

$reactions$den$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>

```

```

<apply>
  <times/>
  <apply>
    <times/>
    <ci>aden</ci>
    <apply>
      <power/>
      <ci>PRPP</ci>
      <ci>fden1</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>IMP</ci>
    <ci>fden2</ci>
  </apply>
</apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fden4</ci>
  </apply>
</apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fden8</ci>
  </apply>
</apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fden18</ci>
  </apply>
</apply>

$reactions$den$exprLaw
aden * PRPP^fden1 * IMP^fden2 * ATP^fden4 * GTP^fden8 * Pi^fden18

$reactions$den$strLaw
[1] "aden*PRPP^fden1*IMP^fden2*ATP^fden4*GTP^fden8*Pi^fden18"

$reactions$den$law
function (r, p = NULL)
{
  aden = p["aden"]

```

```

    fden1 = p["fden1"]
    fden2 = p["fden2"]
    fden4 = p["fden4"]
    fden8 = p["fden8"]
    fden18 = p["fden18"]
    PRPP = r["PRPP"]
    dGTP = r["dGTP"]
    IMP = r["IMP"]
    ATP = r["ATP"]
    GTP = r["GTP"]
    Pi = r["Pi"]
    aden * PRPP^fden1 * IMP^fden2 * ATP^fden4 * GTP^fden8 * Pi^fden18
  }
<environment: 0x02be2ee0>

```

```

$reactions$dgnuc
$reactions$dgnuc$id
[1] "dgnuc"

```

```

$reactions$dgnuc$reversible
[1] FALSE

```

```

$reactions$dgnuc$reactants
[1] "dGTP"

```

```

$reactions$dgnuc$products
[1] "Gua"

```

```

$reactions$dgnuc$parameters
  adgnc fdgnc10
0.03333 1.00000

```

```

$reactions$dgnuc$mathmlLaw
<apply>
  <times/>
  <ci>adgnc</ci>
  <apply>
    <power/>
    <ci>dGTP</ci>
    <ci>fdgnc10</ci>
  </apply>
</apply>

```

```

$reactions$dgnuc$exprLaw
adgnc * dGTP^fdgnc10

```

```

$reactions$dgnuc$strLaw
[1] "adgnuc*dGTP^fdgnuc10"

$reactions$dgnuc$law
function (r, p = NULL)
{
  adgnuc = p["adgnuc"]
  fdgnuc10 = p["fdgnuc10"]
  dGTP = r["dGTP"]
  adgnuc * dGTP^fdgnuc10
}
<environment: 0x03668780>

```

```

$reactions$dnaa
$reactions$dnaa$id
[1] "dnaa"

$reactions$dnaa$reversible
[1] FALSE

$reactions$dnaa$reactants
[1] "DNA"

$reactions$dnaa$products
[1] "dATP"

$reactions$dnaa$parameters
  adnaa  fdnan12
0.001938 1.000000

```

```

$reactions$dnaa$mathmlLaw
<apply>
  <times/>
  <ci>adnaa</ci>
  <apply>
    <power/>
    <ci>DNA</ci>
    <ci>fdnan12</ci>
  </apply>
</apply>

```

```

$reactions$dnaa$exprLaw
adnaa * DNA^fdnan12

```



```

$reactions$dnaa$strLaw
[1] "adnaa * DNA ^ fdnan12"

$reactions$dnaa$law
function (r, p = NULL)
{
  adnaa = p["adnaa"]
  fdnan12 = p["fdnan12"]
  DNA = r["DNA"]
  adnaa * DNA ^ fdnan12
}
<environment: 0x031fe2fc>

$reactions$dnag
$reactions$dnag$id
[1] "dnag"

$reactions$dnag$reversible
[1] FALSE

$reactions$dnag$reactants
[1] "DNA"

$reactions$dnag$products
[1] "dGTP"

$reactions$dnag$parameters
  adnag  fdnan12
0.001318 1.000000

$reactions$dnag$mathmlLaw
<apply>
  <times/>
  <ci>adnag</ci>
  <apply>
    <power/>
    <ci>DNA</ci>
    <ci>fdnan12</ci>
  </apply>
</apply>

$reactions$dnag$exprLaw
adnag * DNA ^ fdnan12

$reactions$dnag$strLaw

```

```

[1] "adnag*DNA^fdnan12"

$reactions$dnag$law
function (r, p = NULL)
{
  adnag = p["adnag"]
  fdnan12 = p["fdnan12"]
  DNA = r["DNA"]
  adnag * DNA^fdnan12
}
<environment: 0x02bb03c8>

$reactions$gdna
$reactions$gdna$id
[1] "gdna"

$reactions$gdna$reversible
[1] FALSE

$reactions$gdna$reactants
[1] "dGTP"

$reactions$gdna$modifiers
[1] "dATP"

$reactions$gdna$products
[1] "DNA"

$reactions$gdna$parameters
  agdna  fdnap9 fdnap10
  2.2296  0.4200  0.3300

$reactions$gdna$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agdna</ci>
    <apply>
      <power/>
      <ci>dATP</ci>
      <ci>fdnap9</ci>
    </apply>
  </apply>
</apply>
<apply>

```

```

    <power/>
    <ci>dGTP</ci>
    <ci>fdnap10</ci>
  </apply>
</apply>

$reactions$gdna$exprLaw
agdna * dATP^fdnap9 * dGTP^fdnap10

$reactions$gdna$strLaw
[1] "agdna*dATP^fdnap9*dGTP^fdnap10"

$reactions$gdna$law
function (r, p = NULL)
{
  agdna = p["agdna"]
  fdnap9 = p["fdnap9"]
  fdnap10 = p["fdnap10"]
  dGTP = r["dGTP"]
  dATP = r["dATP"]
  agdna * dATP^fdnap9 * dGTP^fdnap10
}
<environment: 0x0365ed98>

$reactions$gdrnr
$reactions$gdrnr$id
[1] "gdrnr"

$reactions$gdrnr$reversible
[1] FALSE

$reactions$gdrnr$reactants
[1] "GTP"

$reactions$gdrnr$modifiers
[1] "dATP" "dGTP"

$reactions$gdrnr$products
[1] "dGTP"

$reactions$gdrnr$parameters
  agdrnr  fgdrnr8  fgdrnr9 fgdrnr10
  0.1199   0.4000  -1.2000  -0.3900

$reactions$gdrnr$mathmlLaw

```

```

<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>agdrnr</ci>
      <apply>
        <power/>
        <ci>GTP</ci>
        <ci>fgdrnr8</ci>
      </apply>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fgdrnr9</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fgdrnr10</ci>
</apply>
</apply>

$reactions$gdrnr$exprLaw
agdrnr * GTP^fgdrnr8 * dATP^fgdrnr9 * dGTP^fgdrnr10

$reactions$gdrnr$strLaw
[1] "agdrnr*GTP^fgdrnr8*dATP^fgdrnr9*dGTP^fgdrnr10"

$reactions$gdrnr$law
function (r, p = NULL)
{
  agdrnr = p["agdrnr"]
  fgdrnr8 = p["fgdrnr8"]
  fgdrnr9 = p["fgdrnr9"]
  fgdrnr10 = p["fgdrnr10"]
  GTP = r["GTP"]
  dATP = r["dATP"]
  dGTP = r["dGTP"]
  agdrnr * GTP^fgdrnr8 * dATP^fgdrnr9 * dGTP^fgdrnr10
}
<environment: 0x031bd2ac>

```

```

$reactions$gmpr
$reactions$gmpr$id
[1] "gmpr"

$reactions$gmpr$reversible
[1] FALSE

$reactions$gmpr$reactants
[1] "GTP"

$reactions$gmpr$modifiers
[1] "XMP" "ATP" "IMP"

$reactions$gmpr$products
[1] "IMP"

$reactions$gmpr$parameters
  agmpr fgmpr2 fgmpr4 fgmpr7 fgmpr8
0.3005 -0.1500 -0.0700 -0.7600 0.7000

$reactions$gmpr$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <apply>
        <times/>
        <ci>agmpr</ci>
        <apply>
          <power/>
          <ci>IMP</ci>
          <ci>fgmpr2</ci>
        </apply>
      </apply>
    </apply>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>fgmpr4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>XMP</ci>

```

```

      <ci>fgmpr7</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fgmpr8</ci>
  </apply>
</apply>

$reactions$gmpr$exprLaw
agmpr * IMP^fgmpr2 * ATP^fgmpr4 * XMP^fgmpr7 * GTP^fgmpr8

$reactions$gmpr$strLaw
[1] "agmpr*IMP^fgmpr2*ATP^fgmpr4*XMP^fgmpr7*GTP^fgmpr8"

$reactions$gmpr$law
function (r, p = NULL)
{
  agmpr = p["agmpr"]
  fgmpr2 = p["fgmpr2"]
  fgmpr4 = p["fgmpr4"]
  fgmpr7 = p["fgmpr7"]
  fgmpr8 = p["fgmpr8"]
  GTP = r["GTP"]
  XMP = r["XMP"]
  ATP = r["ATP"]
  IMP = r["IMP"]
  agmpr * IMP^fgmpr2 * ATP^fgmpr4 * XMP^fgmpr7 * GTP^fgmpr8
}
<environment: 0x029d0fcc>

$reactions$gmpr
$reactions$gmpr$id
[1] "gmpr"

$reactions$gmpr$reversible
[1] FALSE

$reactions$gmpr$reactants
[1] "XMP"

$reactions$gmpr$modifiers
[1] "ATP"

```

```

$reactions$gmps$products
[1] "GTP"

$reactions$gmps$parameters
agmps fgmps4 fgmps7
0.3738 0.1200 0.1600

$reactions$gmps$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agmps</ci>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>fgmps4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>XMP</ci>
    <ci>fgmps7</ci>
  </apply>
</apply>

$reactions$gmps$exprLaw
agmps * ATP^fgmps4 * XMP^fgmps7

$reactions$gmps$strLaw
[1] "agmps*ATP^fgmps4*XMP^fgmps7"

$reactions$gmps$law
function (r, p = NULL)
{
  agmps = p["agmps"]
  fgmps4 = p["fgmps4"]
  fgmps7 = p["fgmps7"]
  XMP = r["XMP"]
  ATP = r["ATP"]
  agmps * ATP^fgmps4 * XMP^fgmps7
}
<environment: 0x0324dacc>

$reactions$gnuc

```

```

$reactions$gnuc$id
[1] "gnuc"

$reactions$gnuc$reversible
[1] FALSE

$reactions$gnuc$reactants
[1] "GTP"

$reactions$gnuc$modifiers
[1] "Pi"

$reactions$gnuc$products
[1] "Gua"

$reactions$gnuc$parameters
  agnuc  fgnuc8 fgnuc18
0.2511  0.9000 -0.3400

$reactions$gnuc$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agnuc</ci>
    <apply>
      <power/>
      <ci>GTP</ci>
      <ci>fgnuc8</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fgnuc18</ci>
  </apply>
</apply>

$reactions$gnuc$exprLaw
agnuc * GTP^fgnuc8 * Pi^fgnuc18

$reactions$gnuc$strLaw
[1] "agnuc*GTP^fgnuc8*Pi^fgnuc18"

$reactions$gnuc$law
function (r, p = NULL)

```



```

{
  agnuc = p["agnuc"]
  fgnuc8 = p["fgnuc8"]
  fgnuc18 = p["fgnuc18"]
  GTP = r["GTP"]
  Pi = r["Pi"]
  agnuc * GTP^fgnuc8 * Pi^fgnuc18
}
<environment: 0x02bff0c0>

```

```

$reactions$gprt
$reactions$gprt$id
[1] "gprt"

```

```

$reactions$gprt$reversible
[1] FALSE

```

```

$reactions$gprt$reactants
[1] "Gua" "PRPP"

```

```

$reactions$gprt$modifiers
[1] "GTP"

```

```

$reactions$gprt$products
[1] "GTP"

```

```

$reactions$gprt$parameters
  agprt fgprt1 fgprt8 fgprt15
361.69  1.20  -1.20  0.42

```

```

$reactions$gprt$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>agprt</ci>
      <apply>
        <power/>
        <ci>PRPP</ci>
        <ci>fgprt1</ci>
      </apply>
    </apply>
  </apply>
<apply>

```

```

    <power/>
    <ci>GTP</ci>
    <ci>fgprt8</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>Gua</ci>
  <ci>fgprt15</ci>
</apply>
</apply>

$reactions$gpprt$exprLaw
agprt * PRPP^fgprt1 * GTP^fgprt8 * Gua^fgprt15

$reactions$gpprt$strLaw
[1] "agprt*PRPP^fgprt1*GTP^fgprt8*Gua^fgprt15"

$reactions$gpprt$law
function (r, p = NULL)
{
  agprt = p["agprt"]
  fgprt1 = p["fgprt1"]
  fgprt8 = p["fgprt8"]
  fgprt15 = p["fgprt15"]
  Gua = r["Gua"]
  PRPP = r["PRPP"]
  GTP = r["GTP"]
  agprt * PRPP^fgprt1 * GTP^fgprt8 * Gua^fgprt15
}
<environment: 0x0326a158>

$reactions$grna
$reactions$grna$id
[1] "grna"

$reactions$grna$reversible
[1] FALSE

$reactions$grna$reactants
[1] "GTP"

$reactions$grna$modifiers
[1] "ATP"

```

```

$reactions$grna$products
[1] "RNA"

$reactions$grna$parameters
agrna frnap4 frnap8
409.60 0.05 0.13

$reactions$grna$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agrna</ci>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>frnap4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>frnap8</ci>
  </apply>
</apply>

$reactions$grna$exprLaw
agrna * ATP^frnap4 * GTP^frnap8

$reactions$grna$strLaw
[1] "agrna*ATP^frnap4*GTP^frnap8"

$reactions$grna$law
function (r, p = NULL)
{
  agrna = p["agrna"]
  frnap4 = p["frnap4"]
  frnap8 = p["frnap8"]
  GTP = r["GTP"]
  ATP = r["ATP"]
  agrna * ATP^frnap4 * GTP^frnap8
}
<environment: 0x02c0ea08>

$reactions$gua

```

```

$reactions$gua$id
[1] "gua"

$reactions$gua$reversible
[1] FALSE

$reactions$gua$reactants
[1] "Gua"

$reactions$gua$products
[1] "Xa"

$reactions$gua$parameters
  agua fgua15
0.4919 0.5000

$reactions$gua$mathmlLaw
<apply>
  <times/>
  <ci>agua</ci>
  <apply>
    <power/>
    <ci>Gua</ci>
    <ci>fgua15</ci>
  </apply>
</apply>

$reactions$gua$exprLaw
agua * Gua^fgua15

$reactions$gua$strLaw
[1] "agua*Gua^fgua15"

$reactions$gua$law
function (r, p = NULL)
{
  agua = p["agua"]
  fgua15 = p["fgua15"]
  Gua = r["Gua"]
  agua * Gua^fgua15
}
<environment: 0x032a7628>

$reactions$hpert
$reactions$hpert$id

```

```

[1] "hprt"

$reactions$hprt$reversible
[1] FALSE

$reactions$hprt$reactants
[1] "HX" "PRPP"

$reactions$hprt$modifiers
[1] "IMP"

$reactions$hprt$products
[1] "IMP"

$reactions$hprt$parameters
  ahprt  fhprt1  fhprt2 fhprt13
12.569   1.100  -0.890   0.480

$reactions$hprt$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<ci>ahprt</ci>
<apply>
<power/>
<ci>PRPP</ci>
<ci>fhprt1</ci>
</apply>
</apply>
<apply>
<power/>
<ci>IMP</ci>
<ci>fhprt2</ci>
</apply>
</apply>
<apply>
<power/>
<ci>HX</ci>
<ci>fhprt13</ci>
</apply>
</apply>

$reactions$hprt$exprLaw

```

```

ahprt * PRPP^fhprt1 * IMP^fhprt2 * HX^fhprt13

$reactions$hpert$strLaw
[1] "ahprt*PRPP^fhprt1*IMP^fhprt2*HX^fhprt13"

$reactions$hpert$law
function (r, p = NULL)
{
  ahprt = p["ahprt"]
  fhprt1 = p["fhprt1"]
  fhprt2 = p["fhprt2"]
  fhprt13 = p["fhprt13"]
  HX = r["HX"]
  PRPP = r["PRPP"]
  IMP = r["IMP"]
  ahprt * PRPP^fhprt1 * IMP^fhprt2 * HX^fhprt13
}
<environment: 0x0222a098>

```

```

$reactions$hX
$reactions$hX$id
[1] "hX"

```

```

$reactions$hX$reversible
[1] FALSE

```

```

$reactions$hX$reactants
[1] "HX"

```

```

$reactions$hX$parameters
      ahx      fhx13
0.003793 1.120000

```

```

$reactions$hX$mathmlLaw
<apply>
  <times/>
  <ci>ahx</ci>
  <apply>
    <power/>
    <ci>HX</ci>
    <ci>fhx13</ci>
  </apply>
</apply>

```

```

$reactions$hX$exprLaw

```

```

ahx * HX^fhx13

$reactions$hx$strLaw
[1] "ahx*HX^fhx13"

$reactions$hx$law
function (r, p = NULL)
{
  ahx = p["ahx"]
  fhx13 = p["fhx13"]
  HX = r["HX"]
  ahx * HX^fhx13
}
<environment: 0x032fa0c4>

```

```

$reactions$hxd
$reactions$hxd$id
[1] "hxd"

$reactions$hxd$reversible
[1] FALSE

$reactions$hxd$reactants
[1] "HX"

$reactions$hxd$products
[1] "Xa"

$reactions$hxd$parameters
  ahxd fhxd13
0.2754 0.6500

$reactions$hxd$mathmlLaw
<apply>
  <times/>
  <ci>ahxd</ci>
  <apply>
    <power/>
    <ci>HX</ci>
    <ci>fhxd13</ci>
  </apply>
</apply>

$reactions$hxd$exprLaw
ahxd * HX^fhxd13

```

```

$reactions$hxd$strLaw
[1] "ahxd*HX^fhxd13"

$reactions$hxd$law
function (r, p = NULL)
{
  ahxd = p["ahxd"]
  fhxd13 = p["fhxd13"]
  HX = r["HX"]
  ahxd * HX^fhxd13
}
<environment: 0x00231870>

$reactions$impd
$reactions$impd$id
[1] "impd"

$reactions$impd$reversible
[1] FALSE

$reactions$impd$reactants
[1] "IMP"

$reactions$impd$modifiers
[1] "GTP" "XMP"

$reactions$impd$products
[1] "XMP"

$reactions$impd$parameters
  aimpd fimpd2 fimpd7 fimpd8
1.2823 0.1500 -0.0900 -0.0300

$reactions$impd$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aimpd</ci>
      <apply>
        <power/>
        <ci>IMP</ci>

```



```

      <ci>fimpd2</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>XMP</ci>
    <ci>fimpd7</ci>
  </apply>
</apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fimpd8</ci>
  </apply>
</apply>

$reactions$impd$exprLaw
aimpd * IMP^fimpd2 * XMP^fimpd7 * GTP^fimpd8

$reactions$impd$strLaw
[1] "aimpd*IMP^fimpd2*XMP^fimpd7*GTP^fimpd8"

$reactions$impd$law
function (r, p = NULL)
{
  aimpd = p["aimpd"]
  fimpd2 = p["fimpd2"]
  fimpd7 = p["fimpd7"]
  fimpd8 = p["fimpd8"]
  IMP = r["IMP"]
  GTP = r["GTP"]
  XMP = r["XMP"]
  aimpd * IMP^fimpd2 * XMP^fimpd7 * GTP^fimpd8
}
<environment: 0x03245d84>

$reactions$inuc
$reactions$inuc$id
[1] "inuc"

$reactions$inuc$reversible
[1] FALSE

$reactions$inuc$reactants
[1] "IMP"

```

```

$reactions$inuc$modifiers
[1] "Pi"

$reactions$inuc$products
[1] "HX"

$reactions$inuc$parameters
  ainuc  finuc2 finuc18
0.9135  0.8000 -0.3600

$reactions$inuc$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>ainuc</ci>
    <apply>
      <power/>
      <ci>IMP</ci>
      <ci>finuc2</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>finuc18</ci>
  </apply>
</apply>

$reactions$inuc$exprLaw
ainuc * IMP^finuc2 * Pi^finuc18

$reactions$inuc$strLaw
[1] "ainuc*IMP^finuc2*Pi^finuc18"

$reactions$inuc$law
function (r, p = NULL)
{
  ainuc = p["ainuc"]
  finuc2 = p["finuc2"]
  finuc18 = p["finuc18"]
  IMP = r["IMP"]
  Pi = r["Pi"]
  ainuc * IMP^finuc2 * Pi^finuc18
}

```

```
<environment: 0x02bbf62c>
```

```
$reactions$mat  
$reactions$mat$id  
[1] "mat"
```

```
$reactions$mat$reversible  
[1] FALSE
```

```
$reactions$mat$reactants  
[1] "ATP"
```

```
$reactions$mat$modifiers  
[1] "SAM"
```

```
$reactions$mat$products  
[1] "SAM"
```

```
$reactions$mat$parameters  
      amat      fmat4      fmat5  
7.2067  0.2000 -0.6000
```

```
$reactions$mat$mathmlLaw  
<apply>  
  <times/>  
  <apply>  
    <times/>  
    <ci>amat</ci>  
    <apply>  
      <power/>  
      <ci>ATP</ci>  
      <ci>fmat4</ci>  
    </apply>  
  </apply>  
  <apply>  
    <power/>  
    <ci>SAM</ci>  
    <ci>fmat5</ci>  
  </apply>  
</apply>
```

```
$reactions$mat$exprLaw  
amat * ATP^fmat4 * SAM^fmat5
```

```
$reactions$mat$strLaw
```

```

[1] "amat*ATP^fmat4*SAM^fmat5"

$reactions$mat$law
function (r, p = NULL)
{
  amat = p["amat"]
  fmat4 = p["fmat4"]
  fmat5 = p["fmat5"]
  ATP = r["ATP"]
  SAM = r["SAM"]
  amat * ATP^fmat4 * SAM^fmat5
}
<environment: 0x0367f6e8>

$reactions$polyam
$reactions$polyam$id
[1] "polyam"

$reactions$polyam$reversible
[1] FALSE

$reactions$polyam$reactants
[1] "SAM"

$reactions$polyam$products
[1] "Ade"

$reactions$polyam$parameters
apolyam fpolyam5
      0.29      0.90

$reactions$polyam$mathmlLaw
<apply>
  <times/>
  <ci>apolyam</ci>
  <apply>
    <power/>
    <ci>SAM</ci>
    <ci>fpolyam5</ci>
  </apply>
</apply>

$reactions$polyam$exprLaw
apolyam * SAM^fpolyam5

```

```

$reactions$polyam$strLaw
[1] "apolyam*SAM^fpolyam5"

$reactions$polyam$law
function (r, p = NULL)
{
  apolyam = p["apolyam"]
  fpolyam5 = p["fpolyam5"]
  SAM = r["SAM"]
  apolyam * SAM^fpolyam5
}
<environment: 0x031ce1bc>

```

```

$reactions$prpps
$reactions$prpps$id
[1] "prpps"

$reactions$prpps$reversible
[1] FALSE

$reactions$prpps$reactants
[1] "R5P"

$reactions$prpps$modifiers
[1] "ATP" "GTP" "Pi" "PRPP"

$reactions$prpps$products
[1] "PRPP"

```

```

$reactions$prpps$parameters
  aprpps fprpps1 fprpps4 fprpps8 fprpps17 fprpps18
    0.90   -0.03   -0.45   -0.04    0.65    0.70

```

```

$reactions$prpps$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <apply>
        <times/>
        <apply>
          <times/>
          <ci>aprpps</ci>

```

```

    <apply>
      <power/>
      <ci>PRPP</ci>
      <ci>fprpps1</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fprpps4</ci>
  </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fprpps8</ci>
  </apply>
  </apply>
  <apply>
    <power/>
    <ci>R5P</ci>
    <ci>fprpps17</ci>
  </apply>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fprpps18</ci>
  </apply>
</apply>

$reactions$prpps$exprLaw
aprpps * PRPP^fprpps1 * ATP^fprpps4 * GTP^fprpps8 * R5P^fprpps17 *
  Pi^fprpps18

$reactions$prpps$strLaw
[1] "aprpps*PRPP^fprpps1*ATP^fprpps4*GTP^fprpps8*R5P^fprpps17*Pi^fprpps18"

$reactions$prpps$law
function (r, p = NULL)
{
  aprpps = p["aprpps"]
  fprpps1 = p["fprpps1"]
  fprpps4 = p["fprpps4"]
  fprpps8 = p["fprpps8"]
  fprpps17 = p["fprpps17"]

```

```

    fprpps18 = p["fprpps18"]
    R5P = r["R5P"]
    ATP = r["ATP"]
    GTP = r["GTP"]
    Pi = r["Pi"]
    PRPP = r["PRPP"]
    aprpps * PRPP^fprpps1 * ATP^fprpps4 * GTP^fprpps8 * R5P^fprpps17 *
        Pi^fprpps18
}
<environment: 0x036edbfcc>

$reactions$pyr
$reactions$pyr$id
[1] "pyr"

$reactions$pyr$reversible
[1] FALSE

$reactions$pyr$reactants
[1] "PRPP"

$reactions$pyr$parameters
  apyr  fpyr1
1.2951 1.2700

$reactions$pyr$mathmlLaw
<apply>
  <times/>
  <ci>apyr</ci>
  <apply>
    <power/>
    <ci>PRPP</ci>
    <ci>fpyr1</ci>
  </apply>
</apply>

$reactions$pyr$exprLaw
apyr * PRPP^fpyr1

$reactions$pyr$strLaw
[1] "apyr*PRPP^fpyr1"

$reactions$pyr$law
function (r, p = NULL)
{

```

```

    apyr = p["apyr"]
    fpyr1 = p["fpyr1"]
    PRPP = r["PRPP"]
    apyr * PRPP^fpyr1
  }
<environment: 0x032ccc8c>

```

```

$reactions$rnaa
$reactions$rnaa$id
[1] "rnaa"

```

```

$reactions$rnaa$reversible
[1] FALSE

```

```

$reactions$rnaa$reactants
[1] "RNA"

```

```

$reactions$rnaa$products
[1] "ATP"

```

```

$reactions$rnaa$parameters
  arnaa frnan11
0.06923 1.00000

```

```

$reactions$rnaa$mathmlLaw
<apply>
  <times/>
  <ci>arna</ci>
  <apply>
    <power/>
    <ci>RNA</ci>
    <ci>frnan11</ci>
  </apply>
</apply>

```

```

$reactions$rnaa$exprLaw
arna * RNA^frnan11

```

```

$reactions$rnaa$strLaw
[1] "arna*RNA^frnan11"

```

```

$reactions$rnaa$law
function (r, p = NULL)
{
  arna = p["arna"]

```



```

    frnan11 = p["frnan11"]
    RNA = r["RNA"]
    arnaa * RNA^frnan11
  }
<environment: 0x0025e624>

```

```

$reactions$rnag
$reactions$rnag$id
[1] "rnag"

```

```

$reactions$rnag$reversible
[1] FALSE

```

```

$reactions$rnag$reactants
[1] "RNA"

```

```

$reactions$rnag$products
[1] "GTP"

```

```

$reactions$rnag$parameters
  arnag frnan11
0.04615 1.00000

```

```

$reactions$rnag$mathmlLaw
<apply>
  <times/>
  <ci>arnag</ci>
  <apply>
    <power/>
    <ci>RNA</ci>
    <ci>frnan11</ci>
  </apply>
</apply>

```

```

$reactions$rnag$exprLaw
arnag * RNA^frnan11

```

```

$reactions$rnag$strLaw
[1] "arnag*RNA^frnan11"

```

```

$reactions$rnag$law
function (r, p = NULL)
{
  arnag = p["arnag"]
  frnan11 = p["frnan11"]

```

```

        RNA = r["RNA"]
        arnag * RNA^frnan11
    }
    <environment: 0x0229cda0>

$reactions$trans
$reactions$trans$id
[1] "trans"

$reactions$trans$reversible
[1] FALSE

$reactions$trans$reactants
[1] "SAM"

$reactions$trans$products
[1] "ATP"

$reactions$trans$parameters
  atrans ftrans5
 8.8539  0.3300

$reactions$trans$mathmlLaw
<apply>
  <times/>
  <ci>atrans</ci>
  <apply>
    <power/>
    <ci>SAM</ci>
    <ci>ftrans5</ci>
  </apply>
</apply>

$reactions$trans$exprLaw
atrans * SAM^ftrans5

$reactions$trans$strLaw
[1] "atrans*SAM^ftrans5"

$reactions$trans$law
function (r, p = NULL)
{
  atrans = p["atrans"]
  ftrans5 = p["ftrans5"]
  SAM = r["SAM"]

```

```

    atrans * SAM^ftrans5
}
<environment: 0x032ea328>

```

```

$reactions$ua
$reactions$ua$id
[1] "ua"

```

```

$reactions$ua$reversible
[1] FALSE

```

```

$reactions$ua$reactants
[1] "UA"

```

```

$reactions$ua$parameters
      aua      fua16
8.744e-05 2.210e+00

```

```

$reactions$ua$mathmlLaw
<apply>
  <times/>
  <ci>aua</ci>
  <apply>
    <power/>
    <ci>UA</ci>
    <ci>fua16</ci>
  </apply>
</apply>

```

```

$reactions$ua$exprLaw
aua * UA^fua16

```

```

$reactions$ua$strLaw
[1] "aua*UA^fua16"

```

```

$reactions$ua$law
function (r, p = NULL)
{
  aua = p["aua"]
  fua16 = p["fua16"]
  UA = r["UA"]
  aua * UA^fua16
}
<environment: 0x0311987c>

```

```

$reactions$x
$reactions$x$id
[1] "x"

$reactions$x$reversible
[1] FALSE

$reactions$x$reactants
[1] "Xa"

$reactions$x$parameters
    ax    fx14
0.0012 2.0000

$reactions$x$mathmlLaw
<apply>
  <times/>
  <ci>ax</ci>
  <apply>
    <power/>
    <ci>Xa</ci>
    <ci>fx14</ci>
  </apply>
</apply>

$reactions$x$exprLaw
ax * Xa^fx14

$reactions$x$strLaw
[1] "ax*Xa^fx14"

$reactions$x$law
function (r, p = NULL)
{
  ax = p["ax"]
  fx14 = p["fx14"]
  Xa = r["Xa"]
  ax * Xa^fx14
}
<environment: 0x02539910>

$reactions$xd
$reactions$xd$id
[1] "xd"

```

```
$reactions$xd$reversible
[1] FALSE
```

```
$reactions$xd$reactants
[1] "Xa"
```

```
$reactions$xd$products
[1] "UA"
```

```
$reactions$xd$parameters
  axd fxd14
0.949 0.550
```

```
$reactions$xd$mathmlLaw
<apply>
  <times/>
  <ci>axd</ci>
  <apply>
    <power/>
    <ci>Xa</ci>
    <ci>fxd14</ci>
  </apply>
</apply>
```

```
$reactions$xd$exprLaw
axd * Xa^fxd14
```

```
$reactions$xd$strLaw
[1] "axd*Xa^fxd14"
```

```
$reactions$xd$law
function (r, p = NULL)
{
  axd = p["axd"]
  fxd14 = p["fxd14"]
  Xa = r["Xa"]
  axd * Xa^fxd14
}
<environment: 0x0363b508>
```

```
$htmlNotes
<notes>
  <body xmlns="http://www.w3.org/1999/xhtml">
```

```

<p>This is a purine metabolism model that is geared toward studies of gout.</p>
<p>The model is fully described in Curto et al., MBSC 151 (1998) pp 1-49</p>
<p>The model uses Generalized Mass Action (GMA;i.e. power law) descriptions of reaction ra
<p>Such descriptions are local approximations that assume independent substrate binding.</p>
<p/>
<p>The de novo purine flux vden= 2.39 is in umole/min/KG, i.e. 2.4*60=144 uM/h if we let e
<p>liter of water. Morrison and Allegra (JBC, 1989) have vden at 650 uM/h (model) and 415
<p>The IC&apos;s below have been set to the system&apos;s steady state.</p>
<p>The units in this model are micromolar(uM) and minutes.</p>
<p>A cell volume of 1 is used so that amounts and concentrations are the same thing.</p>
</body>
</notes>

attr("class")
[1] "SBMLR"

```