Package 'pasilla'

April 4, 2014

samples of Pasilla knock-down by Brooks et al., Genome Research 2011.	
Version 0.2.19	
Author Wolfgang Huber, Alejandro Reyes	
Maintainer Alejandro Reyes < reyes@embl.de>	
Description This package provides per-exon and per-gene read counts computed for selected genes from RNA-seq data that were presented in the article ``Conservation of an RNA regulatory map between Drosophila and mammals" by Brooks AN, Yang L, Duff MO, Hansen KD, Park JW, Dudoit S, Brenner SE, Graveley BR, Genome Res. 2011 Feb;21(2):193-202, Epub 2010 Oct 4, PMID: 20921232. The experiment studied the effect of RNAi knockdown of Pasilla, the Drosophila melanogaster ortholog of mammalian NOVA1 and NOVA2, on the transcriptome. The package vignette describes how the data provided here were derived from the RNA-Seq read sequence data that is provided by NCBI Gene Expression Omnibus under accession numbers GSM461176 to GSM461181	
biocViews ExperimentData, RNAseqData	
License LGPL	
Depends	
Suggests locfit, edgeR, xtable, DEXSeq, DESeq	
R topics documented:	
pasillaExons	2
Index	3

2 pasillaExons

pasillaExons

Read counts per exon, or per gene, from RNA-seq samples

Description

pasillaExons is an ExonCountSet object containing exon counts for each of the samples from Brooks et al.'s RNA-seq data. pasillaGenes is an CountDataSet object with gene level counts.

Usage

```
data("pasillaExons")
data("pasillaGenes")
```

Format

ExonCountSet, CountDataSet

Source

Processed data from NCBI Gene Expression Omnibus under accession numbers GSM461176 to GSM461181.

References

Brooks et al. Conservation of an RNA regulatory map between Drosophila and mammals. Genome Research, 2010

Index

```
*Topic datasets
pasillaExons, 2

pasillaExons, 2

pasillaGenes (pasillaExons), 2
```