

# iFlow

March 24, 2012

---

guiEnv

*Accessor to the internal GUI environment*

---

## Description

All state information for the GUI is stored in an internal environment. This function can be used to access this environment.

## Usage

```
## .guiEnv$list name such as Gate.list, workflowlist
```

## Value

The internal gui environment.

## Author(s)

Kyongryun Lee

## Examples

```
## 1. Run iFlow
## Not run: iflow()
## 2. Load data
## Not run: data(GvHD)
## 3. Activate data by clicking a data name on Data panel
## 4. Create a gate
## 5. It is able to access created gate objects or workflow of the data on the command line
## The workflow is automatically created whenever the operations of the data are run.

## wf.list <- .guiEnv$workflow.list
## wf.list

## gt.list <- .guiEnv$Gate.list
## gt.list

## Not run: iFlow:::guiEnv$Gatelist
```

---

iFlow-package

*iFlow*

---

### Description

GUI based visualization for preprocessing of analyzing Flow Cytometry data.

### Details

Package:

Type:

Version:

Date:

License:

LazyLoad:

The tutorial video can be downloaded from <http://bioconductor.fhcrc.org/docs/workflows/flowcyt>

### Author(s)

Kyongryun Lee, Florian Hahne, Deepayan Sarker

Maintainer: Kyongryun Lee <[kyongryun.lee@gmail.com](mailto:kyongryun.lee@gmail.com)>

### References

<http://www.hindawi.com/journals/abi/2009/103839.html>

---

iflow

*Main function for iFlow*

---

### Description

Main function for iFlow. It calls up the main graphical user interface (GUI) of the iFlow package.

### Usage

```
iflow()
```

### Details

The GUI Pull-Down Menu consists of "File", "Data", "Graphics", "Gate", "ProbBin", and "Help" selections. The user can start with "File" pull-down menu to load data files of interest. The data file can be in either rda or FCS format. Please see the vignette or tutorial video for more detail (<http://bioconductor.fhcrc.org/docs/workflows/flowcytometry/tutorial.mpeg>).

### Author(s)

Kyongryun Lee <[kyongryun.lee@gmail.com](mailto:kyongryun.lee@gmail.com)>

**Examples**

```
## on R console  
iflow()  
data(ITN)
```

# Index

guiEnv, 1

iFlow (*iFlow-package*), 2

iflow, 2

iFlow-package, 2