

Package ‘tidybulk’

October 14, 2021

Type Package

Title Brings transcriptomics to the tidyverse

Version 1.4.0

Description This is a collection of utility functions that allow to perform exploration of and calculations to RNA sequencing data, in a modular, pipe-friendly and tidy fashion.

License GPL-3

Depends R (>= 4.1.0)

Imports tibble, readr, dplyr, magrittr, tidyr, stringr, rlang, purrr, preprocessCore, stats, parallel, utils, lifecycle, scales, SummarizedExperiment, methods

Suggests BiocStyle, testthat, vctrs, AnnotationDbi, BiocManager, Rsubread, e1071, edgeR, limma, org.Hs.eg.db, org.Mm.eg.db, sva, GGally, knitr, qpdf, covr, Seurat, KernSmooth, Rtsne, S4Vectors, ggplot2, widyr, clusterProfiler, msigdb, DESeq2, broom, survival, boot, betareg, tidyHeatmap, pasilla, ggrepel, devtools, functional, survminer, tidySummarizedExperiment, markdown

VignetteBuilder knitr

RdMacros lifecycle

Biarch true

biocViews AssayDomain, Infrastructure, RNASeq, DifferentialExpression, GeneExpression, Normalization, Clustering, QualityControl, Sequencing, Transcription, Transcriptomics

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

LazyDataCompression xz

git_url <https://git.bioconductor.org/packages/tidybulk>

git_branch RELEASE_3_13

git_last_commit 945a727

git_last_commit_date 2021-05-19

Date/Publication 2021-10-14

Author Stefano Mangiola [aut, cre],
Maria Doyle [ctb]

Maintainer Stefano Mangiola <mangiolastefano@gmail.com>

R topics documented:

adjust_abundance	3
aggregate_duplicates	6
arrange	8
as_matrix	9
as_SummarizedExperiment	10
bind	11
breast_tcga_mini_SE	12
cluster_elements	13
counts_ensembl	16
counts_SE	16
deconvolve_cellularity	16
describe_transcript	19
distinct	21
ensembl_symbol_mapping	21
ensembl_to_symbol	22
fill_missing_abundance	23
filter	24
flybaseIDs	26
get_bibliography	26
group_by	27
identify_abundant	28
impute_missing_abundance	31
inner_join	33
keep_abundant	34
keep_variable	36
left_join	38
log10_reverse_trans	39
logit_trans	40
mutate	40
parse_formula_survival	42
pivot_sample	43
pivot_transcript	44
reduce_dimensions	45
remove_redundancy	49
rename	52
rotate_dimensions	53
rowwise	56

scale_abundance	57
se	59
se_mini	59
summarise	60
symbol_to_entrez	61
test_deseq2_df	62
test_differential_abundance	62
test_differential_cellularity	67
test_gene_enrichment	71
test_gene_overrepresentation	74
test_gene_rank	77
test_stratification_cellularity	80
tidybulk	83
tidybulk_SAM_BAM	84
unnest	85
vignette_manuscript_signature_boxplot	86
vignette_manuscript_signature_tsne	86
vignette_manuscript_signature_tsne2	87
X_cibersort	87

Index	88
--------------	-----------

adjust_abundance	<i>Adjust transcript abundance for unwanted variation</i>
------------------	---

Description

adjust_abundance() takes as input a ‘tbl’ formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and returns a ‘tbl’ with an additional adjusted abundance column. This method uses scaled counts if present.

Usage

```
adjust_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  log_transform = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'spec_tbl_df'
adjust_abundance(
  .data,
  .formula,
```

```
.sample = NULL,  
.transcript = NULL,  
.abundance = NULL,  
log_transform = TRUE,  
action = "add",  
...  
)  
  
## S4 method for signature 'tbl_df'  
adjust_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'tidybulk'  
adjust_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'SummarizedExperiment'  
adjust_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'RangedSummarizedExperiment'  
adjust_abundance(  
  .data,  
  .formula,
```

```

    .sample = NULL,
    .transcript = NULL,
    .abundance = NULL,
    log_transform = TRUE,
    action = "add",
    ...
  )

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.formula	A formula with no response variable, representing the desired linear model where the first covariate is the factor of interest and the second covariate is the unwanted variation (of the kind ~ factor_of_interest + batch)
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column
log_transform	A boolean, whether the value should be log-transformed (e.g., TRUE for RNA sequencing data)
action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).
...	Further parameters passed to the function sva::ComBat

Details

```

`r lifecycle::badge("maturing")`

```

This function adjusts the abundance for (known) unwanted variation. At the moment just an unwanted covariate is allowed at a time using Combat (DOI: 10.1093/bioinformatics/bts034)

Underlying method: sva::ComBat(data, batch = my_batch, mod = design, prior.plots = FALSE, ...)

Value

A 'tbl' with additional columns for the adjusted counts as '<COUNT COLUMN>_adjusted'

A 'tbl' with additional columns for the adjusted counts as '<COUNT COLUMN>_adjusted'

A 'tbl' with additional columns for the adjusted counts as '<COUNT COLUMN>_adjusted'

A 'tbl' with additional columns for the adjusted counts as '<COUNT COLUMN>_adjusted'

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```

cm = tidybulk::se_mini
cm$batch = 0

```

```

cm$batch[colnames(cm) %in% c("SRR1740035", "SRR1740043")] = 1

res =
  cm %>%
  tidybulk(sample, transcript, count) %>%
  identify_abundant() %>%
  adjust_abundance( ~ condition + batch )

```

`aggregate_duplicates` *Aggregates multiple counts from the same samples (e.g., from isoforms), concatenates other character columns, and averages other numeric columns*

Description

`aggregate_duplicates()` takes as input a ‘tbl’ formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and returns a ‘tbl’ with aggregated transcripts that were duplicated.

Usage

```

aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,
  keep_integer = TRUE
)

## S4 method for signature 'spec_tbl_df'
aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,
  keep_integer = TRUE
)

## S4 method for signature 'tbl_df'
aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,

```

```

    keep_integer = TRUE
  )

## S4 method for signature 'tidybulk'
aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,
  keep_integer = TRUE
)

## S4 method for signature 'SummarizedExperiment'
aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,
  keep_integer = TRUE
)

## S4 method for signature 'RangedSummarizedExperiment'
aggregate_duplicates(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  aggregation_function = sum,
  keep_integer = TRUE
)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column
aggregation_function	A function for counts aggregation (e.g., sum, median, or mean)
keep_integer	A boolean. Whether to force the aggregated counts to integer

Details

‘r lifecycle::badge("maturing")‘

This function aggregates duplicated transcripts (e.g., isoforms, ensembl). For example, we often have to convert ensembl symbols to gene/transcript symbol, but in doing so we have to deal with

duplicates. ‘aggregate_duplicates’ takes a tibble and column names (as symbols; for ‘sample’, ‘transcript’ and ‘count’) as arguments and returns a tibble with aggregate transcript with the same name. All the rest of the column are appended, and factors and boolean are appended as characters.

Underlying custom method: `data filter(n_aggr > 1) group_by(!.sample,!.transcript) dplyr::mutate(!.abundance := !.abundance`

Value

A ‘tbl’ object with aggregated transcript abundance and annotation

A ‘tbl’ object with aggregated transcript abundance and annotation

A ‘tbl’ object with aggregated transcript abundance and annotation

A ‘tbl’ object with aggregated transcript abundance and annotation

A ‘SummarizedExperiment’ object

A ‘SummarizedExperiment’ object

Examples

```
aggregate_duplicates(
  tidybulk::se_mini,
  aggregation_function = sum
)
```

arrange

Arrange rows by column values

Description

‘arrange()’ order the rows of a data frame rows by the values of selected columns.

Unlike other dplyr verbs, ‘arrange()’ largely ignores grouping; you need to explicit mention grouping variables (or use ‘by_group = TRUE’) in order to group by them, and functions of variables are evaluated once per data frame, not once per group.

Arguments

.data	A data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr). See <i>*Methods*</i> , below, for more details.
...	<[‘tidy-eval’][dplyr_tidy_eval]> Variables, or functions or variables. Use [desc()] to sort a variable in descending order.
.by_group	If TRUE, will sort first by grouping variable. Applies to grouped data frames only.

Details

Locales The sort order for character vectors will depend on the collating sequence of the locale in use: see [locales()].

Missing values Unlike base sorting with 'sort()', 'NA' are: * always sorted to the end for local data, even when wrapped with 'desc()'. * treated differently for remote data, depending on the backend.

Value

An object of the same type as '.data'.

* All rows appear in the output, but (usually) in a different place. * Columns are not modified. * Groups are not modified. * Data frame attributes are preserved.

A tibble

Methods

This function is a **generic**, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

The following methods are currently available in loaded packages:

See Also

Other single table verbs: [filter\(\)](#), [mutate\(\)](#), [rename\(\)](#), [summarise\(\)](#)

Examples

```
`%>%` = magrittr::`%>%`
arrange(mtcars, cyl, disp)
```

as_matrix

Get matrix from tibble

Description

Get matrix from tibble

Usage

```
as_matrix(tbl, rownames = NULL, do_check = TRUE)
```

Arguments

tbl	A tibble
rownames	A character string of the rownames
do_check	A boolean

Value

A matrix

Examples

```
library(dplyr)

tidybulk::se_mini %>% tidybulk() %>% select(feature, count) %>% head %>% as_matrix(rownames=feature)
```

```
as_SummarizedExperiment
      as_SummarizedExperiment
```

Description

as_SummarizedExperiment() creates a ‘SummarizedExperiment’ object from a ‘tbl’ or ‘tidybulk’ tbl formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>|

Usage

```
as_SummarizedExperiment(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL
)

## S4 method for signature 'spec_tbl_df'
as_SummarizedExperiment(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL
)

## S4 method for signature 'tbl_df'
as_SummarizedExperiment(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL
)

## S4 method for signature 'tidybulk'
as_SummarizedExperiment(
  .data,
```

```

    .sample = NULL,
    .transcript = NULL,
    .abundance = NULL
  )

```

Arguments

<code>.data</code>	A tibble
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column

Value

A ‘SummarizedExperiment’ object
 A ‘SummarizedExperiment’ object
 A ‘SummarizedExperiment’ object
 A ‘SummarizedExperiment’ object

 bind

Efficiently bind multiple data frames by row and column

Description

This is an efficient implementation of the common pattern of ‘do.call(rbind, dfs)’ or ‘do.call(cbind, dfs)’ for binding many data frames into one.

Usage

```
bind_rows(..., .id = NULL)
```

```
bind_cols(..., .id = NULL)
```

Arguments

<code>...</code>	Data frames to combine. Each argument can either be a data frame, a list that could be a data frame, or a list of data frames. When row-binding, columns are matched by name, and any missing columns will be filled with NA. When column-binding, rows are matched by position, so all data frames must have the same number of rows. To match by value, not position, see [mutate-joins].
------------------	--

`.id` Data frame identifier.

When `'id'` is supplied, a new column of identifiers is created to link each row to its original data frame. The labels are taken from the named arguments to `'bind_rows()'`. When a list of data frames is supplied, the labels are taken from the names of the list. If no names are found a numeric sequence is used instead.

Details

The output of `'bind_rows()'` will contain a column if that column appears in any of the inputs.

Value

`'bind_rows()'` and `'bind_cols()'` return the same type as the first input, either a data frame, `'tbl_df'`, or `'grouped_df'`.

Examples

```
`%>%` = magrittr::`%>%`
one <- mtcars[1:4, ]
two <- mtcars[11:14, ]

# You can supply data frames as arguments:
bind_rows(one, two)
```

breast_tcga_mini_SE *Needed for vignette breast_tcga_mini_SE*

Description

Needed for vignette breast_tcga_mini_SE

Usage

```
breast_tcga_mini_SE
```

Format

An object of class `SummarizedExperiment` with 500 rows and 251 columns.

cluster_elements *Get clusters of elements (e.g., samples or transcripts)*

Description

cluster_elements() takes as input a 'tbl' formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and identify clusters in the data.

Usage

```
cluster_elements(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'spec_tbl_df'  
cluster_elements(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'tbl_df'  
cluster_elements(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  log_transform = TRUE,  
  action = "add",  
  ...  
)
```

```

## S4 method for signature 'tidybulk'
cluster_elements(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  of_samples = TRUE,
  log_transform = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'SummarizedExperiment'
cluster_elements(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  of_samples = TRUE,
  log_transform = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'RangedSummarizedExperiment'
cluster_elements(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  of_samples = TRUE,
  log_transform = TRUE,
  action = "add",
  ...
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.element</code>	The name of the element column (normally samples).
<code>.feature</code>	The name of the feature column (normally transcripts/genes)
<code>.abundance</code>	The name of the column including the numerical value the clustering is based on (normally transcript abundance)

method	A character string. The cluster algorithm to use, at the moment k-means is the only algorithm included.
of_samples	A boolean. In case the input is a tidybulk object, it indicates Whether the element column will be sample or transcript column
log_transform	A boolean, whether the value should be log-transformed (e.g., TRUE for RNA sequencing data)
action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).
...	Further parameters passed to the function kmeans

Details

```
'r lifecycle::badge("maturing")'
```

identifies clusters in the data, normally of samples. This function returns a tibble with additional columns for the cluster annotation. At the moment only k-means (DOI: 10.2307/2346830) and SNN clustering (DOI:10.1016/j.cell.2019.05.031) is supported, the plan is to introduce more clustering methods.

Underlying method for kmeans `do.call(kmeans(.data, iter.max = 1000, ...))`

Underlying method for SNN `.data Seurat::CreateSeuratObject() Seurat::ScaleData(display.progress = TRUE,num.cores = 4, do.par = TRUE) Seurat::FindVariableFeatures(selection.method = "vst") Seurat::RunPCA(npcs = 30) Seurat::FindNeighbors() Seurat::FindClusters(method = "igraph", ...)`

Value

A tbl object with additional columns with cluster labels

A tbl object with additional columns with cluster labels

A tbl object with additional columns with cluster labels

A tbl object with additional columns with cluster labels

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
cluster_elements(tidybulk::se_mini,centers = 2, method="kmeans")
```

counts_ensembl	<i>Counts with ensembl annotation</i>
----------------	---------------------------------------

Description

Counts with ensembl annotation

Usage

```
counts_ensembl
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 119 rows and 6 columns.

counts_SE	<i>Needed for vignette counts_SE</i>
-----------	--------------------------------------

Description

Needed for vignette counts_SE

Usage

```
counts_SE
```

Format

An object of class `SummarizedExperiment` with 8513 rows and 48 columns.

deconvolve_cellularity	<i>Get cell type proportions from samples</i>
------------------------	---

Description

`deconvolve_cellularity()` takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with the estimated cell type abundance for each sample

Usage

```
deconvolve_cellularity(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  reference = NULL,  
  method = "cibersort",  
  prefix = "",  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'spec_tbl_df'  
deconvolve_cellularity(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  reference = NULL,  
  method = "cibersort",  
  prefix = "",  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'tbl_df'  
deconvolve_cellularity(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  reference = NULL,  
  method = "cibersort",  
  prefix = "",  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'tidybulk'  
deconvolve_cellularity(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  reference = NULL,  
  method = "cibersort",  
  prefix = "",
```

```

    action = "add",
    ...
)

## S4 method for signature 'SummarizedExperiment'
deconvolve_cellularity(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  reference = NULL,
  method = "cibersort",
  prefix = "",
  action = "add",
  ...
)

## S4 method for signature 'RangedSummarizedExperiment'
deconvolve_cellularity(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  reference = NULL,
  method = "cibersort",
  prefix = "",
  action = "add",
  ...
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column
<code>reference</code>	A data frame. The transcript/cell_type data frame of integer transcript abundance. If NULL, the default reference will be used for each algorithm. For llsr will be LM22.
<code>method</code>	A character string. The method to be used. At the moment Cibersort (default), epic and llsr (linear least squares regression) are available.
<code>prefix</code>	A character string. The prefix you would like to add to the result columns. It is useful if you want to reshape data.
<code>action</code>	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).
<code>...</code>	Further parameters passed to the function Cibersort

Details

```
'r lifecycle::badge("maturing")'
```

This function infers the cell type composition of our samples (with the algorithm Cibersort; Newman et al., 10.1038/nmeth.3337).

Underlying method: CIBERSORT(Y = data, X = reference, ...)

Value

A 'tbl' object including additional columns for each cell type estimated

A 'tbl' object including additional columns for each cell type estimated

A 'tbl' object including additional columns for each cell type estimated

A 'tbl' object including additional columns for each cell type estimated

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
library(dplyr)
```

```
# Subsetting for time efficiency
```

```
tidybulk::se_mini %>% tidybulk() %>% filter(sample=="SRR1740034") %>% deconvolve_cellularity(sample, feature, cou
```

describe_transcript *Get DESCRIPTION from gene SYMBOL for Human and Mouse*

Description

Get DESCRIPTION from gene SYMBOL for Human and Mouse

```
describe_transcript
```

```
describe_transcript
```

```
describe_transcript
```

```
describe_transcript
```

```
describe_transcript
```

```
describe_transcript
```

Usage

```
describe_transcript(.data, .transcript = NULL)

## S4 method for signature 'spec_tbl_df'
describe_transcript(.data, .transcript = NULL)

## S4 method for signature 'tbl_df'
describe_transcript(.data, .transcript = NULL)

## S4 method for signature 'tidybulk'
describe_transcript(.data, .transcript = NULL)

.describe_transcript_SE(.data, .transcript = NULL)

## S4 method for signature 'SummarizedExperiment'
describe_transcript(.data, .transcript = NULL)

## S4 method for signature 'RangedSummarizedExperiment'
describe_transcript(.data, .transcript = NULL)
```

Arguments

`.data` A `tbl` or `tbl` object.
`.transcript` A character. The name of the gene symbol column.

Value

A `tbl`
A ‘tbl’ object including additional columns for transcript symbol
A ‘tbl’ object including additional columns for transcript symbol
A ‘tbl’ object including additional columns for transcript symbol
A ‘SummarizedExperiment’ object
A ‘tbl’ object including additional columns for transcript symbol
A ‘tbl’ object including additional columns for transcript symbol

Examples

```
describe_transcript(tidybulk::se_mini)
```

distinct	<i>distinct</i>
----------	-----------------

Description

distinct

Arguments

.data	A tbl. (See dplyr)
...	Data frames to combine (See dplyr)
.keep_all	If TRUE, keep all variables in .data. If a combination of ... is not distinct, this keeps the first row of values. (See dplyr)

Value

A tt object

Examples

```
tidybulk::se_mini %>% tidybulk() %>% distinct()
```

ensembl_symbol_mapping	<i>Data set</i>
------------------------	-----------------

Description

Data set

Usage

ensembl_symbol_mapping

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 291249 rows and 3 columns.

ensembl_to_symbol	<i>Add transcript symbol column from ensembl id for human and mouse data</i>
-------------------	--

Description

ensembl_to_symbol() takes as input a 'tbl' formatted as |<SAMPLE>|<ENSEMBL_ID>|<COUNT>|<...>| and returns a 'tbl' with the additional transcript symbol column

Usage

```
ensembl_to_symbol(.data, .ensembl, action = "add")

## S4 method for signature 'spec_tbl_df'
ensembl_to_symbol(.data, .ensembl, action = "add")

## S4 method for signature 'tbl_df'
ensembl_to_symbol(.data, .ensembl, action = "add")

## S4 method for signature 'tidybulk'
ensembl_to_symbol(.data, .ensembl, action = "add")
```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <ENSEMBL_ID> <COUNT> <...>
.ensembl	A character string. The column that is represents ensembl gene id
action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).

Details

[Questioning]

This is useful since different resources use ensembl IDs while others use gene symbol IDs. At the moment this work for human (genes and transcripts) and mouse (genes) data.

Value

A 'tbl' object including additional columns for transcript symbol
 A 'tbl' object including additional columns for transcript symbol
 A 'tbl' object including additional columns for transcript symbol
 A 'tbl' object including additional columns for transcript symbol

Examples

```
library(dplyr)

tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% ensembl_to_symbol(feature)
```

```
fill_missing_abundance
```

Fill transcript abundance if missing from sample-transcript pairs

Description

fill_missing_abundance() takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with new observations

Usage

```
fill_missing_abundance(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  fill_with
)

## S4 method for signature 'spec_tbl_df'
fill_missing_abundance(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  fill_with
)

## S4 method for signature 'tbl_df'
fill_missing_abundance(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  fill_with
)

## S4 method for signature 'tidybulk'
fill_missing_abundance(
```

```

    .data,
    .sample = NULL,
    .transcript = NULL,
    .abundance = NULL,
    fill_with
  )

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript column
<code>.abundance</code>	The name of the transcript abundance column
<code>fill_with</code>	A numerical abundance with which fill the missing data points

Details

[Questioning]

This function fills the abundance of missing sample-transcript pair using the median of the sample group defined by the formula

Value

A 'tbl' non-sparse abundance
 A 'tbl' with filled abundance
 A 'tbl' with filled abundance
 A 'tbl' with filled abundance

Examples

```
tidybulk::se_mini %>% tidybulk() %>% fill_missing_abundance( fill_with = 0)
```

 filter

Subset rows using column values

Description

'filter()' retains the rows where the conditions you provide a 'TRUE'. Note that, unlike base subsetting with '[', rows where the condition evaluates to 'NA' are dropped.

Arguments

<code>.data</code>	A tbl. (See <code>dplyr</code>)
<code>...</code>	<[‘tidy-eval’][dplyr_tidy_eval]> Logical predicates defined in terms of the variables in <code>.data</code> . Multiple conditions are combined with <code>&</code> . Only rows where the condition evaluates to <code>TRUE</code> are kept.
<code>.preserve</code>	when <code>FALSE</code> (the default), the grouping structure is recalculated based on the resulting data, otherwise it is kept as is.

Details

`dplyr` is not yet smart enough to optimise filtering optimisation on grouped datasets that don’t need grouped calculations. For this reason, filtering is often considerably faster on `[ungroup()]`ed data.

Value

An object of the same type as `.data`.

* Rows are a subset of the input, but appear in the same order. * Columns are not modified. * The number of groups may be reduced (if `.preserve` is not `TRUE`). * Data frame attributes are preserved.

Useful filter functions

* `[‘==’]`, `[‘>’]`, `[‘>=’]` etc * `[‘&’]`, `[‘|’]`, `[‘!’]`, `[xor()]` * `[is.na()]` * `[between()]`, `[near()]`

Grouped tibbles

Because filtering expressions are computed within groups, they may yield different results on grouped tibbles. This will be the case as soon as an aggregating, lagging, or ranking function is involved. Compare this ungrouped filtering:

The former keeps rows with `‘mass’` greater than the global average whereas the latter keeps rows with `‘mass’` greater than the gender average.

Methods

This function is a **generic**, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

The following methods are currently available in loaded packages:

See Also

`[filter_all()]`, `[filter_if()]` and `[filter_at()]`.

Other single table verbs: `arrange()`, `mutate()`, `rename()`, `summarise()`

Examples

```
# Learn more in ?dplyr_tidy_eval
```

flybaseIDs	<i>flybaseIDs</i>
------------	-------------------

Description

flybaseIDs

Usage

flybaseIDs

Format

An object of class character of length 14599.

get_bibliography	<i>Produces the bibliography list of your workflow</i>
------------------	--

Description

get_bibliography() takes as input a 'tidybulk'

Usage

```
get_bibliography(.data)

## S4 method for signature 'tbl'
get_bibliography(.data)

## S4 method for signature 'tbl_df'
get_bibliography(.data)

## S4 method for signature 'spec_tbl_df'
get_bibliography(.data)

## S4 method for signature 'tidybulk'
get_bibliography(.data)

## S4 method for signature 'SummarizedExperiment'
get_bibliography(.data)

## S4 method for signature 'RangedSummarizedExperiment'
get_bibliography(.data)
```

Arguments

.data A 'tidybulk' tibble

Details

```
'r lifecycle::badge("maturing")'
```

This methods returns the bibliography list of your workflow from the internals of a tidybulk tibble (attr(., "internals"))

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

Examples

```
# Define tidybulk tibble
df = tidybulk(tidybulk::se_mini)

get_bibliography(df)
```

group_by

Group by one or more variables

Description

Most data operations are done on groups defined by variables. 'group_by()' takes an existing tbl and converts it into a grouped tbl where operations are performed "by group". 'ungroup()' removes grouping.

Arguments

<code>.data</code>	A <code>tbl</code> . (See <code>dplyr</code>)
<code>...</code>	In <code>'group_by()'</code> , variables or computations to group by. In <code>'ungroup()'</code> , variables to remove from the grouping.
<code>.add</code>	When <code>'FALSE'</code> , the default, <code>'group_by()'</code> will override existing groups. To add to the existing groups, use <code>'add = TRUE'</code> . This argument was previously called <code>'add'</code> , but that prevented creating a new grouping variable called <code>'add'</code> , and conflicts with our naming conventions.
<code>.drop</code>	When <code>'drop = TRUE'</code> , empty groups are dropped. See <code>[group_by_drop_default()]</code> for what the default value is for this argument.

Value

A `[grouped data frame][grouped_df()]`, unless the combination of `'...'` and `'add'` yields a non empty set of grouping columns, a regular (ungrouped) data frame otherwise.

Methods

These function are *generic*s, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

Methods available in currently loaded packages:

Examples

```
`%>%` = magrittr::`%>%`
by_cyl <- mtcars %>% group_by(cyl)
```

identify_abundant *find abundant transcripts*

Description

`identify_abundant()` takes as input a `'tbl'` formatted as `|<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>|` and returns a `'tbl'` with additional columns for the statistics from the hypothesis test.

Usage

```
identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
```

```
    minimum_proportion = 0.7
  )

## S4 method for signature 'spec_tbl_df'
identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'tbl_df'
identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'tidybulk'
identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'SummarizedExperiment'
identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'RangedSummarizedExperiment'
```

```

identify_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column
<code>factor_of_interest</code>	The name of the column of the factor of interest. This is used for defining sample groups for the filtering process. It uses the <code>filterByExpr</code> function from <code>edgeR</code> .
<code>minimum_counts</code>	A real positive number. It is the threshold of count per million that is used to filter transcripts/genes out from the scaling procedure.
<code>minimum_proportion</code>	A real positive number between 0 and 1. It is the threshold of proportion of samples for each transcripts/genes that have to be characterised by a <code>cmp</code> bigger than the threshold to be included for scaling procedure.

Details

`'r lifecycle::badge("maturing")'`

At the moment this function uses `edgeR` (DOI: 10.1093/bioinformatics/btp616)

Underlying method: `edgeR::filterByExpr(data, min.count = minimum_counts, group = string_factor_of_interest, min.prop = minimum_proportion)`

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
identify_abundant(  
  tidybulk::se_mini  
)
```

```
impute_missing_abundance  
  impute transcript abundance if missing from sample-transcript pairs
```

Description

`impute_missing_abundance()` takes as input a 'tbl' formatted as |<SAMPLE> |<TRANSCRIPT> |<COUNT> |<...> | and returns a 'tbl' with an additional adjusted abundance column. This method uses scaled counts if present.

Usage

```
impute_missing_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL  
)  
  
## S4 method for signature 'spec_tbl_df'  
impute_missing_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL  
)  
  
## S4 method for signature 'tbl_df'  
impute_missing_abundance(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL  
)
```

```
## S4 method for signature 'tidybulk'
impute_missing_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL
)

## S4 method for signature 'SummarizedExperiment'
impute_missing_abundance(.data, .formula)

## S4 method for signature 'RangedSummarizedExperiment'
impute_missing_abundance(.data, .formula)
```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.formula</code>	A formula with no response variable, representing the desired linear model where the first covariate is the factor of interest and the second covariate is the unwanted variation (of the kind <code>~ factor_of_interest + batch</code>)
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column

Details

```
'r lifecycle::badge("maturing")'
```

This function imputes the abundance of missing sample-transcript pair using the median of the sample group defined by the formula

Value

- A 'tbl' non-sparse abundance
- A 'tbl' with imputed abundance
- A 'tbl' with imputed abundance
- A 'tbl' with imputed abundance
- A 'SummarizedExperiment' object
- A 'SummarizedExperiment' object

Examples

```
res =
  impute_missing_abundance(
    tidybulk::se_mini,
    ~ condition
```


)

`inner_join`*Inner join datasets*

Description

Inner join datasets

Right join datasets

Full join datasets

Arguments

<code>x</code>	tbls to join. (See <code>dplyr</code>)
<code>y</code>	tbls to join. (See <code>dplyr</code>)
<code>by</code>	A character vector of variables to join by. (See <code>dplyr</code>)
<code>copy</code>	If <code>x</code> and <code>y</code> are not from the same data source, and <code>copy</code> is <code>TRUE</code> , then <code>y</code> will be copied into the same <code>src</code> as <code>x</code> . (See <code>dplyr</code>)
<code>suffix</code>	If there are non-joined duplicate variables in <code>x</code> and <code>y</code> , these suffixes will be added to the output to disambiguate them. Should be a character vector of length 2. (See <code>dplyr</code>)
<code>...</code>	Data frames to combine (See <code>dplyr</code>)

ValueA `tt` objectA `tt` objectA `tt` object**Examples**

```

`%>%` = magrittr::`%>%`
annotation = tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% distinct(sample) %>% mutate(source = "AU")
tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% inner_join(annotation)

`%>%` = magrittr::`%>%`
annotation = tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% distinct(sample) %>% mutate(source = "AU")
tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% right_join(annotation)

`%>%` = magrittr::`%>%`
annotation = tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% distinct(sample) %>% mutate(source = "AU")
tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% full_join(annotation)

```

keep_abundant	<i>Keep abundant transcripts</i>
---------------	----------------------------------

Description

keep_abundant() takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with additional columns for the statistics from the hypothesis test.

Usage

```
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'spec_tbl_df'
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'tbl_df'
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'tidybulk'
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
```

```

    .abundance = NULL,
    factor_of_interest = NULL,
    minimum_counts = 10,
    minimum_proportion = 0.7
  )

## S4 method for signature 'SummarizedExperiment'
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

## S4 method for signature 'RangedSummarizedExperiment'
keep_abundant(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  factor_of_interest = NULL,
  minimum_counts = 10,
  minimum_proportion = 0.7
)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column
factor_of_interest	The name of the column of the factor of interest. This is used for defining sample groups for the filtering process. It uses the filterByExpr function from edgeR.
minimum_counts	A real positive number. It is the threshold of count per million that is used to filter transcripts/genes out from the scaling procedure.
minimum_proportion	A real positive number between 0 and 1. It is the threshold of proportion of samples for each transcripts/genes that have to be characterised by a cmp bigger than the threshold to be included for scaling procedure.

Details

[Questioning]

At the moment this function uses edgeR (DOI: 10.1093/bioinformatics/btp616)

Underlying method: `edgeR::filterByExpr(data, min.count = minimum_counts, group = string_factor_of_interest, min.prop = minimum_proportion)`

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
keep_abundant(
  tidybulk::se_mini
)
```

keep_variable	<i>Keep variable transcripts</i>
---------------	----------------------------------

Description

`keep_variable()` takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with additional columns for the statistics from the hypothesis test.

Usage

```
keep_variable(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  top = 500,
  log_transform = TRUE
)
```

```

## S4 method for signature 'spec_tbl_df'
keep_variable(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  top = 500,
  log_transform = TRUE
)

## S4 method for signature 'tbl_df'
keep_variable(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  top = 500,
  log_transform = TRUE
)

## S4 method for signature 'tidybulk'
keep_variable(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  top = 500,
  log_transform = TRUE
)

## S4 method for signature 'SummarizedExperiment'
keep_variable(.data, top = 500, log_transform = TRUE)

## S4 method for signature 'RangedSummarizedExperiment'
keep_variable(.data, top = 500, log_transform = TRUE)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column
top	Integer. Number of top transcript to consider
log_transform	A boolean, whether the value should be log-transformed (e.g., TRUE for RNA sequencing data)

Details

```
'r lifecycle::badge("maturing")'
```

At the moment this function uses edgeR <https://doi.org/10.1093/bioinformatics/btp616>

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

Underlying method: `s <- rowMeans((x - rowMeans(x)) ^ 2)` `o <- order(s, decreasing = TRUE)` `x <- x[o[1L:top], , drop = FALSE]` `variable_transcripts = rownames(x)`

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
keep_variable(
  tidybulk::se_mini,
  top = 500
)
```

left_join

Left join datasets

Description

Left join datasets

Arguments

x	tbls to join. (See dplyr)
y	tbls to join. (See dplyr)
by	A character vector of variables to join by. (See dplyr)
copy	If x and y are not from the same data source, and copy is TRUE, then y will be copied into the same src as x. (See dplyr)

`suffix` If there are non-joined duplicate variables in x and y, these suffixes will be added to the output to disambiguate them. Should be a character vector of length 2. (See `dplyr`)

`...` Data frames to combine (See `dplyr`)

Value

A `tt` object

Examples

```
`%>%` = magrittr::`%>%`
annotation = tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% distinct(sample) %>% mutate(source = "AU")
tidybulk::counts_SE %>% tidybulk() %>% as_tibble() %>% left_join(annotation)
```

log10_reverse_trans *log10_reverse_trans*

Description

it perform log scaling and reverse the axis. Useful to plot negative log probabilities. To not be used directly but with `ggplot` (e.g. `scale_y_continuous(trans = "log10_reverse")`)

Usage

```
log10_reverse_trans()
```

Details

```
`r lifecycle::badge("maturing")`
```

Value

A scales object

Examples

```
library(ggplot2)
library(tibble)

tibble(pvalue = c(0.001, 0.05, 0.1), fold_change = 1:3) %>%
  ggplot(aes(fold_change , pvalue)) +
  geom_point() +
  scale_y_continuous(trans = "log10_reverse")
```

logit_trans	<i>logit scale</i>
-------------	--------------------

Description

it perform logit scaling with right axis formatting. To not be used directly but with ggplot (e.g. `scale_y_continuous(trans = "log10_reverse")`)

Usage

```
logit_trans()
```

Details

```
'r lifecycle::badge("maturing")'
```

Value

A scales object

Examples

```
library(ggplot2)
library(tibble)

tibble(pvalue = c(0.001, 0.05, 0.1), fold_change = 1:3) %>%
  ggplot(aes(fold_change , pvalue)) +
  geom_point() +
  scale_y_continuous(trans = "log10_reverse")
```

mutate	<i>Create, modify, and delete columns</i>
--------	---

Description

'mutate()' adds new variables and preserves existing ones; 'transmute()' adds new variables and drops existing ones. New variables overwrite existing variables of the same name. Variables can be removed by setting their value to 'NULL'.

Arguments

`.data` A tbl. (See `dplyr`)

`...` <[‘tidy-eval’][dplyr_tidy_eval]> Name-value pairs. The name gives the name of the column in the output.

The value can be:

- * A vector of length 1, which will be recycled to the correct length.
- * A vector the same length as the current group (or the whole data frame if ungrouped).
- * ‘NULL’, to remove the column.
- * A data frame or tibble, to create multiple columns in the output.

Value

An object of the same type as ‘.data’.

For ‘mutate()’:

- * Rows are not affected.
- * Existing columns will be preserved unless explicitly modified.
- * New columns will be added to the right of existing columns.
- * Columns given value ‘NULL’ will be removed
- * Groups will be recomputed if a grouping variable is mutated.
- * Data frame attributes are preserved.

For ‘transmute()’:

- * Rows are not affected.
- * Apart from grouping variables, existing columns will be removed unless explicitly kept.
- * Column order matches order of expressions.
- * Groups will be recomputed if a grouping variable is mutated.
- * Data frame attributes are preserved.

Useful mutate functions

- * [`+`], [`-`], [`log()`], etc., for their usual mathematical meanings
- * [`lead()`], [`lag()`]
- * [`dense_rank()`], [`min_rank()`], [`percent_rank()`], [`row_number()`], [`cume_dist()`], [`ntile()`]
- * [`cumsum()`], [`cummean()`], [`cummin()`], [`cummax()`], [`cumany()`], [`cumall()`]
- * [`na_if()`], [`coalesce()`]
- * [`if_else()`], [`recode()`], [`case_when()`]

Grouped tibbles

Because mutating expressions are computed within groups, they may yield different results on grouped tibbles. This will be the case as soon as an aggregating, lagging, or ranking function is involved. Compare this ungrouped mutate:

With the grouped equivalent:

The former normalises ‘mass’ by the global average whereas the latter normalises by the averages within gender levels.

Methods

These functions are **generic**s, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

Methods available in currently loaded packages:

See Also

Other single table verbs: [arrange\(\)](#), [filter\(\)](#), [rename\(\)](#), [summarise\(\)](#)

Examples

```
`%>%` = magrittr::`%>%`  
# Newly created variables are available immediately  
mtcars %>% as_tibble() %>% mutate(  
  cyl2 = cyl * 2,  
  cyl4 = cyl2 * 2  
)
```

parse_formula_survival

Formula parser with survival

Description

Formula parser with survival

Usage

```
parse_formula_survival(fm)
```

Arguments

fm A formula

Value

A character vector

pivot_sample	<i>Extract sample-wise information</i>
--------------	--

Description

pivot_sample() takes as input a 'tbl' formatted as | <SAMPLE> | <ENSEMBL_ID> | <COUNT> | <...> | and returns a 'tbl' with only sample-related columns

Usage

```

pivot_sample(.data, .sample = NULL)

## S4 method for signature 'spec_tbl_df'
pivot_sample(.data, .sample = NULL)

## S4 method for signature 'tbl_df'
pivot_sample(.data, .sample = NULL)

## S4 method for signature 'tidybulk'
pivot_sample(.data, .sample = NULL)

## S4 method for signature 'SummarizedExperiment'
pivot_sample(.data, .sample = NULL)

## S4 method for signature 'RangedSummarizedExperiment'
pivot_sample(.data, .sample = NULL)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.sample	The name of the sample column

Details

```
'r lifecycle::badge("maturing")'
```

This function extracts only sample-related information for downstream analysis (e.g., visualisation). It is disruptive in the sense that it cannot be passed anymore to tidybulk function.

Value

A 'tbl' object
A 'tbl' object
A 'tbl' object
A 'tbl' object
A 'tbl' object
A 'tbl' object

Examples

```
pivot_sample(tidybulk::se_mini )
```

`pivot_transcript` *Extract transcript-wise information*

Description

`pivot_transcript()` takes as input a ‘tbl’ formatted as |<SAMPLE> |<ENSEMBL_ID> |<COUNT> |<...> | and returns a ‘tbl’ with only sample-related columns

Usage

```
pivot_transcript(.data, .transcript = NULL)

## S4 method for signature 'spec_tbl_df'
pivot_transcript(.data, .transcript = NULL)

## S4 method for signature 'tbl_df'
pivot_transcript(.data, .transcript = NULL)

## S4 method for signature 'tidybulk'
pivot_transcript(.data, .transcript = NULL)

## S4 method for signature 'SummarizedExperiment'
pivot_transcript(.data, .transcript = NULL)

## S4 method for signature 'RangedSummarizedExperiment'
pivot_transcript(.data, .transcript = NULL)
```

Arguments

`.data` A ‘tbl’ formatted as |<SAMPLE> |<TRANSCRIPT> |<COUNT> |<...> |
`.transcript` The name of the transcript column

Details

```
‘r lifecycle::badge("maturing")‘
```

This function extracts only transcript-related information for downstream analysis (e.g., visualisation). It is disruptive in the sense that it cannot be passed anymore to tidybulk function.

Value

A 'tbl' object
 A 'tbl' object
 A 'tbl' object
 A 'tbl' object
 A 'tbl' object
 A 'tbl' object

Examples

```
pivot_transcript(tidybulk::se_mini )
```

reduce_dimensions	<i>Dimension reduction of the transcript abundance data</i>
-------------------	---

Description

reduce_dimensions() takes as input a 'tbl' formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and calculates the reduced dimensional space of the transcript abundance.

Usage

```
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  .dims = 2,
  top = 500,
  of_samples = TRUE,
  log_transform = TRUE,
  scale = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'spec_tbl_df'
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
```

```
.abundance = NULL,
method,
.dims = 2,
top = 500,
of_samples = TRUE,
log_transform = TRUE,
scale = TRUE,
action = "add",
...
)

## S4 method for signature 'tbl_df'
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  .dims = 2,
  top = 500,
  of_samples = TRUE,
  log_transform = TRUE,
  scale = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'tidybulk'
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  .dims = 2,
  top = 500,
  of_samples = TRUE,
  log_transform = TRUE,
  scale = TRUE,
  action = "add",
  ...
)

## S4 method for signature 'SummarizedExperiment'
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
```

```

    .abundance = NULL,
    method,
    .dims = 2,
    top = 500,
    of_samples = TRUE,
    log_transform = TRUE,
    scale = TRUE,
    action = "add",
    ...
)

## S4 method for signature 'RangedSummarizedExperiment'
reduce_dimensions(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  .dims = 2,
  top = 500,
  of_samples = TRUE,
  log_transform = TRUE,
  scale = TRUE,
  action = "add",
  ...
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.element</code>	The name of the element column (normally samples).
<code>.feature</code>	The name of the feature column (normally transcripts/genes)
<code>.abundance</code>	The name of the column including the numerical value the clustering is based on (normally transcript abundance)
<code>method</code>	A character string. The dimension reduction algorithm to use (PCA, MDS, tSNE).
<code>.dims</code>	An integer. The number of dimensions your are interested in (e.g., 4 for returning the first four principal components).
<code>top</code>	An integer. How many top genes to select for dimensionality reduction
<code>of_samples</code>	A boolean. In case the input is a tidybulk object, it indicates Whether the element column will be sample or transcript column
<code>log_transform</code>	A boolean, whether the value should be log-transformed (e.g., TRUE for RNA sequencing data)
<code>scale</code>	A boolean for method="PCA", this will be passed to the 'prcomp' function. It is not included in the ... argument because although the default for 'prcomp' if FALSE, it is advisable to set it as TRUE.

action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).
...	Further parameters passed to the function prcomp if you choose method="PCA" or Rtsne if you choose method="tSNE"

Details

```
'r lifecycle::badge("maturing")'
```

This function reduces the dimensions of the transcript abundances. It can use multi-dimensional scaling (MDS; DOI.org/10.1186/gb-2010-11-3-r25), principal component analysis (PCA), or tSNE (Jesse Krijthe et al. 2018)

Underlying method for PCA: `prcomp(scale = scale, ...)`

Underlying method for MDS: `limma::plotMDS(ndim = .dims, plot = FALSE, top = top)`

Underlying method for tSNE: `Rtsne::Rtsne(data, ...)`

Value

A tbl object with additional columns for the reduced dimensions

A tbl object with additional columns for the reduced dimensions

A tbl object with additional columns for the reduced dimensions

A tbl object with additional columns for the reduced dimensions

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
counts.MDS =
  tidybulk::se_mini %>%
  identify_abundant() %>%
  reduce_dimensions( method="MDS", .dims = 3)
```

```
counts.PCA =
  tidybulk::se_mini %>%
  identify_abundant() %>%
  reduce_dimensions(method="PCA", .dims = 3)
```

remove_redundancy	<i>Drop redundant elements (e.g., samples) for which feature (e.g., transcript/gene) abundances are correlated</i>
-------------------	--

Description

remove_redundancy() takes as input a 'tbl' formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| for correlation method or |<DIMENSION 1>|<DIMENSION 2>|<...>| for reduced_dimensions method, and returns a 'tbl' with dropped elements (e.g., samples).

Usage

```
remove_redundancy(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  of_samples = TRUE,
  correlation_threshold = 0.9,
  top = Inf,
  log_transform = FALSE,
  Dim_a_column,
  Dim_b_column
)

## S4 method for signature 'spec_tbl_df'
remove_redundancy(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
  method,
  of_samples = TRUE,
  correlation_threshold = 0.9,
  top = Inf,
  log_transform = FALSE,
  Dim_a_column = NULL,
  Dim_b_column = NULL
)

## S4 method for signature 'tbl_df'
remove_redundancy(
  .data,
  .element = NULL,
  .feature = NULL,
  .abundance = NULL,
```

```
method,  
of_samples = TRUE,  
correlation_threshold = 0.9,  
top = Inf,  
log_transform = FALSE,  
Dim_a_column = NULL,  
Dim_b_column = NULL  
)  
  
## S4 method for signature 'tidybulk'  
remove_redundancy(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  correlation_threshold = 0.9,  
  top = Inf,  
  log_transform = FALSE,  
  Dim_a_column = NULL,  
  Dim_b_column = NULL  
)  
  
## S4 method for signature 'SummarizedExperiment'  
remove_redundancy(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  correlation_threshold = 0.9,  
  top = Inf,  
  log_transform = FALSE,  
  Dim_a_column = NULL,  
  Dim_b_column = NULL  
)  
  
## S4 method for signature 'RangedSummarizedExperiment'  
remove_redundancy(  
  .data,  
  .element = NULL,  
  .feature = NULL,  
  .abundance = NULL,  
  method,  
  of_samples = TRUE,  
  correlation_threshold = 0.9,
```

```

top = Inf,
log_transform = FALSE,
Dim_a_column = NULL,
Dim_b_column = NULL
)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.element	The name of the element column (normally samples).
.feature	The name of the feature column (normally transcripts/genes)
.abundance	The name of the column including the numerical value the clustering is based on (normally transcript abundance)
method	A character string. The cluster algorithm to use, ay the moment k-means is the only algorithm included.
of_samples	A boolean. In case the input is a tidybulk object, it indicates Whether the element column will be sample or transcript column
correlation_threshold	A real number between 0 and 1. For correlation based calculation.
top	An integer. How many top genes to select for correlation based method
log_transform	A boolean, whether the value should be log-transformed (e.g., TRUE for RNA sequencing data)
Dim_a_column	A character string. For reduced_dimension based calculation. The column of one principal component
Dim_b_column	A character string. For reduced_dimension based calculation. The column of another principal component

Value

A tbl object with with dropped redundant elements (e.g., samples).
 A tbl object with with dropped redundant elements (e.g., samples).
 A tbl object with with dropped redundant elements (e.g., samples).
 A tbl object with with dropped redundant elements (e.g., samples).
 A 'SummarizedExperiment' object
 A 'SummarizedExperiment' object

Examples

```

tidybulk::se_mini %>%
identify_abundant() %>%
  remove_redundancy(
    .element = sample,
    .feature = transcript,
    .abundance = count,

```

```

      method = "correlation"
    )

counts.MDS =
  tidybulk::se_mini %>%
  identify_abundant() %>%
  reduce_dimensions( method="MDS", .dims = 3)

remove_redundancy(
  counts.MDS,
  Dim_a_column = `Dim1`,
  Dim_b_column = `Dim2`,
  .element = sample,
  method = "reduced_dimensions"
)

```

rename	<i>Rename columns</i>
--------	-----------------------

Description

Rename individual variables using ‘new_name = old_name’ syntax.

Arguments

.data	A tbl. (See dplyr)
...	<[‘tidy-select’][dplyr_tidy_select]> Use ‘new_name = old_name’ to rename selected variables.

Value

An object of the same type as ‘.data’. * Rows are not affected. * Column names are changed; column order is preserved * Data frame attributes are preserved. * Groups are updated to reflect new names.

Scoped selection and renaming

Use the three scoped variants ([rename_all()], [rename_if()], [rename_at()]) to renaming a set of variables with a function.

Methods

This function is a **generic**, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

The following methods are currently available in loaded packages:

See Also

Other single table verbs: [arrange\(\)](#), [filter\(\)](#), [mutate\(\)](#), [summarise\(\)](#)

Examples

```
`%>%` = magrittr::`%>%`
iris <- as_tibble(iris) # so it prints a little nicer
rename(iris, petal_length = Petal.Length)
```

rotate_dimensions	<i>Rotate two dimensions (e.g., principal components) of an arbitrary angle</i>
-------------------	---

Description

rotate_dimensions() takes as input a 'tbl' formatted as | <DIMENSION 1> | <DIMENSION 2> | <...> | and calculates the rotated dimensional space of the transcript abundance.

Usage

```
rotate_dimensions(
  .data,
  dimension_1_column,
  dimension_2_column,
  rotation_degrees,
  .element = NULL,
  of_samples = TRUE,
  dimension_1_column_rotated = NULL,
  dimension_2_column_rotated = NULL,
  action = "add"
)

## S4 method for signature 'spec_tbl_df'
rotate_dimensions(
  .data,
  dimension_1_column,
  dimension_2_column,
  rotation_degrees,
  .element = NULL,
  of_samples = TRUE,
  dimension_1_column_rotated = NULL,
  dimension_2_column_rotated = NULL,
  action = "add"
)

## S4 method for signature 'tbl_df'
```

```
rotate_dimensions(  
  .data,  
  dimension_1_column,  
  dimension_2_column,  
  rotation_degrees,  
  .element = NULL,  
  of_samples = TRUE,  
  dimension_1_column_rotated = NULL,  
  dimension_2_column_rotated = NULL,  
  action = "add"  
)  
  
## S4 method for signature 'tidybulk'  
rotate_dimensions(  
  .data,  
  dimension_1_column,  
  dimension_2_column,  
  rotation_degrees,  
  .element = NULL,  
  of_samples = TRUE,  
  dimension_1_column_rotated = NULL,  
  dimension_2_column_rotated = NULL,  
  action = "add"  
)  
  
## S4 method for signature 'SummarizedExperiment'  
rotate_dimensions(  
  .data,  
  dimension_1_column,  
  dimension_2_column,  
  rotation_degrees,  
  .element = NULL,  
  of_samples = TRUE,  
  dimension_1_column_rotated = NULL,  
  dimension_2_column_rotated = NULL,  
  action = "add"  
)  
  
## S4 method for signature 'RangedSummarizedExperiment'  
rotate_dimensions(  
  .data,  
  dimension_1_column,  
  dimension_2_column,  
  rotation_degrees,  
  .element = NULL,  
  of_samples = TRUE,  
  dimension_1_column_rotated = NULL,  
  dimension_2_column_rotated = NULL,
```

```

    action = "add"
  )

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
dimension_1_column	A character string. The column of the dimension 1
dimension_2_column	A character string. The column of the dimension 2
rotation_degrees	A real number between 0 and 360
.element	The name of the element column (normally samples).
of_samples	A boolean. In case the input is a tidybulk object, it indicates Whether the element column will be sample or transcript column
dimension_1_column_rotated	A character string. The column of the rotated dimension 1 (optional)
dimension_2_column_rotated	A character string. The column of the rotated dimension 2 (optional)
action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).

Details

```

`r lifecycle::badge("maturing")`

```

This function to rotate two dimensions such as the reduced dimensions.

Underlying custom method: $\text{rotation} = \text{function}(m, d) \ // \ r = \text{the angle} \ // \ m \ \text{data matrix} \ r = d * \pi / 180 \ ((\text{dplyr}::\text{bind_rows}(c('1' = \cos(r), '2' = -\sin(r)), c('1' = \sin(r), '2' = \cos(r)))$

Value

A tbl object with additional columns for the reduced dimensions. additional columns for the rotated dimensions. The rotated dimensions will be added to the original data set as '<NAME OF DIMENSION> rotated <ANGLE>' by default, or as specified in the input arguments.

A tbl object with additional columns for the reduced dimensions. additional columns for the rotated dimensions. The rotated dimensions will be added to the original data set as '<NAME OF DIMENSION> rotated <ANGLE>' by default, or as specified in the input arguments.

A tbl object with additional columns for the reduced dimensions. additional columns for the rotated dimensions. The rotated dimensions will be added to the original data set as '<NAME OF DIMENSION> rotated <ANGLE>' by default, or as specified in the input arguments.

A tbl object with additional columns for the reduced dimensions. additional columns for the rotated dimensions. The rotated dimensions will be added to the original data set as '<NAME OF DIMENSION> rotated <ANGLE>' by default, or as specified in the input arguments.

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
counts.MDS =
  tidybulk::se_mini %>%
  identify_abundant() %>%
  reduce_dimensions( method="MDS", .dims = 3)

counts.MDS.rotated = rotate_dimensions(counts.MDS, `Dim1`, `Dim2`, rotation_degrees = 45, .element = sample)
```

rowwise

*Group input by rows***Description**

See [this repository](<https://github.com/jennybc/row-oriented-workflows>) for alternative ways to perform row-wise operations.

Arguments

data	Input data frame.
...	Variables to be preserved when calling summarise(). This is typically a set of variables whose combination uniquely identify each row. NB: unlike group_by() you can not create new variables here but instead you can select multiple variables with (e.g.) everything().

Details

'rowwise()' is used for the results of [do()] when you create list-variables. It is also useful to support arbitrary complex operations that need to be applied to each row.

Currently, rowwise grouping only works with data frames. Its main impact is to allow you to work with list-variables in [summarise()] and [mutate()] without having to use [[]]. This makes 'summarise()' on a rowwise tbl effectively equivalent to [plyr::ldply()].

Value

A 'tbl'

A 'tbl'

Examples

```
`%>%` = magrittr::`%>%`
df <- expand.grid(x = 1:3, y = 3:1)
df_done <- df %>% rowwise() %>% do(i = seq(.$x, .$y))
```

scale_abundance	<i>Scale the counts of transcripts/genes</i>
-----------------	--

Description

scale_abundance() takes as input a 'tbl' formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and Scales transcript abundance compensating for sequencing depth (e.g., with TMM algorithm, Robinson and Oshlack doi.org/10.1186/gb-2010-11-3-r25).

Usage

```
scale_abundance(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "TMM",  
  reference_sample = NULL,  
  action = "add",  
  reference_selection_function = NULL  
)  
  
## S4 method for signature 'spec_tbl_df'  
scale_abundance(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "TMM",  
  reference_sample = NULL,  
  action = "add",  
  reference_selection_function = NULL  
)  
  
## S4 method for signature 'tbl_df'  
scale_abundance(  
  .data,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "TMM",  
  reference_sample = NULL,  
  action = "add",  
  reference_selection_function = NULL  
)  
  
## S4 method for signature 'tidybulk'
```

```

scale_abundance(
  .data,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "TMM",
  reference_sample = NULL,
  action = "add",
  reference_selection_function = NULL
)

## S4 method for signature 'SummarizedExperiment'
scale_abundance(.data, method = "TMM", reference_sample = NULL)

## S4 method for signature 'RangedSummarizedExperiment'
scale_abundance(.data, method = "TMM", reference_sample = NULL)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column
<code>method</code>	A character string. The scaling method passed to the back-end function (i.e., <code>edgeR::calcNormFactors</code> ; "TMM", "TMMwsp", "RLE", "upperquartile")
<code>reference_sample</code>	A character string. The name of the reference sample. If NULL the sample with highest total read count will be selected as reference.
<code>action</code>	A character string between "add" (default) and "only". "add" joins the new information to the input tbl (default), "only" return a non-redundant tbl with the just new information.
<code>reference_selection_function</code>	DEPRECATED. please use <code>reference_sample</code> .

Details

```
'r lifecycle::badge("maturing")'
```

Scales transcript abundance compensating for sequencing depth (e.g., with TMM algorithm, Robinson and Oshlack doi.org/10.1186/gb-2010-11-3-r25). Lowly transcribed transcripts/genes (defined with `minimum_counts` and `minimum_proportion` parameters) are filtered out from the scaling procedure. The scaling inference is then applied back to all unfiltered data.

Underlying method `edgeR::calcNormFactors(.data, method = c("TMM", "TMMwsp", "RLE", "upperquartile"))`

Value

A tbl object with additional columns with scaled data as '`<NAME OF COUNT COLUMN>_scaled`'

A tbl object with additional columns with scaled data as ‘<NAME OF COUNT COLUMN>_scaled’

A tbl object with additional columns with scaled data as ‘<NAME OF COUNT COLUMN>_scaled’

A tbl object with additional columns with scaled data as ‘<NAME OF COUNT COLUMN>_scaled’

A ‘SummarizedExperiment’ object

A ‘SummarizedExperiment’ object

Examples

```
tidybulk::se_mini %>%
  identify_abundant() %>%
  scale_abundance()
```

se	<i>SummarizedExperiment</i>
----	-----------------------------

Description

SummarizedExperiment

Usage

se

Format

An object of class RangedSummarizedExperiment with 100 rows and 8 columns.

se_mini	<i>SummarizedExperiment mini for vignette</i>
---------	---

Description

SummarizedExperiment mini for vignette

Usage

se_mini

Format

An object of class SummarizedExperiment with 527 rows and 5 columns.

 summarise

Summarise each group to fewer rows

Description

'summarise()' creates a new data frame. It will have one (or more) rows for each combination of grouping variables; if there are no grouping variables, the output will have a single row summarising all observations in the input. It will contain one column for each grouping variable and one column for each of the summary statistics that you have specified.

'summarise()' and 'summarize()' are synonyms.

Arguments

.data A tbl. (See dplyr)

... <['tidy-eval'] [dplyr_tidy_eval]> Name-value pairs of summary functions. The name will be the name of the variable in the result.

The value can be:

- * A vector of length 1, e.g. 'min(x)', 'n()', or 'sum(is.na(y))'.
- * A vector of length 'n', e.g. 'quantile()'.
- * A data frame, to add multiple columns from a single expression.

Value

An object *_usually_* of the same type as '.data'.

* The rows come from the underlying 'group_keys()'. * The columns are a combination of the grouping keys and the summary expressions that you provide. * If 'x' is grouped by more than one variable, the output will be another [grouped_df] with the right-most group removed. * If 'x' is grouped by one variable, or is not grouped, the output will be a [tibble]. * Data frame attributes are **not** preserved, because 'summarise()' fundamentally creates a new data frame.

Useful functions

* Center: [mean()], [median()] * Spread: [sd()], [IQR()], [mad()] * Range: [min()], [max()], [quantile()] * Position: [first()], [last()], [nth()], * Count: [n()], [n_distinct()] * Logical: [any()], [all()]

Backend variations

The data frame backend supports creating a variable and using it in the same summary. This means that previously created summary variables can be further transformed or combined within the summary, as in [mutate()]. However, it also means that summary variables with the same names as previous variables overwrite them, making those variables unavailable to later summary variables.

This behaviour may not be supported in other backends. To avoid unexpected results, consider using new names for your summary variables, especially when creating multiple summaries.

Methods

This function is a **generic**, which means that packages can provide implementations (methods) for other classes. See the documentation of individual methods for extra arguments and differences in behaviour.

The following methods are currently available in loaded packages:

See Also

Other single table verbs: [arrange\(\)](#), [filter\(\)](#), [mutate\(\)](#), [rename\(\)](#)

Examples

```
`%>%` = magrittr::`%>%`
# A summary applied to ungrouped tbl returns a single row
mtcars %>%
  summarise(mean = mean(disp))
```

symbol_to_entrez

Get ENTREZ id from gene SYMBOL

Description

Get ENTREZ id from gene SYMBOL

Usage

```
symbol_to_entrez(.data, .transcript = NULL, .sample = NULL)
```

Arguments

.data	A tt or tbl object.
.transcript	A character. The name of the gene symbol column.
.sample	The name of the sample column

Value

A tbl

Examples

```
tidybulk::se_mini %>% tidybulk() %>% as_tibble() %>% symbol_to_entrez(.transcript = feature, .sample = sample)
```

test_deseq2_df	<i>SummarizedExperiment mini for vignette</i>
----------------	---

Description

SummarizedExperiment mini for vignette

Usage

```
test_deseq2_df
```

Format

An object of class DESeqDataSet with 9921 rows and 7 columns.

test_differential_abundance	<i>Perform differential transcription testing using edgeR quasi-likelihood (QLT), edgeR likelihood-ratio (LR), limma-voom, limma-voom-with-quality-weights or DESeq2</i>
-----------------------------	--

Description

test_differential_abundance() takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with additional columns for the statistics from the hypothesis test.

Usage

```
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
  method = "edgeR_quasi_likelihood",
  test_above_log2_fold_change = NULL,
  scaling_method = "TMM",
  omit_contrast_in_colnames = FALSE,
  prefix = "",
  action = "add",
  ...,
  significance_threshold = NULL,
  fill_missing_values = NULL
```

```
)

## S4 method for signature 'spec_tbl_df'
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
  method = "edgeR_quasi_likelihood",
  test_above_log2_fold_change = NULL,
  scaling_method = "TMM",
  omit_contrast_in_colnames = FALSE,
  prefix = "",
  action = "add",
  ...,
  significance_threshold = NULL,
  fill_missing_values = NULL
)

## S4 method for signature 'tbl_df'
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
  method = "edgeR_quasi_likelihood",
  test_above_log2_fold_change = NULL,
  scaling_method = "TMM",
  omit_contrast_in_colnames = FALSE,
  prefix = "",
  action = "add",
  ...,
  significance_threshold = NULL,
  fill_missing_values = NULL
)

## S4 method for signature 'tidybulk'
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
```

```
method = "edgeR_quasi_likelihood",
test_above_log2_fold_change = NULL,
scaling_method = "TMM",
omit_contrast_in_colnames = FALSE,
prefix = "",
action = "add",
...,
significance_threshold = NULL,
fill_missing_values = NULL
)

## S4 method for signature 'SummarizedExperiment'
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
  method = "edgeR_quasi_likelihood",
  test_above_log2_fold_change = NULL,
  scaling_method = "TMM",
  omit_contrast_in_colnames = FALSE,
  prefix = "",
  action = "add",
  ...,
  significance_threshold = NULL,
  fill_missing_values = NULL
)

## S4 method for signature 'RangedSummarizedExperiment'
test_differential_abundance(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  .contrasts = NULL,
  method = "edgeR_quasi_likelihood",
  test_above_log2_fold_change = NULL,
  scaling_method = "TMM",
  omit_contrast_in_colnames = FALSE,
  prefix = "",
  action = "add",
  ...,
  significance_threshold = NULL,
  fill_missing_values = NULL
)
```


Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.formula	A formula representing the desired linear model. If there is more than one factor, they should be in the order factor of interest + additional factors.
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column
.contrasts	This parameter takes the format of the contrast parameter of the method of choice. For edgeR and limma-voom is a character vector. For DESeq2 is a list including a character vector of length three. The first covariate is the one the model is tested against (e.g., ~ factor_of_interest)
method	A string character. Either "edgeR_quasi_likelihood" (i.e., QLF), "edgeR_likelihood_ratio" (i.e., LRT), "edger_robust_likelihood_ratio", "DESeq2", "limma_voom", "limma_voom_sample_weights"
test_above_log2_fold_change	A positive real value. This works for edgeR and limma_voom methods. It uses the 'treat' function, which tests that the difference in abundance is bigger than this threshold rather than zero https://pubmed.ncbi.nlm.nih.gov/19176553 .
scaling_method	A character string. The scaling method passed to the back-end functions: edgeR and limma-voom (i.e., edgeR::calcNormFactors; "TMM", "TMMwsp", "RLE", "upperquartile"). Setting the parameter to \"none\" will skip the compensation for sequencing-depth for the method edgeR or limma-voom.
omit_contrast_in_colnames	If just one contrast is specified you can choose to omit the contrast label in the colnames.
prefix	A character string. The prefix you would like to add to the result columns. It is useful if you want to compare several methods.
action	A character string. Whether to join the new information to the input tbl (add), or just get the non-redundant tbl with the new information (get).
...	Further arguments passed to some of the internal functions. Currently, it is needed just for internal debug.
significance_threshold	DEPRECATED - A real between 0 and 1 (usually 0.05).
fill_missing_values	DEPRECATED - A boolean. Whether to fill missing sample/transcript values with the median of the transcript. This is rarely needed.

Details

'r lifecycle::badge("maturing")'

This function provides the option to use edgeR <https://doi.org/10.1093/bioinformatics/btp616>, limma-voom <https://doi.org/10.1186/gb-2014-15-2-r29>, limma_voom_sample_weights <https://doi.org/10.1093/nar/gkv412> or DESeq2 <https://doi.org/10.1186/s13059-014-0550-8>

to perform the testing. All methods use raw counts, irrespective of if scale_abundance or adjust_abundance have been calculated, therefore it is essential to add covariates such as batch effects (if applicable) in the formula.

Underlying method for edgeR framework: .data

```
# Filter keep_abundant( factor_of_interest = !!as.symbol(parse_formula(.formula)[1])), minimum_counts
= minimum_counts, minimum_proportion = minimum_proportion )
# Format select(!!.transcript,!!.sample,!!.abundance) spread(!!.sample,!!.abundance) as_matrix(rownames
= !!.transcript)
# edgeR edgeR::DGEList(counts = .) edgeR::calcNormFactors(method = scaling_method) edgeR::estimateDisp(design)
# Fit edgeR::glmQLFit(design) edgeR::glmQLFTest(coef = 2, contrast = my_contrasts) // or glmLRT
according to choice
```

Underlying method for DESeq2 framework: keep_abundant(factor_of_interest = !!as.symbol(parse_formula(.formula)[[1]]), minimum_counts = minimum_counts, minimum_proportion = minimum_proportion)

```
# DESeq2 DESeq2::DESeqDataSet( design = .formula) DESeq2::DESeq() DESeq2::results()
```

Value

A 'tbl' with additional columns for the statistics from the test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
# edgeR

tidybulk::se_mini %>%
  identify_abundant() %>%
  test_differential_abundance( ~ condition )

# The function `test_differential_abundance` operates with contrasts too

tidybulk::se_mini %>%
  identify_abundant() %>%
  test_differential_abundance(
    ~ 0 + condition,
    .contrasts = c( "conditionTRUE - conditionFALSE" )
  )

# DESeq2 - equivalent for limma-voom
```

```

my_se_mini = tidybulk::se_mini
my_se_mini$condition = factor(my_se_mini$condition)

my_se_mini %>%
  identify_abundant() %>%
  test_differential_abundance( ~ condition, method="deseq2" )

# The function `test_differential_abundance` operates with contrasts too

my_se_mini %>%
  identify_abundant() %>%
  test_differential_abundance(
    ~ 0 + condition,
    .contrasts = list(c("condition", "TRUE", "FALSE")),
    method="deseq2"
  )

```

```
test_differential_cellularity
```

Add differential tissue composition information to a tbl

Description

`test_differential_cellularity()` takes as input a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> | and returns a 'tbl' with additional columns for the statistics from the hypothesis test.

Usage

```

test_differential_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  significance_threshold = 0.05,
  ...
)

## S4 method for signature 'spec_tbl_df'
test_differential_cellularity(
  .data,
  .formula,
  .sample = NULL,

```

```
.transcript = NULL,  
.abundance = NULL,  
method = "cibersort",  
reference = X_cibersort,  
significance_threshold = 0.05,  
...  
)  
  
## S4 method for signature 'tbl_df'  
test_differential_cellularity(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "cibersort",  
  reference = X_cibersort,  
  significance_threshold = 0.05,  
  ...  
)  
  
## S4 method for signature 'tidybulk'  
test_differential_cellularity(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "cibersort",  
  reference = X_cibersort,  
  significance_threshold = 0.05,  
  ...  
)  
  
## S4 method for signature 'SummarizedExperiment'  
test_differential_cellularity(  
  .data,  
  .formula,  
  .sample = NULL,  
  .transcript = NULL,  
  .abundance = NULL,  
  method = "cibersort",  
  reference = X_cibersort,  
  significance_threshold = 0.05,  
  ...  
)  
  
## S4 method for signature 'RangedSummarizedExperiment'
```

```

test_differential_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  significance_threshold = 0.05,
  ...
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.formula</code>	A formula representing the desired linear model. The formula can be of two forms: multivariable (recommended) or univariable. Respectively: <code>"factor_of_interest ~ ."</code> or <code>"~ factor_of_interest"</code> . The dot represents cell-type proportions, and it is mandatory. If censored regression is desired (coxph) the formula should be of the form <code>"survival::Surv(y, dead) ~ ."</code>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column
<code>method</code>	A string character. Either <code>"cibersort"</code> , <code>"epic"</code> or <code>"llsr"</code> . The regression method will be chosen based on being multivariable: <code>lm</code> or <code>cox</code> -regression (both on logit-transformed proportions); or univariable: <code>beta</code> or <code>cox</code> -regression (on logit-transformed proportions). See <code>.formula</code> for multi- or univariable choice.
<code>reference</code>	A data frame. The transcript/cell_type data frame of integer transcript abundance
<code>significance_threshold</code>	A real between 0 and 1 (usually 0.05).
<code>...</code>	Further parameters passed to the method <code>deconvolve_cellularity</code>

Details

```
'r lifecycle::badge("maturing")'
```

This routine applies a deconvolution method (e.g., Cibersort; DOI: 10.1038/nmeth.3337) and passes the proportions inferred into a generalised linear model (DOI:dx.doi.org/10.1007/s11749-010-0189-z) or a cox regression model (ISBN: 978-1-4757-3294-8)

Underlying method for the generalised linear model: `data deconvolve_cellularity(!!sample, !!transcript, !!abundance, method=method, reference = reference, action="get", ...) [..] betareg::betareg(.my_formula, .)`

Underlying method for the cox regression: `data deconvolve_cellularity(!!sample, !!transcript, !!abundance, method=method, reference = reference, action="get", ...) [..] mutate(.proportion_0_corrected = .proportion_0_corrected survival::coxph(.my_formula, .)`

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'SummarizedExperiment' object

A 'SummarizedExperiment' object

Examples

```
# Regular regression
test_differential_cellularity(
  tidybulk::se_mini ,
  . ~ condition,
  cores = 1
)

# Cox regression - multiple
library(dplyr)
library(tidyr)

tidybulk::se_mini %>%
  tidybulk() %>%

# Add survival data
nest(data = -sample) %>%
mutate(
  days = c(1, 10, 500, 1000, 2000),
  dead = c(1, 1, 1, 0, 1)
) %>%
unnest(data) %>%

# Test
test_differential_cellularity(
  survival::Surv(days, dead) ~ .,
  cores = 1
)
```

test_gene_enrichment *analyse gene enrichment with EGSEA*

Description

test_gene_enrichment() takes as input a 'tbl' formatted as | <SAMPLE> | <ENSEMBL_ID> | <COUNT> | <...> | and returns a 'tbl' of gene set information

Usage

```
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
  .abundance = NULL,
  .contrasts = NULL,
  methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
  gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
    "kegg_metabolism", "kegg_signaling"),
  species,
  cores = 10,
  method = NULL
)
```

S4 method for signature 'spec_tbl_df'

```
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
  .abundance = NULL,
  .contrasts = NULL,
  methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
  gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
    "kegg_metabolism", "kegg_signaling"),
  species,
  cores = 10,
  method = NULL
)
```

S4 method for signature 'tbl_df'

```
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
```

```
.abundance = NULL,
.contrasts = NULL,
methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
  "kegg_metabolism", "kegg_signaling"),
species,
cores = 10,
method = NULL
)

## S4 method for signature 'tidybulk'
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
  .abundance = NULL,
  .contrasts = NULL,
  methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
  gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
    "kegg_metabolism", "kegg_signaling"),
  species,
  cores = 10,
  method = NULL
)

## S4 method for signature 'SummarizedExperiment'
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
  .abundance = NULL,
  .contrasts = NULL,
  methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
  gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
    "kegg_metabolism", "kegg_signaling"),
  species,
  cores = 10,
  method = NULL
)

## S4 method for signature 'RangedSummarizedExperiment'
test_gene_enrichment(
  .data,
  .formula,
  .sample = NULL,
  .entrez,
```



```

.abundance = NULL,
.contrasts = NULL,
.methods = c("camera", "roast", "safe", "gage", "padog", "globaltest", "ora"),
.gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease",
"kegg_metabolism", "kegg_signaling"),
.species,
.cores = 10,
.method = NULL
)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.formula	A formula with no response variable, representing the desired linear model
.sample	The name of the sample column
.entrez	The ENTREZ ID of the transcripts/genes
.abundance	The name of the transcript/gene abundance column
.contrasts	= NULL,
methods	A character vector. One or 3 or more methods to use in the testing (currently EGSEA errors if 2 are used). Type EGSEA::egsea.base() to see the supported GSE methods.
gene_sets	A character vector or a list. It can take one or more of the following built-in collections as a character vector: c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease", "kegg_metabolism", "kegg_signaling"), to be used with EGSEA buildIdx. c1 is human specific. Alternatively, a list of user-supplied gene sets can be provided, to be used with EGSEA buildCustomIdx. In that case, each gene set is a character vector of Entrez IDs and the names of the list are the gene set names.
species	A character. It can be human, mouse or rat.
cores	An integer. The number of cores available
method	DEPRECATED. Please use methods.

Details

```
'r lifecycle::badge("maturing")'
```

This wrapper executes ensemble gene enrichment analyses of the dataset using EGSEA (DOI:0.12688/f1000research.12544.1)

```
dge = data_keep_abundant( factor_of_interest = !!as.symbol(parse_formula(.formula)[[1]]), !!sample, !!entrez, !!abundance )
```

```
# Make sure transcript names are adjacent [...] as_matrix(rownames = !!entrez) edgeR::DGEList(counts = .)
```

```
idx = buildIdx(entrezIDs = rownames(dge), species = species, msigdb.gsets = msigdb.gsets, kegg.exclude = kegg.exclude)
```

```
dge
```

```
# Calculate weights limma::voom(design, plot = FALSE)
```

```
# Execute EGSEA egsea( contrasts = my_contrasts, baseGSEAs = methods, gs.annotations = idx, sort.by = "med.rank", num.threads = cores, report = FALSE )
```

Value

A 'tbl' object

A 'tbl' object

A 'tbl' object

A 'tbl' object

A 'tbl' object

A 'tbl' object

Examples

Not run:

```
df_entrez = tidybulk::se_mini %>% tidybulk() %>% as_tibble() %>% symbol_to_entrez(.transcript = feature, .sample = sample)
df_entrez = aggregate_duplicates(df_entrez, aggregation_function = sum, .sample = sample, .transcript = entrez, .abundance = count)
```

```
library("EGSEA")
```

```
test_gene_enrichment(
  df_entrez,
  ~ condition,
  .sample = sample,
  .entrez = entrez,
  .abundance = count,
  methods = c("roast", "safe", "gage", "padog", "globaltest", "ora"),
  gene_sets = c("h", "c1", "c2", "c3", "c4", "c5", "c6", "c7", "kegg_disease", "kegg_metabolism", "kegg_signal"),
  species="human",
  cores = 2
)
```

End(Not run)

test_gene_overrepresentation

analyse gene over-representation with GSEA

Description

test_gene_overrepresentation() takes as input a 'tbl' formatted as |<SAMPLE>|<ENSEMBL_ID>|<COUNT>|<...>| and returns a 'tbl' with the GSEA statistics

Usage

```
test_gene_overrepresentation(  
  .data,  
  .entrez,  
  .do_test,  
  species,  
  .sample = NULL,  
  gene_sets = NULL,  
  gene_set = NULL  
)  
  
## S4 method for signature 'spec_tbl_df'  
test_gene_overrepresentation(  
  .data,  
  .entrez,  
  .do_test,  
  species,  
  .sample = NULL,  
  gene_sets = NULL,  
  gene_set = NULL  
)  
  
## S4 method for signature 'tbl_df'  
test_gene_overrepresentation(  
  .data,  
  .entrez,  
  .do_test,  
  species,  
  .sample = NULL,  
  gene_sets = NULL,  
  gene_set = NULL  
)  
  
## S4 method for signature 'tidybulk'  
test_gene_overrepresentation(  
  .data,  
  .entrez,  
  .do_test,  
  species,  
  .sample = NULL,  
  gene_sets = NULL,  
  gene_set = NULL  
)  
  
## S4 method for signature 'SummarizedExperiment'  
test_gene_overrepresentation(  
  .data,  
  .entrez,
```

```

    .do_test,
    species,
    .sample = NULL,
    gene_sets = NULL,
    gene_set = NULL
  )

## S4 method for signature 'RangedSummarizedExperiment'
test_gene_overrepresentation(
  .data,
  .entrez,
  .do_test,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)

```

Arguments

<code>.data</code>	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
<code>.entrez</code>	The ENTREZ ID of the transcripts/genes
<code>.do_test</code>	A boolean column name symbol. It indicates the transcript to check
<code>species</code>	A character. For example, human or mouse. MSigDB uses the latin species names (e.g., \"Mus musculus\", \"Homo sapiens\")
<code>.sample</code>	The name of the sample column
<code>gene_sets</code>	A character vector. The subset of MSigDB datasets you want to test against (e.g. \"C2\"). If NULL all gene sets are used (suggested). This argument was added to avoid time overflow of the examples.
<code>gene_set</code>	DEPRECATED. Use <code>gene_sets</code> instead.

Details

```

`r lifecycle::badge("maturing")`

```

This wrapper execute gene enrichment analyses of the dataset using a list of transcripts and GSEA. This wrapper uses clusterProfiler (DOI: doi.org/10.1089/omi.2011.0118) on the back-end.

Undelying method: `msigdb::msigdb(species = species) nest(data = -gs_cat) mutate(test = map(data, ~ clusterProfiler::enricher(my_entrez_rank, TERM2GENE=x pvalueCutoff = 1)))`

Value

A 'tbl' object
 A 'spec_tbl_df' object
 A 'tbl_df' object
 A 'tidybulk' object

A ‘SummarizedExperiment’ object

A ‘RangedSummarizedExperiment’ object

Examples

```
df_entrez = tidybulk::se_mini %>% tidybulk() %>% as_tibble() %>% symbol_to_entrez(.transcript = feature, .sample = sample)
df_entrez = aggregate_duplicates(df_entrez, aggregation_function = sum, .sample = sample, .transcript = entrez, .feature = feature)
df_entrez = mutate(df_entrez, do_test = feature %in% c("TNFRSF4", "PLCH2", "PADI4", "PAX7"))
```

```
test_gene_overrepresentation(
  df_entrez,
  .sample = sample,
  .entrez = entrez,
  .do_test = do_test,
  species="Homo sapiens",
  gene_sets = c("C2")
)
```

test_gene_rank	<i>analyse gene rank with GSEA</i>
----------------	------------------------------------

Description

test_gene_rank() takes as input a ‘tbl’ formatted as |<SAMPLE>|<ENSEMBL_ID>|<COUNT>|<...>| and returns a ‘tbl’ with the GSEA statistics

Usage

```
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)

## S4 method for signature 'spec_tbl_df'
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
```

```
    gene_set = NULL
  )

## S4 method for signature 'tbl_df'
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)

## S4 method for signature 'tidybulk'
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)

## S4 method for signature 'SummarizedExperiment'
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)

## S4 method for signature 'RangedSummarizedExperiment'
test_gene_rank(
  .data,
  .entrez,
  .arrange_desc,
  species,
  .sample = NULL,
  gene_sets = NULL,
  gene_set = NULL
)
```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.entrez	The ENTREZ ID of the transcripts/genes
.arrange_desc	A column name of the column to arrange in decreasing order
species	A character. For example, human or mouse. MSigDB uses the latin species names (e.g., \"Mus musculus\", \"Homo sapiens\")
.sample	The name of the sample column
gene_sets	A character vector. The subset of MSigDB datasets you want to test against (e.g. \"C2\"). If NULL all gene sets are used (suggested). This argument was added to avoid time overflow of the examples.
gene_set	DEPRECATED. Use gene_sets instead.

Details**[Maturing]**

This wrapper execute gene enrichment analyses of the dataset using a list of transcripts and GSEA. This wrapper uses clusterProfiler (DOI: doi.org/10.1089/omi.2011.0118) on the back-end.

Undelying method: # Get gene sets signatures msigdbr::msigdbr(species = species)

Filter specific gene_sets if specified. This was introduced to speed up examples executionS when(!is.null(gene_sets) ~ filter(., gs_cat ~ (.)))

Execute calculation nest(data = -gs_cat) mutate(fit = map(data, ~ clusterProfiler::GSEA(my_entrez_rank, TERM2GENE=.x pvalueCutoff = 1)

))

Value

A 'tbl' object

A 'spec_tbl_df' object

A 'tbl_df' object

A 'tidybulk' object

A 'SummarizedExperiment' object

A 'RangedSummarizedExperiment' object

Examples

```
df_entrez = tidybulk::se_mini %>% tidybulk() %>% as_tibble() %>% symbol_to_entrez( .transcript = feature, .sample = sample )
df_entrez = aggregate_duplicates(df_entrez, aggregation_function = sum, .sample = sample, .transcript = entrez, .count = count)
df_entrez = mutate(df_entrez, do_test = feature %in% c("TNFRSF4", "PLCH2", "PADI4", "PAX7"))
df_entrez = df_entrez %>% test_differential_abundance(~ condition)
```

```
test_gene_rank(
  df_entrez,
  .sample = sample,
  .entrez = entrez,
```

```

species="Homo sapiens",
  gene_sets =c("C2"),
  .arrange_desc = logFC
)

```

```
test_stratification_cellularity
```

Test of stratification of biological replicates based on tissue composition, one cell-type at the time, using Kaplan-meier curves.

Description

test_stratification_cellularity() takes as input a 'tbl' formatted as |<SAMPLE>|<TRANSCRIPT>|<COUNT>|<...>| and returns a 'tbl' with additional columns for the statistics from the hypothesis test.

Usage

```

test_stratification_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  ...
)

## S4 method for signature 'spec_tbl_df'
test_stratification_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  ...
)

## S4 method for signature 'tbl_df'
test_stratification_cellularity(
  .data,
  .formula,

```



```

    .sample = NULL,
    .transcript = NULL,
    .abundance = NULL,
    method = "cibersort",
    reference = X_cibersort,
    ...
)

## S4 method for signature 'tidybulk'
test_stratification_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  ...
)

## S4 method for signature 'SummarizedExperiment'
test_stratification_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  ...
)

## S4 method for signature 'RangedSummarizedExperiment'
test_stratification_cellularity(
  .data,
  .formula,
  .sample = NULL,
  .transcript = NULL,
  .abundance = NULL,
  method = "cibersort",
  reference = X_cibersort,
  ...
)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.formula	A formula representing the desired linear model. The formula can be of two

	forms: multivariable (recommended) or univariable Respectively: <code>"factor_of_interest ~ ."</code> or <code>"~ factor_of_interest"</code> . The dot represents cell-type proportions, and it is mandatory. If censored regression is desired (coxph) the formula should be of the form <code>"survival::Surv(y, dead) ~ ."</code>
<code>.sample</code>	The name of the sample column
<code>.transcript</code>	The name of the transcript/gene column
<code>.abundance</code>	The name of the transcript/gene abundance column
<code>method</code>	A string character. Either <code>"cibersort"</code> , <code>"epic"</code> or <code>"llsr"</code> . The regression method will be chosen based on being multivariable: <code>lm</code> or <code>cox-regression</code> (both on logit-transformed proportions); or univariable: <code>beta</code> or <code>cox-regression</code> (on logit-transformed proportions). See <code>.formula</code> for multi- or univariable choice.
<code>reference</code>	A data frame. The transcript/cell_type data frame of integer transcript abundance
<code>...</code>	Further parameters passed to the method <code>deconvolve_cellularity</code>

Details

```
'r lifecycle::badge("maturing")'
```

This routine applies a deconvolution method (e.g., Cibersort; DOI: 10.1038/nmeth.3337) and passes the proportions inferred into a generalised linear model (DOI:dx.doi.org/10.1007/s11749-010-0189-z) or a cox regression model (ISBN: 978-1-4757-3294-8)

Underlying method for the test: `data deconvolve_cellularity(!.sample, !.transcript, !.abundance, method=method, reference = reference, action="get", ...) [..] mutate(.high_cellularity = .proportion > median(.proportion)) survival::survdiff(data = data, .my_formula)`

Value

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

A 'tbl' with additional columns for the statistics from the hypothesis test (e.g., log fold change, p-value and false discovery rate).

Examples

```
library(dplyr)
library(tidyr)
```

```

tidybulk::se_mini %>%
  tidybulk() %>%

# Add survival data
nest(data = -sample) %>%
mutate(
  days = c(1, 10, 500, 1000, 2000),
  dead = c(1, 1, 1, 0, 1)
) %>%
unnest(data) %>%
test_stratification_cellularity(
  survival::Surv(days, dead) ~ .,
  cores = 1
)

```

tidybulk

Creates a 'tt' object from a 'tbl' or 'SummarizedExperiment' object

Description

tidybulk() creates a 'tt' object from a 'tbl' formatted as | <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> |

Usage

```

tidybulk(.data, .sample, .transcript, .abundance, .abundance_scaled = NULL)

## S4 method for signature 'spec_tbl_df'
tidybulk(.data, .sample, .transcript, .abundance, .abundance_scaled = NULL)

## S4 method for signature 'tbl_df'
tidybulk(.data, .sample, .transcript, .abundance, .abundance_scaled = NULL)

## S4 method for signature 'SummarizedExperiment'
tidybulk(.data, .sample, .transcript, .abundance, .abundance_scaled = NULL)

## S4 method for signature 'RangedSummarizedExperiment'
tidybulk(.data, .sample, .transcript, .abundance, .abundance_scaled = NULL)

```

Arguments

.data	A 'tbl' formatted as <SAMPLE> <TRANSCRIPT> <COUNT> <...>
.sample	The name of the sample column
.transcript	The name of the transcript/gene column
.abundance	The name of the transcript/gene abundance column

`.abundance_scaled`

The name of the transcript/gene scaled abundance column

Details

```
'r lifecycle::badge("maturing")'
```

This function creates a tidybulk object and is useful if you want to avoid to specify `.sample`, `.transcript` and `.abundance` arguments all the times. The tidybulk object have an attribute called `internals` where these three arguments are stored as metadata. They can be extracted as `attr(<object>, "internals")`.

Value

A 'tidybulk' object

A 'tidybulk' object

A 'tidybulk' object

A 'tidybulk' object

A 'tidybulk' object

Examples

```
my_tt = tidybulk(tidybulk::se_mini)
```

`tidybulk_SAM_BAM` *Creates a 'tt' object from a list of file names of BAM/SAM*

Description

`tidybulk_SAM_BAM()` creates a 'tt' object from a 'tbl' formatted as `| <SAMPLE> | <TRANSCRIPT> | <COUNT> | <...> |`

Usage

```
tidybulk_SAM_BAM(file_names, genome = "hg38", ...)
```

```
## S4 method for signature 'character,character'
tidybulk_SAM_BAM(file_names, genome = "hg38", ...)
```

Arguments

`file_names` A character vector

`genome` A character string

`...` Further parameters passed to the function `Rsubread::featureCounts`

Details

```
'r lifecycle::badge("maturing")'
```

This function is based on FeatureCounts package (DOI: 10.1093/bioinformatics/btt656). This function creates a tidybulk object and is useful if you want to avoid to specify `.sample`, `.transcript` and `.abundance` arguments all the times. The tidybulk object have an attribute called `internals` where these three arguments are stored as metadata. They can be extracted as `attr(<object>, "internals")`.

Underlying core function `Rsubread::featureCounts(annot.inbuilt = genome, nthreads = n_cores, ...)`

Value

A 'tidybulk' object

A 'tidybulk' object

unnest

unnest

Description

unnest

nest

Arguments

`data` A tbl. (See `tidyr`)

`cols` <['tidy-select']|[tidyr_tidy_select]> Columns to unnest. If you 'unnest()' multiple columns, parallel entries must be of compatible sizes, i.e. they're either equal or length 1 (following the standard tidyverse recycling rules).

`names_sep` If 'NULL', the default, the names will be left as is. In 'nest()', inner names will come from the former outer names; in 'unnest()', the new outer names will come from the inner names.

If a string, the inner and outer names will be used together. In 'nest()', the names of the new outer columns will be formed by pasting together the outer and the inner column names, separated by 'names_sep'. In 'unnest()', the new inner names will have the outer names (+ 'names_sep') automatically stripped. This makes 'names_sep' roughly symmetric between nesting and unnesting.

`keep_empty` See `tidyr::unnest`

`names_repair` See `tidyr::unnest`

`ptype` See `tidyr::unnest`

`.drop` See `tidyr::unnest`

`.id` `tidyr::unnest`

`.sep` `tidyr::unnest`

`.preserve` See `tidyr::unnest`

`.data` A tbl. (See `tidyr`)

`...` Name-variable pairs of the form `new_col = c(col1, col2, col3)` (See `tidyr`)

Value

A tidySummarizedExperiment object or a tibble depending on input
 A tt object

Examples

```
library(dplyr)

tidybulk::se_mini %>% tidybulk() %>% nest( data = -feature) %>%
  unnest(data)

tidybulk::se_mini %>% tidybulk() %>% nest( data = -feature)
```

vignette_manuscript_signature_boxplot
Needed for vignette vignette_manuscript_signature_boxplot

Description

Needed for vignette vignette_manuscript_signature_boxplot

Usage

```
vignette_manuscript_signature_boxplot
```

Format

An object of class tbl_df (inherits from tbl, data.frame) with 899 rows and 12 columns.

vignette_manuscript_signature_tsne
Needed for vignette vignette_manuscript_signature_tsne

Description

Needed for vignette vignette_manuscript_signature_tsne

Usage

```
vignette_manuscript_signature_tsne
```

Format

An object of class spec_tbl_df (inherits from tbl_df, tbl, data.frame) with 283 rows and 10 columns.

vignette_manuscript_signature_tsne2

Needed for vignette vignette_manuscript_signature_tsne2

Description

Needed for vignette vignette_manuscript_signature_tsne2

Usage

vignette_manuscript_signature_tsne2

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 283 rows and 9 columns.

X_cibersort

Cibersort reference

Description

Cibersort reference

Usage

X_cibersort

Format

An object of class `data.frame` with 547 rows and 22 columns.

Index

- * **datasets**
 - breast_tcga_mini_SE, [12](#)
 - counts_ensembl, [16](#)
 - counts_SE, [16](#)
 - ensembl_symbol_mapping, [21](#)
 - flybaseIDs, [26](#)
 - se, [59](#)
 - se_mini, [59](#)
 - test_deseq2_df, [62](#)
 - vignette_manuscript_signature_boxplot, [86](#)
 - vignette_manuscript_signature_tsne, [86](#)
 - vignette_manuscript_signature_tsne2, [87](#)
 - X_cibersort, [87](#)
- * **grouping functions**
 - group_by, [27](#)
- * **single table verbs**
 - arrange, [8](#)
 - filter, [24](#)
 - mutate, [40](#)
 - rename, [52](#)
 - summarise, [60](#)
- .describe_transcript_SE
 - (describe_transcript), [19](#)
- adjust_abundance, [3](#)
- adjust_abundance, RangedSummarizedExperiment-method
 - (adjust_abundance), [3](#)
- adjust_abundance, spec_tbl_df-method
 - (adjust_abundance), [3](#)
- adjust_abundance, SummarizedExperiment-method
 - (adjust_abundance), [3](#)
- adjust_abundance, tbl_df-method
 - (adjust_abundance), [3](#)
- adjust_abundance, tidybulk-method
 - (adjust_abundance), [3](#)
- aggregate_duplicates, [6](#)
- aggregate_duplicates, RangedSummarizedExperiment-method
 - (aggregate_duplicates), [6](#)
- aggregate_duplicates, spec_tbl_df-method
 - (aggregate_duplicates), [6](#)
- aggregate_duplicates, SummarizedExperiment-method
 - (aggregate_duplicates), [6](#)
- aggregate_duplicates, tbl_df-method
 - (aggregate_duplicates), [6](#)
- aggregate_duplicates, tidybulk-method
 - (aggregate_duplicates), [6](#)
- arrange, [8](#), [25](#), [42](#), [53](#), [61](#)
- as_matrix, [9](#)
- as_SummarizedExperiment, [10](#)
- as_SummarizedExperiment, spec_tbl_df-method
 - (as_SummarizedExperiment), [10](#)
- as_SummarizedExperiment, tbl_df-method
 - (as_SummarizedExperiment), [10](#)
- as_SummarizedExperiment, tidybulk-method
 - (as_SummarizedExperiment), [10](#)
- bind, [11](#)
- bind_cols (bind), [11](#)
- bind_rows (bind), [11](#)
- breast_tcga_mini_SE, [12](#)
- cluster_elements, [13](#)
- cluster_elements, RangedSummarizedExperiment-method
 - (cluster_elements), [13](#)
- cluster_elements, spec_tbl_df-method
 - (cluster_elements), [13](#)
- cluster_elements, SummarizedExperiment-method
 - (cluster_elements), [13](#)
- cluster_elements, tbl_df-method
 - (cluster_elements), [13](#)
- cluster_elements, tidybulk-method
 - (cluster_elements), [13](#)
- counts_ensembl, [16](#)
- counts_SE, [16](#)
- deconvolve_cellularity, [16](#)

deconvolve_cellularity, RangedSummarizedExperiment-method
 (deconvolve_cellularity), 16
 deconvolve_cellularity, spec_tbl_df-method
 (deconvolve_cellularity), 16
 deconvolve_cellularity, SummarizedExperiment-method
 (deconvolve_cellularity), 16
 deconvolve_cellularity, tbl_df-method
 (deconvolve_cellularity), 16
 deconvolve_cellularity, tidybulk-method
 (deconvolve_cellularity), 16
 describe_transcript, 19
 describe_transcript, RangedSummarizedExperiment-method
 (describe_transcript), 19
 describe_transcript, spec_tbl_df-method
 (describe_transcript), 19
 describe_transcript, SummarizedExperiment-method
 (describe_transcript), 19
 describe_transcript, tbl_df-method
 (describe_transcript), 19
 describe_transcript, tidybulk-method
 (describe_transcript), 19
 distinct, 21

 ensembl_symbol_mapping, 21
 ensembl_to_symbol, 22
 ensembl_to_symbol, spec_tbl_df-method
 (ensembl_to_symbol), 22
 ensembl_to_symbol, tbl_df-method
 (ensembl_to_symbol), 22
 ensembl_to_symbol, tidybulk-method
 (ensembl_to_symbol), 22

 fill_missing_abundance, 23
 fill_missing_abundance, spec_tbl_df-method
 (fill_missing_abundance), 23
 fill_missing_abundance, tbl_df-method
 (fill_missing_abundance), 23
 fill_missing_abundance, tidybulk-method
 (fill_missing_abundance), 23
 filter, 9, 24, 42, 53, 61
 flybaseIDs, 26
 full_join (inner_join), 33

 get_bibliography, 26
 get_bibliography, RangedSummarizedExperiment-method
 (get_bibliography), 26
 get_bibliography, spec_tbl_df-method
 (get_bibliography), 26
 get_bibliography, SummarizedExperiment-method
 (get_bibliography), 26
 get_bibliography, tbl-method
 (get_bibliography), 26
 get_bibliography, tbl_df-method
 (get_bibliography), 26
 get_bibliography, tidybulk-method
 (get_bibliography), 26
 group_by, 27

 identify_abundant, 28
 identify_abundant, RangedSummarizedExperiment-method
 (identify_abundant), 28
 identify_abundant, spec_tbl_df-method
 (identify_abundant), 28
 identify_abundant, SummarizedExperiment-method
 (identify_abundant), 28
 identify_abundant, tbl_df-method
 (identify_abundant), 28
 identify_abundant, tidybulk-method
 (identify_abundant), 28
 impute_missing_abundance, 31
 impute_missing_abundance, RangedSummarizedExperiment-method
 (impute_missing_abundance), 31
 impute_missing_abundance, spec_tbl_df-method
 (impute_missing_abundance), 31
 impute_missing_abundance, SummarizedExperiment-method
 (impute_missing_abundance), 31
 impute_missing_abundance, tbl_df-method
 (impute_missing_abundance), 31
 impute_missing_abundance, tidybulk-method
 (impute_missing_abundance), 31
 inner_join, 33

 keep_abundant, 34
 keep_abundant, RangedSummarizedExperiment-method
 (keep_abundant), 34
 keep_abundant, spec_tbl_df-method
 (keep_abundant), 34
 keep_abundant, SummarizedExperiment-method
 (keep_abundant), 34
 keep_abundant, tbl_df-method
 (keep_abundant), 34
 keep_abundant, tidybulk-method
 (keep_abundant), 34
 keep_variable, 36
 keep_variable, RangedSummarizedExperiment-method
 (keep_variable), 36

- keep_variable, spec_tbl_df-method
(keep_variable), 36
- keep_variable, SummarizedExperiment-method
(keep_variable), 36
- keep_variable, tbl_df-method
(keep_variable), 36
- keep_variable, tidybulk-method
(keep_variable), 36

- left_join, 38
- log10_reverse_trans, 39
- logit_trans, 40

- mutate, 9, 25, 40, 53, 61

- nest (unnest), 85

- parse_formula_survival, 42
- pivot_sample, 43
- pivot_sample, RangedSummarizedExperiment-method
(pivot_sample), 43
- pivot_sample, spec_tbl_df-method
(pivot_sample), 43
- pivot_sample, SummarizedExperiment-method
(pivot_sample), 43
- pivot_sample, tbl_df-method
(pivot_sample), 43
- pivot_sample, tidybulk-method
(pivot_sample), 43
- pivot_transcript, 44
- pivot_transcript, RangedSummarizedExperiment-method
(pivot_transcript), 44
- pivot_transcript, spec_tbl_df-method
(pivot_transcript), 44
- pivot_transcript, SummarizedExperiment-method
(pivot_transcript), 44
- pivot_transcript, tbl_df-method
(pivot_transcript), 44
- pivot_transcript, tidybulk-method
(pivot_transcript), 44

- reduce_dimensions, 45
- reduce_dimensions, RangedSummarizedExperiment-method
(reduce_dimensions), 45
- reduce_dimensions, spec_tbl_df-method
(reduce_dimensions), 45
- reduce_dimensions, SummarizedExperiment-method
(reduce_dimensions), 45
- reduce_dimensions, tbl_df-method
(reduce_dimensions), 45

- reduce_dimensions, tidybulk-method
(reduce_dimensions), 45

- remove_redundancy, 49
- remove_redundancy, RangedSummarizedExperiment-method
(remove_redundancy), 49
- remove_redundancy, spec_tbl_df-method
(remove_redundancy), 49
- remove_redundancy, SummarizedExperiment-method
(remove_redundancy), 49
- remove_redundancy, tbl_df-method
(remove_redundancy), 49
- remove_redundancy, tidybulk-method
(remove_redundancy), 49

- rename, 9, 25, 42, 52, 61
- right_join (inner_join), 33
- rotate_dimensions, 53
- rotate_dimensions, RangedSummarizedExperiment-method
(rotate_dimensions), 53
- rotate_dimensions, spec_tbl_df-method
(rotate_dimensions), 53
- rotate_dimensions, SummarizedExperiment-method
(rotate_dimensions), 53
- rotate_dimensions, tbl_df-method
(rotate_dimensions), 53
- rotate_dimensions, tidybulk-method
(rotate_dimensions), 53

- rowwise, 56

- scale_abundance, 57
- scale_abundance, RangedSummarizedExperiment-method
(scale_abundance), 57
- scale_abundance, spec_tbl_df-method
(scale_abundance), 57
- scale_abundance, SummarizedExperiment-method
(scale_abundance), 57
- scale_abundance, tbl_df-method
(scale_abundance), 57
- scale_abundance, tidybulk-method
(scale_abundance), 57

- se, 59
- se_mini, 59
- select, 9, 25, 42, 53, 60
- symbol_to_entrez, 61

- test_deseq2_df, 62
- test_differential_abundance, 62
- test_differential_abundance, RangedSummarizedExperiment-method
(test_differential_abundance), 62

- test_differential_abundance, spec_tbl_df-method [74](#)
- (test_differential_abundance), [62](#)
- test_differential_abundance, SummarizedExperiment-method [74](#)
- (test_differential_abundance), [62](#)
- test_differential_abundance, tbl_df-method [74](#)
- (test_differential_abundance), [62](#)
- test_differential_abundance, tidybulk-method [74](#)
- (test_differential_abundance), [62](#)
- test_differential_cellularity, [67](#)
- test_differential_cellularity, RangedSummarizedExperiment-method [67](#)
- (test_differential_cellularity), [67](#)
- test_differential_cellularity, spec_tbl_df-method [67](#)
- (test_differential_cellularity), [67](#)
- test_differential_cellularity, SummarizedExperiment-method [67](#)
- (test_differential_cellularity), [67](#)
- test_differential_cellularity, tbl_df-method [67](#)
- (test_differential_cellularity), [67](#)
- test_differential_cellularity, tidybulk-method [67](#)
- (test_differential_cellularity), [67](#)
- test_gene_enrichment, [71](#)
- test_gene_enrichment, RangedSummarizedExperiment-method [71](#)
- (test_gene_enrichment), [71](#)
- test_gene_enrichment, spec_tbl_df-method [71](#)
- (test_gene_enrichment), [71](#)
- test_gene_enrichment, SummarizedExperiment-method [71](#)
- (test_gene_enrichment), [71](#)
- test_gene_enrichment, tbl_df-method [71](#)
- (test_gene_enrichment), [71](#)
- test_gene_enrichment, tidybulk-method [71](#)
- (test_gene_enrichment), [71](#)
- test_gene_overrepresentation, [74](#)
- test_gene_overrepresentation, RangedSummarizedExperiment-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, spec_tbl_df-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, SummarizedExperiment-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, tidybulk-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, tbl_df-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, tidybulk-method [74](#)
- (test_gene_overrepresentation), [74](#)
- test_gene_overrepresentation, tidybulk, tbl_df-method (tidybulk), [83](#)
- (tidybulk), [83](#)
- tidybulk, RangedSummarizedExperiment-method (tidybulk), [83](#)
- tidybulk, spec_tbl_df-method (tidybulk), [83](#)
- tidybulk, SummarizedExperiment-method (tidybulk), [83](#)
- tidybulk_SAM_BAM, [84](#)
- tidybulk_SAM_BAM, character, character-method (tidybulk_SAM_BAM), [84](#)
- unnest, [85](#)
- vignette_manuscript_signature_boxplot,

86
vignette_manuscript_signature_tsne, 86
vignette_manuscript_signature_tsne2,
87
X_cibersort, 87