

# BSgenome.Creinhardtii.JGI.v5.6

December 25, 2024

---

BSgenome.Creinhardtii.JGI.v5.6

*Full genome sequences for Chlamydomonas reinhardtii (v5.6)*

---

## Description

Full genome sequences for *Chlamydomonas reinhardtii* (v5.6) as provided by JGI and stored in Biostrings objects. The data in this package is public. See `'citation("BSgenome.Creinhardtii.JGI.v5.6")'` for how to cite in publications.

## Note

This BSgenome data package was made from the following source data files:

Creinhardtii\_281\_v5.0.fa.gz from [https://phytozome-next.jgi.doe.gov/info/Creinhardtii\\_v5\\_6](https://phytozome-next.jgi.doe.gov/info/Creinhardtii_v5_6)

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- [BSgenome](#) objects and the [available.genomes](#) function in the **BSgenome** software package.
- [DNAString](#) objects in the **Biostrings** package.
- The BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Creihardtii.JGI.v5.6
genome <- BSgenome.Creihardtii.JGI.v5.6
head(seqlengths(genome))
genome[["chromosome_1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

**\* data**

BSgenome.Creihardtii.JGI.v5.6, [1](#)

**\* package**

BSgenome.Creihardtii.JGI.v5.6, [1](#)

available.genomes, [1](#)

BSgenome, [1](#)

BSgenome.Creihardtii.JGI.v5.6, [1](#)

BSgenome.Creihardtii.JGI.v5.6-package  
(BSgenome.Creihardtii.JGI.v5.6),  
[1](#)

BSgenomeForge, [1](#)

Creihardtii

(BSgenome.Creihardtii.JGI.v5.6),  
[1](#)

DNAStrng, [1](#)