

Package ‘interacCircos’

January 23, 2026

Type Package

Title The Generation of Interactive Circos Plot

Description Implement in an efficient approach to display the genomic data, relationship, information in an interactive circular genome(Circos) plot. 'interacCircos' are inspired by 'circosJS', 'BioCircos.js' and 'NG-Circos' and we integrate the modules of 'circosJS', 'BioCircos.js' and 'NG-Circos' into this R package, based on 'htmlwidgets' framework.

Version 1.20.0

License GPL-3

Encoding UTF-8

LazyData true

Depends R (>= 4.1)

Imports RColorBrewer, htmlwidgets, plyr, methods

RoxygenNote 7.1.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

biocViews Visualization

git_url <https://git.bioconductor.org/packages/interacCircos>

git_branch RELEASE_3_22

git_last_commit 62873b8

git_last_commit_date 2025-10-29

Repository Bioconductor 3.22

Date/Publication 2026-01-22

Author Zhe Cui [aut, cre]

Maintainer Zhe Cui <mrCuizhe@gmail.com>

Contents

arcExample	2
bubbleExample	3
chord.pExample	3
chordExample	4
Circos	5
CircosArc	52

CircosAuxLine	53
CircosBackground	54
CircosBubble	55
CircosChord	57
CircosChord.p	58
CircosCnv	59
CircosGene	60
CircosHeatmap	62
CircosHistogram	63
CircosLegend	64
CircosLine	66
CircosLink	67
CircosLollipop	69
CircosModuleList	70
CircosScatter	71
CircosSnp	72
CircosText	74
CircosWig	75
cnvExample	77
geneExample	77
heatmapExample	78
hg19_ideogram	79
histogramExample	79
lineExample	80
linkExample	80
lollipopExample	81
scatterExample	81
snpExample	82
wigExample	83

Index	84
--------------	-----------

arcExample	<i>Arc plot example data</i>
------------	------------------------------

Description

The data is in matrix with column names

Usage

```
arcExample
```

Format

A data frame with 7 columns:

chr chromosome
start start position
end end position
color color

des description
link hyperlink
html The external html language

bubbleExample	<i>Bubble plot example data</i>
---------------	---------------------------------

Description

The data is in matrix with column names

Usage

bubbleExample

Format

A data frame with 8 columns:

chr chromosome
start start position
end end position
name name for description
value value
color specified color for bubble
layer layer number
html The external html language

chord.pExample	<i>Example data of chord plot of circosJS</i>
----------------	---

Description

The data is in matrix with column names

Usage

chord.pExample

Format

A data frame in which each row represents the relationship from one genome position(source) to another one(target):

source_chr chromosome name of source
source_start start position of source
source_end end position of source
target_chr chromosome name of target
target_start start position of target
target_end end position of target

chordExample

Example data of chord plot of NG-Circos

Description

The data is in matrix with column names. The order and number is same as column, representing the same items

Usage

```
chordExample
```

Format

A data frame in which each value represents the relationship from a column to a row:

C.CK Genome 1, the name for each arc

C.NPK Genome 2, the name for each arc

GC.CK Genome 2, the name for each arc

GC.NPK Genome 2, the name for each arc

Alphaproteobacteria Genome 2, the name for each arc

Betaproteobacteria Genome 2, the name for each arc

Gammaproteobacteria Genome 2, the name for each arc

Deltaproteobacteria Genome 8, the name for each arc

Acidobacteria Genome 9, the name for each arc

Actinobacteria Genome 10, the name for each arc

Bacteroidetes Genome 11, the name for each arc

Chloroflexi Genome 12, the name for each arc

Firmicutes Genome 13, the name for each arc

Gemmatimonadetes Genome 14, the name for each arc

Planctomycetes Genome 15, the name for each arc

Thaumarchaeota Genome 16, the name for each arc

Verrucomicrobia Genome 17, the name for each arc

Ascomycota Genome 18, the name for each arc

Basidiomycota Genome 19, the name for each arc

Zygomycota Genome 20, the name for each arc

Circos

*interacCircos***Description**

Visualization of Interactive Circos Plot

Usage

```

Circos(
  moduleList = CircosModuleList(),
  genome = "hg19",
  genome2 = "hg19",
  genomeFillColor = "Spectral",
  chrPad = 0.02,
  width = NULL,
  height = NULL,
  innerRadius = 216,
  outerRadius = 240,
  svgClassName = "interacCircos",
  displayGenomeBorder = TRUE,
  genomeBorderColor = "#000",
  genomeBorderSize = 0.5,
  genomeTicksDisplay = FALSE,
  genomeTicksLen = 5,
  genomeTicksColor = "#000",
  genomeTicksTextSize = "0.6em",
  genomeTicksRealLength = TRUE,
  genomeTicksTextColor = "#000",
  genomeTicksScale = 3e+07,
  genomeTicksOffset = 0,
  genomeLabelDisplay = TRUE,
  genomeLabelTextSize = "10pt",
  genomeLabelTextColor = "#000",
  genomeLabelDx = 0,
  genomeLabelDy = 0,
  compareEvent = FALSE,
  compareEventGroupGapRate = 0.1,
  compareEventGroupDistance = 0,
  zoom = TRUE,
  TEXTModuleDragEvent = FALSE,
  CNVxlink = FALSE,
  CNVMouseEvent = TRUE,
  CNVMouseClickedDisplay = FALSE,
  CNVMouseClickedColor = "red",
  CNVMouseClickedArcOpacity = 1,
  CNVMouseClickedArcStrokeColor = "#F26223",
  CNVMouseClickedArcStrokeWidth = 0,
  CNVMouseClickedTextFromData = "fourth",
  CNVMouseClickedTextOpacity = 1,
  CNVMouseClickedTextColor = "red",

```

```
CNVMouseClickTextSize = 8,  
CNVMouseClickTextPostionX = 0,  
CNVMouseClickTextPostionY = 0,  
CNVMouseClickTextDrag = TRUE,  
CNVMouseDownDisplay = FALSE,  
CNVMouseDownColor = "green",  
CNVMouseDownArcOpacity = 1,  
CNVMouseDownArcStrokeColor = "#F26223",  
CNVMouseDownArcStrokeWidth = 0,  
CNVMouseEnterDisplay = FALSE,  
CNVMouseEnterColor = "yellow",  
CNVMouseEnterArcOpacity = 1,  
CNVMouseEnterArcStrokeColor = "#F26223",  
CNVMouseEnterArcStrokeWidth = 0,  
CNVMouseLeaveDisplay = FALSE,  
CNVMouseLeaveColor = "pink",  
CNVMouseLeaveArcOpacity = 1,  
CNVMouseLeaveArcStrokeColor = "#F26223",  
CNVMouseLeaveArcStrokeWidth = 0,  
CNVMouseMoveDisplay = FALSE,  
CNVMouseMoveColor = "red",  
CNVMouseMoveArcOpacity = 1,  
CNVMouseMoveArcStrokeColor = "#F26223",  
CNVMouseMoveArcStrokeWidth = 0,  
CNVMouseOutDisplay = FALSE,  
CNVMouseOutAnimationTime = 500,  
CNVMouseOutColor = "red",  
CNVMouseOutArcOpacity = 1,  
CNVMouseOutArcStrokeColor = "red",  
CNVMouseOutArcStrokeWidth = 0,  
CNVMouseUpDisplay = FALSE,  
CNVMouseUpColor = "grey",  
CNVMouseUpArcOpacity = 1,  
CNVMouseUpArcStrokeColor = "#F26223",  
CNVMouseUpArcStrokeWidth = 0,  
CNVMouseOverDisplay = FALSE,  
CNVMouseOverColor = "red",  
CNVMouseOverArcOpacity = 1,  
CNVMouseOverArcStrokeColor = "#F26223",  
CNVMouseOverArcStrokeWidth = 3,  
CNVMouseOverTooltipsSetting = "style1",  
CNVMouseOverTooltipsHtml = " ",  
CNVMouseOverTooltipsPosition = "absolute",  
CNVMouseOverTooltipsBackgroundColor = "white",  
CNVMouseOverTooltipsBorderStyle = "solid",  
CNVMouseOverTooltipsBorderWidth = 0,  
CNVMouseOverTooltipsPadding = "3px",  
CNVMouseOverTooltipsBorderRadius = "3px",  
CNVMouseOverTooltipsOpacity = 0.8,  
HEATMAPMouseEvent = TRUE,  
HEATMAPMouseClickDisplay = FALSE,  
HEATMAPMouseClickColor = "green",
```

```
HEATMAPMouseClickedOpacity = 1,
HEATMAPMouseClickedStrokeColor = "none",
HEATMAPMouseClickedStrokeWidth = "none",
HEATMAPMouseDownDisplay = FALSE,
HEATMAPMouseDownColor = "green",
HEATMAPMouseDownOpacity = 1,
HEATMAPMouseDownStrokeColor = "none",
HEATMAPMouseDownStrokeWidth = "none",
HEATMAPMouseEnterDisplay = FALSE,
HEATMAPMouseEnterColor = "green",
HEATMAPMouseEnterOpacity = 1,
HEATMAPMouseEnterStrokeColor = "none",
HEATMAPMouseEnterStrokeWidth = "none",
HEATMAPMouseLeaveDisplay = FALSE,
HEATMAPMouseLeaveColor = "green",
HEATMAPMouseLeaveOpacity = 1,
HEATMAPMouseLeaveStrokeColor = "none",
HEATMAPMouseLeaveStrokeWidth = "none",
HEATMAPMouseMoveDisplay = FALSE,
HEATMAPMouseMoveColor = "green",
HEATMAPMouseMoveOpacity = 1,
HEATMAPMouseMoveStrokeColor = "none",
HEATMAPMouseMoveStrokeWidth = "none",
HEATMAPMouseOutDisplay = FALSE,
HEATMAPMouseOutAnimationTime = 500,
HEATMAPMouseOutColor = "green",
HEATMAPMouseOutOpacity = 1,
HEATMAPMouseOutStrokeColor = "none",
HEATMAPMouseOutStrokeWidth = "none",
HEATMAPMouseUpDisplay = FALSE,
HEATMAPMouseUpColor = "green",
HEATMAPMouseUpOpacity = 1,
HEATMAPMouseUpStrokeColor = "none",
HEATMAPMouseUpStrokeWidth = "none",
HEATMAPMouseOverDisplay = FALSE,
HEATMAPMouseOverColor = "none",
HEATMAPMouseOverOpacity = 1,
HEATMAPMouseOverStrokeColor = "none",
HEATMAPMouseOverStrokeWidth = "none",
HEATMAPMouseOverTooltipsSetting = "style1",
HEATMAPMouseOverTooltipsHtml = " ",
HEATMAPMouseOverTooltipsPosition = "absolute",
HEATMAPMouseOverTooltipsBackgroundColor = "white",
HEATMAPMouseOverTooltipsBorderStyle = "solid",
HEATMAPMouseOverTooltipsBorderWidth = 0,
HEATMAPMouseOverTooltipsPadding = "3px",
HEATMAPMouseOverTooltipsBorderRadius = "3px",
HEATMAPMouseOverTooltipsOpacity = 0.8,
BUBBLExlink = FALSE,
BUBBLEMouseEvent = TRUE,
BUBBLEMouseClickedDisplay = FALSE,
BUBBLEMouseClickedColor = "green",
```

```
BUBBLEMouseClickOpacity = 1,  
BUBBLEMouseClickStrokeColor = "none",  
BUBBLEMouseClickStrokeWidth = "none",  
BUBBLEMouseDownDisplay = FALSE,  
BUBBLEMouseDownColor = "green",  
BUBBLEMouseDownOpacity = 1,  
BUBBLEMouseDownStrokeColor = "none",  
BUBBLEMouseDownStrokeWidth = "none",  
BUBBLEMouseEnterDisplay = FALSE,  
BUBBLEMouseEnterColor = "green",  
BUBBLEMouseEnterOpacity = 1,  
BUBBLEMouseEnterStrokeColor = "none",  
BUBBLEMouseEnterStrokeWidth = "none",  
BUBBLEMouseLeaveDisplay = FALSE,  
BUBBLEMouseLeaveColor = "green",  
BUBBLEMouseLeaveOpacity = 1,  
BUBBLEMouseLeaveStrokeColor = "none",  
BUBBLEMouseLeaveStrokeWidth = "none",  
BUBBLEMouseMoveDisplay = FALSE,  
BUBBLEMouseMoveColor = "green",  
BUBBLEMouseMoveOpacity = 1,  
BUBBLEMouseMoveStrokeColor = "none",  
BUBBLEMouseMoveStrokeWidth = "none",  
BUBBLEMouseOutDisplay = FALSE,  
BUBBLEMouseOutAnimationTime = 500,  
BUBBLEMouseOutColor = "green",  
BUBBLEMouseOutOpacity = 1,  
BUBBLEMouseOutStrokeColor = "none",  
BUBBLEMouseOutStrokeWidth = "none",  
BUBBLEMouseUpDisplay = FALSE,  
BUBBLEMouseUpColor = "green",  
BUBBLEMouseUpOpacity = 1,  
BUBBLEMouseUpStrokeColor = "none",  
BUBBLEMouseUpStrokeWidth = "none",  
BUBBLEMouseOverDisplay = FALSE,  
BUBBLEMouseOverColor = "green",  
BUBBLEMouseOverOpacity = 1,  
BUBBLEMouseOverStrokeColor = "none",  
BUBBLEMouseOverStrokeWidth = "none",  
BUBBLEMouseOverTooltipsSetting = "style1",  
BUBBLEMouseOverTooltipsHtml = " ",  
BUBBLEMouseOverTooltipsPosition = "absolute",  
BUBBLEMouseOverTooltipsBackgroundColor = "white",  
BUBBLEMouseOverTooltipsBorderStyle = "solid",  
BUBBLEMouseOverTooltipsBorderWidth = 0,  
BUBBLEMouseOverTooltipsPadding = "3px",  
BUBBLEMouseOverTooltipsBorderRadius = "3px",  
BUBBLEMouseOverTooltipsOpacity = 0.8,  
SNPxlink = FALSE,  
SNPMouseEvent = TRUE,  
SNPMouseCombinationEvent = FALSE,  
SNPMouseCombinationImageDisplay = FALSE,
```



```
SNPMouseCombinationImageTitle = "This is image",
SNPMouseCombinationImageTitleSize = 5,
SNPMouseCombinationImageTitleWeight = "bold",
SNPMouseCombinationImageTitleColor = "black",
SNPMouseCombinationImagePositionX = 0,
SNPMouseCombinationImagePositionY = 0,
SNPMouseCombinationImageHeight = 200,
SNPMouseCombinationImageWidth = 300,
SNPMouseCombinationGraphDisplay = FALSE,
SNPMouseCombinationGraphTitle = "This is graph",
SNPMouseCombinationGraphTitleSize = 5,
SNPMouseCombinationGraphTitleWeight = "bold",
SNPMouseCombinationGraphTitleColor = "black",
SNPMouseCombinationGraphType = "histogram",
SNPMouseCombinationGraphPositionX = 0,
SNPMouseCombinationGraphPositionY = 0,
SNPMouseCombinationGraphHeight = 200,
SNPMouseCombinationGraphWidth = 300,
SNPMouseCombinationGraphHistogramBarColor = "blue",
SNPMouseCombinationGraphHistogramPadding = 30,
SNPMouseCombinationGraphHistogramPositionCorrectX = 0,
SNPMouseCombinationGraphPieAutoColor = TRUE,
SNPMouseCombinationGraphPieColor = c("blue", "orange"),
SNPMouseCombinationGraphPieSize = 50,
SNPMouseCombinationGraphPieStroke = TRUE,
SNPMouseCombinationGraphPieStrokeColor = "black",
SNPMouseCombinationGraphPieStrokeWidth = 1,
SNPMouseCombinationGraphPieOpacity = 1,
SNPMouseCombinationGraphLineType = "linear",
SNPMouseCombinationGraphLineColor = "black",
SNPMouseCombinationGraphLineWidth = 1,
SNPMouseCombinationGraphLinePoint = FALSE,
SNPMouseCombinationGraphLinePointSize = 5,
SNPMouseCombinationGraphLinePointAutoColor = TRUE,
SNPMouseCombinationGraphLinePointColor = c("blue", "orange"),
SNPMouseCombinationGraphLinePointStroke = TRUE,
SNPMouseCombinationGraphLinePointStrokeColor = "black",
SNPMouseCombinationGraphLinePointStrokeWidth = 1,
SNPMouseCombinationGraphLinePointOpacity = 1,
SNPMouseCombinationGraphLinePositionCorrectX = 0,
SNPMouseCombinationTextDisplay = FALSE,
SNPMouseCombinationTextColor = "red",
SNPMouseCombinationTextSize = 3,
SNPMouseCombinationTextWeight = "bold",
SNPMouseCombinationTextPositionCorrectX = 0,
SNPMouseCombinationTextPositionCorrectY = 0,
SNPMouseClickDisplay = FALSE,
SNPMouseClickColor = "red",
SNPMouseClickCircleSize = 4,
SNPMouseClickCircleOpacity = 1,
SNPMouseClickCircleStrokeColor = "#F26223",
SNPMouseClickCircleStrokeWidth = 0,
```

```
SNPMouseClickTextFromData = "fourth",
SNPMouseClickTextOpacity = 1,
SNPMouseClickTextColor = "red",
SNPMouseClickTextSize = 8,
SNPMouseClickTextPostionX = 1,
SNPMouseClickTextPostionY = 10,
SNPMouseClickTextDrag = TRUE,
SNPMouseDownDisplay = FALSE,
SNPMouseDownColor = "green",
SNPMouseDownCircleSize = 4,
SNPMouseDownCircleOpacity = 1,
SNPMouseDownCircleStrokeColor = "#F26223",
SNPMouseDownCircleStrokeWidth = 0,
SNPMouseEnterDisplay = FALSE,
SNPMouseEnterColor = "yellow",
SNPMouseEnterCircleSize = 4,
SNPMouseEnterCircleOpacity = 1,
SNPMouseEnterCircleStrokeColor = "#F26223",
SNPMouseEnterCircleStrokeWidth = 0,
SNPMouseLeaveDisplay = FALSE,
SNPMouseLeaveColor = "pink",
SNPMouseLeaveCircleSize = 4,
SNPMouseLeaveCircleOpacity = 1,
SNPMouseLeaveCircleStrokeColor = "#F26223",
SNPMouseLeaveCircleStrokeWidth = 0,
SNPMouseMoveDisplay = FALSE,
SNPMouseMoveColor = "red",
SNPMouseMoveCircleSize = 2,
SNPMouseMoveCircleOpacity = 1,
SNPMouseMoveCircleStrokeColor = "#F26223",
SNPMouseMoveCircleStrokeWidth = 0,
SNPMouseOutDisplay = FALSE,
SNPMouseOutAnimationTime = 500,
SNPMouseOutColor = "red",
SNPMouseOutCircleSize = 2,
SNPMouseOutCircleOpacity = 1,
SNPMouseOutCircleStrokeColor = "red",
SNPMouseOutCircleStrokeWidth = 0,
SNPMouseUpDisplay = FALSE,
SNPMouseUpColor = "grey",
SNPMouseUpCircleSize = 2,
SNPMouseUpCircleOpacity = 1,
SNPMouseUpCircleStrokeColor = "#F26223",
SNPMouseUpCircleStrokeWidth = 0,
SNPMouseOverDisplay = FALSE,
SNPMouseOverColor = "red",
SNPMouseOverCircleSize = 2,
SNPMouseOverCircleOpacity = 1,
SNPMouseOverCircleStrokeColor = "#F26223",
SNPMouseOverCircleStrokeWidth = 3,
SNPMouseOverTooltipsSetting = "style1",
SNPMouseOverTooltipsHtml = " ",
```

```
SNPMouseOverTooltipsPosition = "absolute",
SNPMouseOverTooltipsBackgroundColor = "white",
SNPMouseOverTooltipsBorderStyle = "solid",
SNPMouseOverTooltipsBorderWidth = 0,
SNPMouseOverTooltipsPadding = "3px",
SNPMouseOverTooltipsBorderRadius = "3px",
SNPMouseOverTooltipsOpacity = 0.8,
LINKxlink = FALSE,
LINKMouseEvent = TRUE,
LINKMouseClickedDisplay = FALSE,
LINKMouseClickedOpacity = 1,
LINKMouseClickedStrokeColor = "green",
LINKMouseClickedStrokeWidth = 4,
LINKMouseDownDisplay = FALSE,
LINKMouseDownOpacity = 1,
LINKMouseDownStrokeColor = "none",
LINKMouseDownStrokeWidth = "none",
LINKMouseEnterDisplay = FALSE,
LINKMouseEnterOpacity = 1,
LINKMouseEnterStrokeColor = "none",
LINKMouseEnterStrokeWidth = "none",
LINKMouseLeaveDisplay = FALSE,
LINKMouseLeaveOpacity = 1,
LINKMouseLeaveStrokeColor = "none",
LINKMouseLeaveStrokeWidth = "none",
LINKMouseMoveDisplay = FALSE,
LINKMouseMoveOpacity = 1,
LINKMouseMoveStrokeColor = "none",
LINKMouseMoveStrokeWidth = "none",
LINKMouseOutDisplay = FALSE,
LINKMouseOutAnimationTime = 500,
LINKMouseOutOpacity = 1,
LINKMouseOutStrokeColor = "none",
LINKMouseOutStrokeWidth = "none",
LINKMouseUpDisplay = FALSE,
LINKMouseUpOpacity = 1,
LINKMouseUpStrokeColor = "none",
LINKMouseUpStrokeWidth = "none",
LINKMouseOverDisplay = FALSE,
LINKMouseOverOpacity = 1,
LINKMouseOverStrokeColor = "none",
LINKMouseOverStrokeWidth = "none",
LINKMouseOverTooltipsSetting = "style1",
LINKMouseOverTooltipsHtml = " ",
LINKMouseOverTooltipsPosition = "absolute",
LINKMouseOverTooltipsBackgroundColor = "white",
LINKMouseOverTooltipsBorderStyle = "solid",
LINKMouseOverTooltipsBorderWidth = 0,
LINKMouseOverTooltipsPadding = "3px",
LINKMouseOverTooltipsBorderRadius = "3px",
LINKMouseOverTooltipsOpacity = 1,
LINKLabelDragEvent = FALSE,
```

```

CHORDMouseEvent = TRUE,
CHORDMouseFillColorExcluded = "#FFFFFF",
CHORDMouseClickedDisplay = FALSE,
CHORDMouseClickedOpacity = 1,
CHORDMouseClickedStrokeColor = "none",
CHORDMouseClickedStrokeWidth = "none",
CHORDMouseDownDisplay = FALSE,
CHORDMouseDownOpacity = 1,
CHORDMouseDownStrokeColor = "none",
CHORDMouseDownStrokeWidth = "none",
CHORDMouseEnterDisplay = FALSE,
CHORDMouseEnterOpacity = 1,
CHORDMouseEnterStrokeColor = "none",
CHORDMouseEnterStrokeWidth = "none",
CHORDMouseLeaveDisplay = FALSE,
CHORDMouseLeaveOpacity = 1,
CHORDMouseLeaveStrokeColor = "none",
CHORDMouseLeaveStrokeWidth = "none",
CHORDMouseMoveDisplay = FALSE,
CHORDMouseMoveOpacity = 1,
CHORDMouseMoveStrokeColor = "none",
CHORDMouseMoveStrokeWidth = "none",
CHORDMouseOutDisplay = FALSE,
CHORDMouseOutAnimationTime = 500,
CHORDMouseOutOpacity = 1,
CHORDMouseOutStrokeColor = "none",
CHORDMouseOutStrokeWidth = "none",
CHORDMouseUpDisplay = FALSE,
CHORDMouseUpOpacity = 1,
CHORDMouseUpStrokeColor = "none",
CHORDMouseUpStrokeWidth = "none",
CHORDMouseOverDisplay = FALSE,
CHORDMouseOverOpacity = 1,
CHORDMouseOverStrokeColor = "none",
CHORDMouseOverStrokeWidth = "none",
HISTOGRAMxlink = FALSE,
HISTOGRAMMouseEvent = TRUE,
HISTOGRAMMouseClickedDisplay = FALSE,
HISTOGRAMMouseClickedColor = "red",
HISTOGRAMMouseClickedOpacity = 1,
HISTOGRAMMouseClickedStrokeColor = "none",
HISTOGRAMMouseClickedStrokeWidth = "none",
HISTOGRAMMouseDownDisplay = FALSE,
HISTOGRAMMouseDownColor = "red",
HISTOGRAMMouseDownOpacity = 1,
HISTOGRAMMouseDownStrokeColor = "none",
HISTOGRAMMouseDownStrokeWidth = "none",
HISTOGRAMMouseEnterDisplay = FALSE,
HISTOGRAMMouseEnterColor = "red",
HISTOGRAMMouseEnterOpacity = 1,
HISTOGRAMMouseEnterStrokeColor = "none",
HISTOGRAMMouseEnterStrokeWidth = "none",

```

```
HISTOGRAMMouseLeaveDisplay = FALSE,
HISTOGRAMMouseLeaveColor = "red",
HISTOGRAMMouseLeaveOpacity = 1,
HISTOGRAMMouseLeaveStrokeColor = "none",
HISTOGRAMMouseLeaveStrokeWidth = "none",
HISTOGRAMMouseMoveDisplay = FALSE,
HISTOGRAMMouseMoveColor = "red",
HISTOGRAMMouseMoveOpacity = 1,
HISTOGRAMMouseMoveStrokeColor = "none",
HISTOGRAMMouseMoveStrokeWidth = "none",
HISTOGRAMMouseOutDisplay = FALSE,
HISTOGRAMMouseOutAnimationTime = 500,
HISTOGRAMMouseOutColor = "red",
HISTOGRAMMouseOutOpacity = 1,
HISTOGRAMMouseOutStrokeColor = "none",
HISTOGRAMMouseOutStrokeWidth = "none",
HISTOGRAMMouseUpDisplay = FALSE,
HISTOGRAMMouseUpColor = "red",
HISTOGRAMMouseUpOpacity = 1,
HISTOGRAMMouseUpStrokeColor = "none",
HISTOGRAMMouseUpStrokeWidth = "none",
HISTOGRAMMouseOverDisplay = FALSE,
HISTOGRAMMouseOverColor = "red",
HISTOGRAMMouseOverOpacity = 1,
HISTOGRAMMouseOverStrokeColor = "none",
HISTOGRAMMouseOverStrokeWidth = "none",
HISTOGRAMMouseOverTooltipsSetting = "style1",
HISTOGRAMMouseOverTooltipsHtml = " ",
HISTOGRAMMouseOverTooltipsPosition = "absolute",
HISTOGRAMMouseOverTooltipsBackgroundColor = "white",
HISTOGRAMMouseOverTooltipsBorderStyle = "solid",
HISTOGRAMMouseOverTooltipsBorderWidth = 0,
HISTOGRAMMouseOverTooltipsPadding = "3px",
HISTOGRAMMouseOverTooltipsBorderRadius = "3px",
HISTOGRAMMouseOverTooltipsOpacity = 1,
LINEMouseEvent = TRUE,
LINEMouseClickDisplay = FALSE,
LINEMouseClickLineOpacity = 1,
LINEMouseClickLineStrokeColor = "none",
LINEMouseClickLineStrokeWidth = "none",
LINEMouseDownDisplay = FALSE,
LINEMouseDownLineOpacity = 1,
LINEMouseDownLineStrokeColor = "none",
LINEMouseDownLineStrokeWidth = "none",
LINEMouseEnterDisplay = FALSE,
LINEMouseEnterLineOpacity = 1,
LINEMouseEnterLineStrokeColor = "none",
LINEMouseEnterLineStrokeWidth = "none",
LINEMouseLeaveDisplay = FALSE,
LINEMouseLeaveLineOpacity = 1,
LINEMouseLeaveLineStrokeColor = "none",
LINEMouseLeaveLineStrokeWidth = "none",
```

```
LINEMouseMoveDisplay = FALSE,
LINEMouseMoveLineOpacity = 1,
LINEMouseMoveLineStrokeColor = "none",
LINEMouseMoveLineStrokeWidth = "none",
LINEMouseOutDisplay = FALSE,
LINEMouseOutAnimationTime = 500,
LINEMouseOutLineOpacity = 1,
LINEMouseOutLineStrokeColor = "none",
LINEMouseOutLineStrokeWidth = "none",
LINEMouseUpDisplay = FALSE,
LINEMouseUpLineOpacity = 1,
LINEMouseUpLineStrokeColor = "none",
LINEMouseUpLineStrokeWidth = "none",
LINEMouseOverDisplay = FALSE,
LINEMouseOverLineOpacity = 1,
LINEMouseOverLineStrokeColor = "none",
LINEMouseOverLineStrokeWidth = "none",
LINEMouseOverTooltipsSetting = "style1",
LINEMouseOverTooltipsHtml = " ",
LINEMouseOverTooltipsPosition = "absolute",
LINEMouseOverTooltipsBackgroundColor = "white",
LINEMouseOverTooltipsBorderStyle = "solid",
LINEMouseOverTooltipsBorderWidth = 0,
LINEMouseOverTooltipsPadding = "3px",
LINEMouseOverTooltipsBorderRadius = "3px",
LINEMouseOverTooltipsOpacity = 1,
WIGMouseEvent = TRUE,
WIGMouseClickedDisplay = FALSE,
WIGMouseClickedLineOpacity = 1,
WIGMouseClickedLineStrokeColor = "none",
WIGMouseClickedLineStrokeWidth = "none",
WIGMouseClickedFillColor = "none",
WIGMouseDownDisplay = FALSE,
WIGMouseDownLineOpacity = 1,
WIGMouseDownLineStrokeColor = "none",
WIGMouseDownLineStrokeWidth = "none",
WIGMouseDownFillColor = "none",
WIGMouseEnterDisplay = FALSE,
WIGMouseEnterLineOpacity = 1,
WIGMouseEnterLineStrokeColor = "none",
WIGMouseEnterLineStrokeWidth = "none",
WIGMouseEnterFillColor = "none",
WIGMouseLeaveDisplay = FALSE,
WIGMouseLeaveLineOpacity = 1,
WIGMouseLeaveLineStrokeColor = "none",
WIGMouseLeaveLineStrokeWidth = "none",
WIGMouseLeaveFillColor = "none",
WIGMouseMoveDisplay = FALSE,
WIGMouseMoveLineOpacity = 1,
WIGMouseMoveLineStrokeColor = "none",
WIGMouseMoveLineStrokeWidth = "none",
WIGMouseMoveFillColor = "none",
```

```
WIGMouseOutDisplay = FALSE,
WIGMouseOutAnimationTime = 500,
WIGMouseOutLineOpacity = 1,
WIGMouseOutLineStrokeColor = "none",
WIGMouseOutLineStrokeWidth = "none",
WIGMouseOutFillColor = "none",
WIGMouseUpDisplay = FALSE,
WIGMouseUpLineOpacity = 1,
WIGMouseUpLineStrokeColor = "none",
WIGMouseUpLineStrokeWidth = "none",
WIGMouseUpFillColor = "none",
WIGMouseOverDisplay = FALSE,
WIGMouseOverLineOpacity = 1,
WIGMouseOverLineStrokeColor = "none",
WIGMouseOverLineStrokeWidth = "none",
WIGMouseOverFillColor = "none",
WIGMouseOverTooltipsSetting = "style1",
WIGMouseOverTooltipsHtml = " ",
WIGMouseOverTooltipsPosition = "absolute",
WIGMouseOverTooltipsBackgroundColor = "white",
WIGMouseOverTooltipsBorderStyle = "solid",
WIGMouseOverTooltipsBorderWidth = 0,
WIGMouseOverTooltipsPadding = "3px",
WIGMouseOverTooltipsBorderRadius = "3px",
WIGMouseOverTooltipsOpacity = 1,
SCATTERxlink = FALSE,
SCATTERMouseEvent = TRUE,
SCATTERMouseClickedDisplay = FALSE,
SCATTERMouseClickedColor = "red",
SCATTERMouseClickedCircleSize = 2,
SCATTERMouseClickedCircleOpacity = 1,
SCATTERMouseClickedCircleStrokeColor = "none",
SCATTERMouseClickedCircleStrokeWidth = "none",
SCATTERMouseClickedTextFromData = "fourth",
SCATTERMouseClickedTextOpacity = 1,
SCATTERMouseClickedTextColor = "red",
SCATTERMouseClickedTextSize = 8,
SCATTERMouseClickedTextPostionX = 1,
SCATTERMouseClickedTextPostionY = 10,
SCATTERMouseClickedTextDrag = TRUE,
SCATTERMouseDownDisplay = FALSE,
SCATTERMouseDownColor = "red",
SCATTERMouseDownCircleSize = 2,
SCATTERMouseDownCircleOpacity = 1,
SCATTERMouseDownCircleStrokeColor = "none",
SCATTERMouseDownCircleStrokeWidth = "none",
SCATTERMouseEnterDisplay = FALSE,
SCATTERMouseEnterColor = "red",
SCATTERMouseEnterCircleSize = 2,
SCATTERMouseEnterCircleOpacity = 1,
SCATTERMouseEnterCircleStrokeColor = "none",
SCATTERMouseEnterCircleStrokeWidth = "none",
```

```

SCATTERMouseLeaveDisplay = FALSE,
SCATTERMouseLeaveColor = "red",
SCATTERMouseLeaveCircleSize = 2,
SCATTERMouseLeaveCircleOpacity = 1,
SCATTERMouseLeaveCircleStrokeColor = "none",
SCATTERMouseLeaveCircleStrokeWidth = "none",
SCATTERMouseMoveDisplay = FALSE,
SCATTERMouseMoveColor = "red",
SCATTERMouseMoveCircleSize = 2,
SCATTERMouseMoveCircleOpacity = 1,
SCATTERMouseMoveCircleStrokeColor = "none",
SCATTERMouseMoveCircleStrokeWidth = "none",
SCATTERMouseOutDisplay = FALSE,
SCATTERMouseOutAnimationTime = 500,
SCATTERMouseOutColor = "red",
SCATTERMouseOutCircleSize = 2,
SCATTERMouseOutCircleOpacity = 1,
SCATTERMouseOutCircleStrokeColor = "none",
SCATTERMouseOutCircleStrokeWidth = "none",
SCATTERMouseUpDisplay = FALSE,
SCATTERMouseUpColor = "red",
SCATTERMouseUpCircleSize = 2,
SCATTERMouseUpCircleOpacity = 1,
SCATTERMouseUpCircleStrokeColor = "none",
SCATTERMouseUpCircleStrokeWidth = "none",
SCATTERMouseOverDisplay = FALSE,
SCATTERMouseOverColor = "red",
SCATTERMouseOverCircleSize = 2,
SCATTERMouseOverCircleOpacity = 1,
SCATTERMouseOverCircleStrokeColor = "none",
SCATTERMouseOverCircleStrokeWidth = "none",
SCATTERMouseOverTooltipsSetting = "style1",
SCATTERMouseOverTooltipsHtml = " ",
SCATTERMouseOverTooltipsPosition = "absolute",
SCATTERMouseOverTooltipsBackgroundColor = "white",
SCATTERMouseOverTooltipsBorderStyle = "solid",
SCATTERMouseOverTooltipsBorderWidth = 0,
SCATTERMouseOverTooltipsPadding = "3px",
SCATTERMouseOverTooltipsBorderRadius = "3px",
SCATTERMouseOverTooltipsOpacity = 1,
ARCxlink = FALSE,
ARCMouseEvent = TRUE,
ARCMouseClickDisplay = FALSE,
ARCMouseClickColor = "red",
ARCMouseClickArcOpacity = 1,
ARCMouseClickArcStrokeColor = "none",
ARCMouseClickArcStrokeWidth = "none",
ARCMouseClickTextFromData = "fourth",
ARCMouseClickTextOpacity = 1,
ARCMouseClickTextColor = "red",
ARCMouseClickTextSize = 8,
ARCMouseClickTextPostionX = 1,

```



```
ARCMouseClickTextPostionY = 10,  
ARCMouseClickTextDrag = TRUE,  
ARCMouseDownDisplay = FALSE,  
ARCMouseDownColor = "red",  
ARCMouseDownArcOpacity = 1,  
ARCMouseDownArcStrokeColor = "none",  
ARCMouseDownArcStrokeWidth = "none",  
ARCMouseEnterDisplay = FALSE,  
ARCMouseEnterColor = "red",  
ARCMouseEnterArcOpacity = 1,  
ARCMouseEnterArcStrokeColor = "none",  
ARCMouseEnterArcStrokeWidth = "none",  
ARCMouseLeaveDisplay = FALSE,  
ARCMouseLeaveColor = "red",  
ARCMouseLeaveArcOpacity = 1,  
ARCMouseLeaveArcStrokeColor = "none",  
ARCMouseLeaveArcStrokeWidth = "none",  
ARCMouseMoveDisplay = FALSE,  
ARCMouseMoveColor = "red",  
ARCMouseMoveArcOpacity = 1,  
ARCMouseMoveArcStrokeColor = "none",  
ARCMouseMoveArcStrokeWidth = "none",  
ARCMouseOutDisplay = FALSE,  
ARCMouseOutAnimationTime = 500,  
ARCMouseOutColor = "red",  
ARCMouseOutArcOpacity = 1,  
ARCMouseOutArcStrokeColor = "none",  
ARCMouseOutArcStrokeWidth = "none",  
ARCMouseUpDisplay = FALSE,  
ARCMouseUpColor = "red",  
ARCMouseUpArcOpacity = 1,  
ARCMouseUpArcStrokeColor = "none",  
ARCMouseUpArcStrokeWidth = "none",  
ARCMouseOverDisplay = FALSE,  
ARCMouseOverColor = "red",  
ARCMouseOverArcOpacity = 1,  
ARCMouseOverArcStrokeColor = "none",  
ARCMouseOverArcStrokeWidth = "none",  
ARCMouseOverTooltipsSetting = "style1",  
ARCMouseOverTooltipsHtml = " ",  
ARCMouseOverTooltipsPosition = "absolute",  
ARCMouseOverTooltipsBackgroundColor = "white",  
ARCMouseOverTooltipsBorderStyle = "solid",  
ARCMouseOverTooltipsBorderWidth = 0,  
ARCMouseOverTooltipsPadding = "3px",  
ARCMouseOverTooltipsBorderRadius = "3px",  
ARCMouseOverTooltipsOpacity = 1,  
GENExlink = FALSE,  
GENEMouseEvent = TRUE,  
GENEMouseClickDisplay = FALSE,  
GENEMouseClickColor = "red",  
GENEMouseClickArcOpacity = 1,
```

```

GENEMouseClickArcStrokeColor = "none",
GENEMouseClickArcStrokeWidth = "none",
GENEMouseClickTextFromData = "fourth",
GENEMouseClickTextOpacity = 1,
GENEMouseClickTextColor = "red",
GENEMouseClickTextSize = 8,
GENEMouseClickTextPostionX = 1,
GENEMouseClickTextPostionY = 10,
GENEMouseClickTextDrag = TRUE,
GENEMouseDownDisplay = FALSE,
GENEMouseDownColor = "red",
GENEMouseDownArcOpacity = 1,
GENEMouseDownArcStrokeColor = "none",
GENEMouseDownArcStrokeWidth = "none",
GENEMouseEnterDisplay = FALSE,
GENEMouseEnterColor = "red",
GENEMouseEnterArcOpacity = 1,
GENEMouseEnterArcStrokeColor = "none",
GENEMouseEnterArcStrokeWidth = "none",
GENEMouseLeaveDisplay = FALSE,
GENEMouseLeaveColor = "red",
GENEMouseLeaveArcOpacity = 1,
GENEMouseLeaveArcStrokeColor = "none",
GENEMouseLeaveArcStrokeWidth = "none",
GENEMouseMoveDisplay = FALSE,
GENEMouseMoveColor = "red",
GENEMouseMoveArcOpacity = 1,
GENEMouseMoveArcStrokeColor = "none",
GENEMouseMoveArcStrokeWidth = "none",
GENEMouseOutDisplay = FALSE,
GENEMouseOutAnimationTime = 500,
GENEMouseOutColor = "red",
GENEMouseOutArcOpacity = 1,
GENEMouseOutArcStrokeColor = "none",
GENEMouseOutArcStrokeWidth = "none",
GENEMouseUpDisplay = FALSE,
GENEMouseUpColor = "red",
GENEMouseUpArcOpacity = 1,
GENEMouseUpArcStrokeColor = "none",
GENEMouseUpArcStrokeWidth = "none",
GENEMouseOverDisplay = FALSE,
GENEMouseOverColor = "red",
GENEMouseOverArcOpacity = 1,
GENEMouseOverArcStrokeColor = "none",
GENEMouseOverArcStrokeWidth = "none",
GENEMouseOverTooltipsSetting = "style1",
GENEMouseOverTooltipsHtml = " ",
GENEMouseOverTooltipsPosition = "absolute",
GENEMouseOverTooltipsBackgroundColor = "white",
GENEMouseOverTooltipsBorderStyle = "solid",
GENEMouseOverTooltipsBorderWidth = 0,
GENEMouseOverTooltipsPadding = "3px",

```

```
GENEMouseOverTooltipsBorderRadius = "3px",
GENEMouseOverTooltipsOpacity = 1,
LOLLIPOPxlink = FALSE,
LOLLIPOPMouseEvent = TRUE,
LOLLIPOPMouseClickDisplay = FALSE,
LOLLIPOPMouseClickColor = "red",
LOLLIPOPMouseClickCircleSize = 2,
LOLLIPOPMouseClickCircleOpacity = 1,
LOLLIPOPMouseClickCircleStrokeColor = "none",
LOLLIPOPMouseClickCircleStrokeWidth = "none",
LOLLIPOPMouseClickTextFromData = "fourth",
LOLLIPOPMouseClickTextOpacity = 1,
LOLLIPOPMouseClickTextColor = "red",
LOLLIPOPMouseClickTextSize = 8,
LOLLIPOPMouseClickTextPostionX = 1,
LOLLIPOPMouseClickTextPostionY = 10,
LOLLIPOPMouseClickTextDrag = TRUE,
LOLLIPOPMouseDownDisplay = FALSE,
LOLLIPOPMouseDownColor = "red",
LOLLIPOPMouseDownCircleSize = 2,
LOLLIPOPMouseDownCircleOpacity = 1,
LOLLIPOPMouseDownCircleStrokeColor = "none",
LOLLIPOPMouseDownCircleStrokeWidth = "none",
LOLLIPOPMouseEnterDisplay = FALSE,
LOLLIPOPMouseEnterColor = "red",
LOLLIPOPMouseEnterCircleSize = 2,
LOLLIPOPMouseEnterCircleOpacity = 1,
LOLLIPOPMouseEnterCircleStrokeColor = "none",
LOLLIPOPMouseEnterCircleStrokeWidth = "none",
LOLLIPOPMouseLeaveDisplay = FALSE,
LOLLIPOPMouseLeaveColor = "red",
LOLLIPOPMouseLeaveCircleSize = 2,
LOLLIPOPMouseLeaveCircleOpacity = 1,
LOLLIPOPMouseLeaveCircleStrokeColor = "none",
LOLLIPOPMouseLeaveCircleStrokeWidth = "none",
LOLLIPOPMouseMoveDisplay = FALSE,
LOLLIPOPMouseMoveColor = "red",
LOLLIPOPMouseMoveCircleSize = 2,
LOLLIPOPMouseMoveCircleOpacity = 1,
LOLLIPOPMouseMoveCircleStrokeColor = "none",
LOLLIPOPMouseMoveCircleStrokeWidth = "none",
LOLLIPOPMouseOutDisplay = FALSE,
LOLLIPOPMouseOutAnimationTime = 500,
LOLLIPOPMouseOutColor = "red",
LOLLIPOPMouseOutCircleSize = 2,
LOLLIPOPMouseOutCircleOpacity = 1,
LOLLIPOPMouseOutCircleStrokeColor = "none",
LOLLIPOPMouseOutCircleStrokeWidth = "none",
LOLLIPOPMouseUpDisplay = FALSE,
LOLLIPOPMouseUpColor = "red",
LOLLIPOPMouseUpCircleSize = 2,
LOLLIPOPMouseUpCircleOpacity = 1,
```

```

LOLLIPOPMouseUpCircleStrokeColor = "none",
LOLLIPOPMouseUpCircleStrokeWidth = "none",
LOLLIPOPMouseOverDisplay = FALSE,
LOLLIPOPMouseOverColor = "red",
LOLLIPOPMouseOverCircleSize = 2,
LOLLIPOPMouseOverCircleOpacity = 1,
LOLLIPOPMouseOverCircleStrokeColor = "none",
LOLLIPOPMouseOverCircleStrokeWidth = "none",
LOLLIPOPMouseOverTooltipsSetting = "style1",
LOLLIPOPMouseOverTooltipsHtml = " ",
LOLLIPOPMouseOverTooltipsPosition = "absolute",
LOLLIPOPMouseOverTooltipsBackgroundColor = "white",
LOLLIPOPMouseOverTooltipsBorderStyle = "solid",
LOLLIPOPMouseOverTooltipsBorderWidth = 0,
LOLLIPOPMouseOverTooltipsPadding = "3px",
LOLLIPOPMouseOverTooltipsBorderRadius = "3px",
LOLLIPOPMouseOverTooltipsOpacity = 1,
elementId = NULL,
...
)

```

Arguments

moduleList	Module list displayed in plot
genome	Could be either 'hg19', which is defaultly set to use chromosomes of hg19, or a list of chromosomes with length, for example, list("chr1"=100,"chr2"=200)
genome2	Second genome when compare module is applied, format is same as genome
genomeFillColor	Could be either a color palette from RColorBrewer, or a list of color name, for example, list("yellow","rgb(1,255,255)")
chrPad	Distance between each chromosome, default is 0.04
width, height	The width and height for svg element, could be px or percent or auto
innerRadius	Default 216, Inner radius of chromosome
outerRadius	Default 240, Outer radius of chromosome
svgClassName	The svg class name
displayGenomeBorder	Whether display a border for genome track or not
genomeBorderColor, genomeBorderSize	The color and size for border of genome
genomeTicksDisplay	Whether display the ticks for genome track
genomeTicksLen, genomeTicksColor, genomeTicksTextSize, genomeTicksTextColor, genomeTicksScale, genomeTicksRealLength, genomeTicksOffset	arameters only works when genomeTicksDisplay is TRUE and their details are available on document
genomeLabelDisplay, genomeLabelTextSize, genomeLabelTextColor, genomeLabelDx, genomeLabelDy	Whether display the label for chromosome panel. Other parameters only works when genomeTicksDisplay is TRUE and their details are available on document

compareEvent	Default False, open/not COMPARE module
compareEventGroupGapRate	Default 0.1, control the two-side gap rate on each group of genome
compareEventGroupDistance	Default 0, distance between two groups of genome
zoom	Whether or not the plot is zoomable?
TEXTModuleDragEvent	Are text annotations draggable?
CNVxlink	Default False, add/not xlink for CNV module
CNVMouseEvent	Default True, open/not open mouse event of CNV module
CNVMouseClickedDisplay	Default False, show/not the tooltip when mouse click on a CNV point
CNVMouseClickedColor	Color when mouse clicking
CNVMouseClickedArcOpacity	Arc opacity when mouse clicking the element
CNVMouseClickedArcStrokeColor	Arc stroke color when mouse clicking the element
CNVMouseClickedArcStrokeWidth	Arc stroke width when mouse clicking the element
CNVMouseClickedTextFromData	Text column when mouse clicking the element
CNVMouseClickedTextOpacity	Text opacity when mouse clicking the element
CNVMouseClickedTextColor	Text color when mouse clicking the element
CNVMouseClickedTextSize	Text size when mouse clicking the element
CNVMouseClickedTextPostionX, CNVMouseClickTextPostionY	Text coordinates when mouse clicking the element
CNVMouseClickedTextDrag	Whether text is draggable when mouse clicking the element
CNVMouseDownDisplay	Default False, show/not the tooltip when mouse click down a CNV point
CNVMouseDownColor	Color when mouse moving down the element
CNVMouseDownArcOpacity	Arc opacity when mouse moving down the element
CNVMouseDownArcStrokeColor	Arc stroke color when mouse moving down the element
CNVMouseDownArcStrokeWidth	Arc stroke width when mouse moving down the element
CNVMouseEnterDisplay	Default False, show/not the tooltip when mouse mover over a CNV point
CNVMouseEnterColor	Color when mouse entering the element
CNVMouseEnterArcOpacity	Arc opacity when mouse entering the element

CNVMouseEnterArcStrokeColor
 Arc stroke color when mouse entering the element
 CNVMouseEnterArcStrokeWidth
 Arc stroke width when mouse entering the element
 CNVMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a CNV point
 CNVMouseLeaveColor
 Color when mouse leaving the element
 CNVMouseLeaveArcOpacity
 Arc opacity when mouse leaving the element
 CNVMouseLeaveArcStrokeColor
 Arc stroke color when mouse leaving the element
 CNVMouseLeaveArcStrokeWidth
 Arc stroke width when mouse leaving the element
 CNVMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a CNV point
 CNVMouseMoveColor
 Color when mouse moving in the element
 CNVMouseMoveArcOpacity
 Arc opacity when mouse moving in the element
 CNVMouseMoveArcStrokeColor
 Arc stroke color when mouse moving in the element
 CNVMouseMoveArcStrokeWidth
 Arc stroke width when mouse moving in the element
 CNVMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a CNV point any-
 more
 CNVMouseOutAnimationTime
 Animation time when mouse moving out the element
 CNVMouseOutColor
 Color when mouse moving out the element
 CNVMouseOutArcOpacity
 Arc opacity when mouse moving out the element
 CNVMouseOutArcStrokeColor
 Arc stroke color when mouse moving out the element
 CNVMouseOutArcStrokeWidth
 Arc stroke width when mouse moving out the element
 CNVMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a CNV point
 CNVMouseUpColor
 Color when mouse moving up the element
 CNVMouseUpArcOpacity
 Arc opacity when mouse clicking the element
 CNVMouseUpArcStrokeColor
 Arc stroke color when mouse clicking the element
 CNVMouseUpArcStrokeWidth
 Arc stroke width when mouse clicking the element
 CNVMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a CNV point

CNVMouseOverColor	Color when mouse moving over the element
CNVMouseOverArcOpacity	Arc opacity when mouse moving over the element
CNVMouseOverArcStrokeColor	Arc stroke color when mouse moving over the element
CNVMouseOverArcStrokeWidth	Arc stroke width when mouse moving over the element
CNVMouseOverTooltipsSetting	Default "style1"
CNVMouseOverTooltipsHtml	Default " "
CNVMouseOverTooltipsPosition	Default "absolute"
CNVMouseOverTooltipsBackgroundColor	Default "white"
CNVMouseOverTooltipsBorderStyle	Default "solid"
CNVMouseOverTooltipsBorderWidth	Default 0
CNVMouseOverTooltipsPadding	Default "3px"
CNVMouseOverTooltipsBorderRadius	Default "3px"
CNVMouseOverTooltipsOpacity	Default 0.8
HEATMAPMouseEvent	Default True, open/not open mouse event of HEATMAP module
HEATMAPMouseClickedDisplay	Default False, show/not the tooltip when mouse click on a HEATMAP point
HEATMAPMouseClickedColor	Color when mouse clicking
HEATMAPMouseClickedOpacity	Opacity when mouse clicking
HEATMAPMouseClickedStrokeColor	Stroke color when mouse clicking
HEATMAPMouseClickedStrokeWidth	Stroke width when mouse clicking
HEATMAPMouseDownDisplay	Default False, show/not the tooltip when mouse click down a HEATMAP point
HEATMAPMouseDownColor	Color when mouse moving down the element
HEATMAPMouseDownOpacity	Opacity when mouse moving down the element
HEATMAPMouseDownStrokeColor	Stroke color when mouse moving down the element
HEATMAPMouseDownStrokeWidth	Stroke width when mouse moving down the element

HEATMAPMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a HEATMAP point

HEATMAPMouseEnterColor
Color when mouse entering the element

HEATMAPMouseEnterOpacity
Opacity when mouse entering the element

HEATMAPMouseEnterStrokeColor
Stroke color when mouse entering the element

HEATMAPMouseEnterStrokeWidth
Stroke width when mouse entering the element

HEATMAPMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a HEATMAP point

HEATMAPMouseLeaveColor
Color when mouse leaving the element

HEATMAPMouseLeaveOpacity
Opacity when mouse leaving the element

HEATMAPMouseLeaveStrokeColor
Stroke color when mouse leaving the element

HEATMAPMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

HEATMAPMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a HEATMAP point

HEATMAPMouseMoveColor
Color when mouse moving in the element

HEATMAPMouseMoveOpacity
Opacity when mouse moving in the element

HEATMAPMouseMoveStrokeColor
Stroke color when mouse moving in the element

HEATMAPMouseMoveStrokeWidth
Stroke width when mouse moving in the element

HEATMAPMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a HEATMAP point anymore

HEATMAPMouseOutAnimationTime
Animation time when mouse moving out the element

HEATMAPMouseOutColor
Color when mouse moving out the element

HEATMAPMouseOutOpacity
Opacity when mouse moving out the element

HEATMAPMouseOutStrokeColor
Stroke color when mouse moving out the element

HEATMAPMouseOutStrokeWidth
Stroke width when mouse moving out the element

HEATMAPMouseUpDisplay
Default False, show/not the tooltip when mouse click up a HEATMAP point

HEATMAPMouseUpColor
Color when mouse moving up the element

HEATMAPMouseUpOpacity
Opacity when mouse moving up the element

HEATMAPMouseUpStrokeColor
Stroke color when mouse moving up the element

HEATMAPMouseUpStrokeWidth
Stroke width when mouse moving up the element

HEATMAPMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a HEATMAP point

HEATMAPMouseOverColor
Color when mouse moving over the element

HEATMAPMouseOverOpacity
Opacity when mouse moving over the element

HEATMAPMouseOverStrokeColor
Stroke color when mouse moving over the element

HEATMAPMouseOverStrokeWidth
Stroke width when mouse moving over the element

HEATMAPMouseOverTooltipsSetting
Default "style1"

HEATMAPMouseOverTooltipsHtml
Default " "

HEATMAPMouseOverTooltipsPosition
Default "absolute"

HEATMAPMouseOverTooltipsBackgroundColor
Default "white"

HEATMAPMouseOverTooltipsBorderStyle
Default "solid"

HEATMAPMouseOverTooltipsBorderWidth
Default 0

HEATMAPMouseOverTooltipsPadding
Default "3px"

HEATMAPMouseOverTooltipsBorderRadius
Default "3px"

HEATMAPMouseOverTooltipsOpacity
Default 0.8

BUBBLExlink Default False, add/not xlink for BUBBLE module

BUBBLEMouseEvent
Default True, open/not open mouse event of BUBBLE module

BUBBLEMouseClickedDisplay
Default False, show/not the tooltip when mouse click on a BUBBLE point

BUBBLEMouseClickedColor
Color when mouse clicking

BUBBLEMouseClickedOpacity
Opacity when mouse clicking

BUBBLEMouseClickedStrokeColor
Stroke color when mouse clicking

BUBBLEMouseClickedStrokeWidth
Stroke width when mouse clicking

BUBBLEMouseDownDisplay
Default False, show/not the tooltip when mouse click down a BUBBLE point

BUBBLEMouseDownColor
Color when mouse moving down the element

BUBBLEMouseDownOpacity
Opacity when mouse moving down the element

BUBBLEMouseDownStrokeColor
Stroke color when mouse moving down the element

BUBBLEMouseDownStrokeWidth
Stroke width when mouse moving down the element

BUBBLEMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a BUBBLE point

BUBBLEMouseEnterColor
Color when mouse entering the element

BUBBLEMouseEnterOpacity
Opacity when mouse entering the element

BUBBLEMouseEnterStrokeColor
Stroke color when mouse entering the element

BUBBLEMouseEnterStrokeWidth
Stroke width when mouse entering the element

BUBBLEMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a BUBBLE point

BUBBLEMouseLeaveColor
Color when mouse leaving the element

BUBBLEMouseLeaveOpacity
Opacity when mouse leaving the element

BUBBLEMouseLeaveStrokeColor
Stroke color when mouse leaving the element

BUBBLEMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

BUBBLEMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a BUBBLE point

BUBBLEMouseMoveColor
Color when mouse moving in the element

BUBBLEMouseMoveOpacity
Opacity when mouse moving in the element

BUBBLEMouseMoveStrokeColor
Stroke color when mouse moving in the element

BUBBLEMouseMoveStrokeWidth
Stroke width when mouse moving in the element

BUBBLEMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a BUBBLE point anymore

BUBBLEMouseOutAnimationTime
Animation time when mouse moving out the element

BUBBLEMouseOutColor
Color when mouse moving out the element

BUBBLEMouseOutOpacity
Opacity when mouse moving out the element

BUBBLEMouseOutStrokeColor	Stroke color when mouse moving out the element
BUBBLEMouseOutStrokeWidth	Stroke width when mouse moving out the element
BUBBLEMouseUpDisplay	Default False, show/not the tooltip when mouse click up a BUBBLE point
BUBBLEMouseUpColor	Color when mouse moving up the element
BUBBLEMouseUpOpacity	Opacity when mouse moving up the element
BUBBLEMouseUpStrokeColor	Stroke color when mouse moving up the element
BUBBLEMouseUpStrokeWidth	Stroke width when mouse moving up the element
BUBBLEMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a BUBBLE point
BUBBLEMouseOverColor	Color when mouse moving over the element
BUBBLEMouseOverOpacity	Opacity when mouse moving over the element
BUBBLEMouseOverStrokeColor	Stroke color when mouse moving over the element
BUBBLEMouseOverStrokeWidth	Stroke width when mouse moving over the element
BUBBLEMouseOverTooltipsSetting	Default "style1"
BUBBLEMouseOverTooltipsHtml	Default " "
BUBBLEMouseOverTooltipsPosition	Default "absolute"
BUBBLEMouseOverTooltipsBackgroundColor	Default "white"
BUBBLEMouseOverTooltipsBorderStyle	Default "solid"
BUBBLEMouseOverTooltipsBorderWidth	Default 0
BUBBLEMouseOverTooltipsPadding	Default "3px"
BUBBLEMouseOverTooltipsBorderRadius	Default "3px"
BUBBLEMouseOverTooltipsOpacity	Default 0.8
SNPxlink	Default False, add/not xlink for SNP module
SNPMouseEvent	Default True, open/not open mouse event of SNP module
SNPMouseCombinationEvent	Default False, open/not COMBINATION module for SNP module
SNPMouseCombinationImageDisplay	Default False, open/not image display in COMBINATION module for SNP module

SNPMouseCombinationImageTitle
Title of the image

SNPMouseCombinationImageTitleSize, SNPMouseCombinationImageTitleWeight,
SNPMouseCombinationImageTitleColor
Size, weight and color of the title

SNPMouseCombinationImagePositionX, SNPMouseCombinationImagePositionY
Coordinates for image

SNPMouseCombinationImageHeight, SNPMouseCombinationImageWidth
Height and width of image

SNPMouseCombinationGraphDisplay
Default False, open/not graph display in COMBINATION module for SNP module

SNPMouseCombinationGraphTitle
Title of the graph

SNPMouseCombinationGraphTitleSize, SNPMouseCombinationGraphTitleWeight,
SNPMouseCombinationGraphTitleColor
Size, weight and color of the title

SNPMouseCombinationGraphType
Type of graph

SNPMouseCombinationGraphPositionX, SNPMouseCombinationGraphPositionY
Coordinates for graph

SNPMouseCombinationGraphHeight, SNPMouseCombinationGraphWidth
Height and width for graph

SNPMouseCombinationGraphHistogramBarColor
Bar color of histogram graph

SNPMouseCombinationGraphHistogramPadding
Padding between bar of histogram graph

SNPMouseCombinationGraphHistogramPositionCorrectX
Correction distance of X axis in histogram

SNPMouseCombinationGraphPieAutoColor
Whether use auto color for pie graph or not

SNPMouseCombinationGraphPieColor
Color for pie graph if auto color is false

SNPMouseCombinationGraphPieSize
Size of pie graph

SNPMouseCombinationGraphPieStroke
Whether each pie has a stroke or not

SNPMouseCombinationGraphPieStrokeColor, SNPMouseCombinationGraphPieStrokeWidth
The stroke color and width for pie graph

SNPMouseCombinationGraphPieOpacity
Opacity for pie graph

SNPMouseCombinationGraphLineType, SNPMouseCombinationGraphLineColor,
SNPMouseCombinationGraphLineWidth
Line type, color and width for line graph

SNPMouseCombinationGraphLinePoint
Whether display the broken point in line graph

SNPMouseCombinationGraphLinePointSize
Size of broken point

SNPMouseCombinationGraphLinePointAutoColor
Whether display the broken point in auto color

SNPMouseCombinationGraphLinePointColor
Color for broken point if auto color is false

SNPMouseCombinationGraphLinePointStroke
Whether display the broken point stroke

SNPMouseCombinationGraphLinePointStrokeColor,
SNPMouseCombinationGraphLinePointStrokeWidth
The stroke color and width for broken point

SNPMouseCombinationGraphLinePointOpacity
Opacity for broken line

SNPMouseCombinationGraphLinePositionCorrectX
Correction distance of X axis for line

SNPMouseCombinationTextDisplay
Default False, open/not text display in COMBINATION module for SNP module

SNPMouseCombinationTextColor, SNPMouseCombinationTextSize,
SNPMouseCombinationTextWeight
The color, size and weight for text

SNPMouseCombinationTextPositionCorrectX, SNPMouseCombinationTextPositionCorrectY
The coordinates for text

SNPMouseClickDisplay
Default False, show/not the tooltip when mouse click on a SNP point

SNPMouseClickColor
Color after clicking the element

SNPMouseClickCircleSize
Circle size after clicking the element

SNPMouseClickCircleOpacity
Opacity after clicking the element

SNPMouseClickCircleStrokeColor
Stroke color after clicking the element

SNPMouseClickCircleStrokeWidth
Stroke width after clicking the element

SNPMouseClickTextFromData
First,second,third,fourth column data click to show

SNPMouseClickTextOpacity
Text opacity after clicking the element

SNPMouseClickTextColor
Text color after clicking the element

SNPMouseClickTextSize
Text size after clicking the element

SNPMouseClickTextPostionX, SNPMouseClickTextPostionY
Text coordinate after clicking the element

SNPMouseClickTextDrag
Whether text is draggable for element

SNPMouseDownDisplay
Default False, show/not the tooltip when mouse click down a SNP point

SNPMouseDownColor
Color after mouse moving down the element

SNPMouseDownCircleSize	Circle size after mouse moving down the element
SNPMouseDownCircleOpacity	Circle opacity after mouse moving down the element
SNPMouseDownCircleStrokeColor	Circle stroke color after mouse moving down the element
SNPMouseDownCircleStrokeWidth	Circle stroke width after mouse moving down the element
SNPMouseEnterDisplay	Default False, show/not the tooltip when mouse mover over a SNP point
SNPMouseEnterColor	Color after mouse entering enter the element
SNPMouseEnterCircleSize	Circle size after mouse entering the element
SNPMouseEnterCircleOpacity	Circle opacity after mouse entering the element
SNPMouseEnterCircleStrokeColor	Circle stroke color after mouse entering the element
SNPMouseEnterCircleStrokeWidth	Circle stroke width after mouse entering the element
SNPMouseLeaveDisplay	Default False, show/not the tooltip when mouse mover leave a SNP point
SNPMouseLeaveColor	Color after mouse leaving the element
SNPMouseLeaveCircleSize	Circle size after mouse leaving the element
SNPMouseLeaveCircleOpacity	Circle opacity after mouse leaving the element
SNPMouseLeaveCircleStrokeColor	Circle stroke color after mouse leaving the element
SNPMouseLeaveCircleStrokeWidth	Circle stroke width after mouse leaving the element
SNPMouseMoveDisplay	Default False, show/not the tooltip when mouse move into a SNP point
SNPMouseMoveColor	Color after mouse moving in the element
SNPMouseMoveCircleSize	Circle size after mouse moving in the element
SNPMouseMoveCircleOpacity	Circle opacity after mouse moving in the element
SNPMouseMoveCircleStrokeColor	Circle stroke color after mouse moving in the element
SNPMouseMoveCircleStrokeWidth	Circle stroke width after mouse moving in the element
SNPMouseOutDisplay	Defalut False, hide/not tooltip when mouse is not hovering a SNP point anymore
SNPMouseOutAnimationTime	Animation time when mouse moving over the element

SNPMouseOutColor	Color when mouse moving over the element
SNPMouseOutCircleSize	Circle size when mouse moving over the element
SNPMouseOutCircleOpacity	Opacity when mouse moving over the element
SNPMouseOutCircleStrokeColor	Stroke color when mouse moving over the element
SNPMouseOutCircleStrokeWidth	Stroke width when mouse moving over the element
SNPMouseUpDisplay	Default False, show/not the tooltip when mouse click up a SNP point
SNPMouseUpColor	Color after mouse moving up the element
SNPMouseUpCircleSize	Circle size after mouse moving up the element
SNPMouseUpCircleOpacity	Circle opacity after mouse moving up the element
SNPMouseUpCircleStrokeColor	Circle stroke color after mouse moving up the element
SNPMouseUpCircleStrokeWidth	Circle stroke width after mouse moving up the element
SNPMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a SNP point
SNPMouseOverColor	Color after mouse moving over the element
SNPMouseOverCircleSize	Circle size after mouse moving over the element
SNPMouseOverCircleOpacity	Circle opacity after mouse moving over the element
SNPMouseOverCircleStrokeColor	Circle stroke color after mouse moving over the element
SNPMouseOverCircleStrokeWidth	Circle stroke width after mouse moving over the element
SNPMouseOverTooltipsSetting	Default "chr : "
SNPMouseOverTooltipsHtml	Default " "
SNPMouseOverTooltipsPosition	Position for tooltips when mouse moving over
SNPMouseOverTooltipsBackgroundColor	Background color for tooltips when mouse moving over
SNPMouseOverTooltipsBorderStyle	Border style for tooltips when mouse moving over
SNPMouseOverTooltipsBorderWidth	Border width for tooltips when mouse moving over
SNPMouseOverTooltipsPadding	Padding for tooltips when mouse moving over

SNPMouseOverTooltipsBorderRadius	Border radius for tooltips when mouse moving over
SNPMouseOverTooltipsOpacity	Opacity for tooltips when mouse moving over
LINKxlink	Default False, add/not xlink for LINK module
LINKMouseEvent	Default True, open/not open mouse event of LINK module
LINKMouseClickedDisplay	Default False, show/not the tooltip when mouse click on a LINK point
LINKMouseClickedOpacity	Opacity when mouse clicking
LINKMouseClickedStrokeColor	Stroke color when mouse clicking
LINKMouseClickedStrokeWidth	Stroke width when mouse clicking
LINKMouseDownDisplay	Default False, show/not the tooltip when mouse click down a LINK point
LINKMouseDownOpacity	Opacity when mouse moving down the element
LINKMouseDownStrokeColor	Stroke color when mouse moving down the element
LINKMouseDownStrokeWidth	Stroke width when mouse moving down the element
LINKMouseEnterDisplay	Default False, show/not the tooltip when mouse mover over a LINK point
LINKMouseEnterOpacity	Opacity when mouse entering the element
LINKMouseEnterStrokeColor	Stroke color when mouse entering the element
LINKMouseEnterStrokeWidth	Stroke width when mouse entering the element
LINKMouseLeaveDisplay	Default False, show/not the tooltip when mouse mover leave a LINK point
LINKMouseLeaveOpacity	Opacity when mouse leaving the element
LINKMouseLeaveStrokeColor	Stroke color when mouse leaving the element
LINKMouseLeaveStrokeWidth	Stroke width when mouse leaving the element
LINKMouseMoveDisplay	Default False, show/not the tooltip when mouse move into a LINK point
LINKMouseMoveOpacity	Opacity when mouse moving in the element
LINKMouseMoveStrokeColor	Stroke color when mouse moving in the element
LINKMouseMoveStrokeWidth	Stroke width when mouse moving in the element
LINKMouseOutDisplay	Default False, hide/not tooltip when mouse is not hovering a LINK point any-more

LINKMouseOutAnimationTime	Animation time when mouse moving out the element
LINKMouseOutOpacity	Opacity when mouse moving out the element
LINKMouseOutStrokeColor	Stroke color when mouse moving out the element
LINKMouseOutStrokeWidth	Stroke width when mouse moving out the element
LINKMouseUpDisplay	Default False, show/not the tooltip when mouse click up a LINK point
LINKMouseUpOpacity	Opacity when mouse moving up the element
LINKMouseUpStrokeColor	Stroke color when mouse moving up the element
LINKMouseUpStrokeWidth	Stroke width when mouse moving up the element
LINKMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a LINK point
LINKMouseOverOpacity	Opacity when mouse moving over the element
LINKMouseOverStrokeColor	Stroke color when mouse moving over the element
LINKMouseOverStrokeWidth	Stroke width when mouse moving over the element
LINKMouseOverTooltipsSetting	Default "style1"
LINKMouseOverTooltipsHtml	Default " "
LINKMouseOverTooltipsPosition	Default "absolute"
LINKMouseOverTooltipsBackgroundColor	Default "white"
LINKMouseOverTooltipsBorderStyle	Default "solid"
LINKMouseOverTooltipsBorderWidth	Default 0
LINKMouseOverTooltipsPadding	Default "3px"
LINKMouseOverTooltipsBorderRadius	Default "3px"
LINKMouseOverTooltipsOpacity	Default 0.8
LINKLabelDragEvent	Default False, draggable for the label of LINK module
CHORDMouseEvent	Default True, open/not open mouse event of CHORD module from NG-Circos
CHORDMouseFillColorExcluded	A type of color in character, chord in this color will be hided

CHORDMouseClickedDisplay
Default False, show/not the tooltip when mouse click on a CHORD point

CHORDMouseClickedOpacity
Opacity when mouse clicking

CHORDMouseClickedStrokeColor
Stroke color when mouse clicking

CHORDMouseClickedStrokeWidth
Stroke width when mouse clicking

CHORDMouseDownDisplay
Default False, show/not the tooltip when mouse click down a CHORD point

CHORDMouseDownOpacity
Opacity when mouse moving down the element

CHORDMouseDownStrokeColor
Stroke color when mouse moving down the element

CHORDMouseDownStrokeWidth
Stroke width when mouse moving down the element

CHORDMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a CHORD point

CHORDMouseEnterOpacity
Opacity when mouse entering the element

CHORDMouseEnterStrokeColor
Stroke color when mouse entering the element

CHORDMouseEnterStrokeWidth
Stroke width when mouse entering the element

CHORDMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a CHORD point

CHORDMouseLeaveOpacity
Opacity when mouse leaving the element

CHORDMouseLeaveStrokeColor
Stroke color when mouse leaving the element

CHORDMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

CHORDMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a CHORD point

CHORDMouseMoveOpacity
Opacity when mouse moving in the element

CHORDMouseMoveStrokeColor
Stroke color when mouse moving in the element

CHORDMouseMoveStrokeWidth
Stroke width when mouse moving in the element

CHORDMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a CHORD point anymore

CHORDMouseOutAnimationTime
Animation time when mouse moving out the element

CHORDMouseOutOpacity
Opacity when mouse moving out the element

CHORDMouseOutStrokeColor
Stroke color when mouse moving out the element

CHORDMouseOutStrokeWidth
Stroke width when mouse moving out the element

CHORDMouseUpDisplay
Default False, show/not the tooltip when mouse click up a CHORD point

CHORDMouseUpOpacity
Opacity when mouse moving up the element

CHORDMouseUpStrokeColor
Stroke color when mouse moving up the element

CHORDMouseUpStrokeWidth
Stroke width when mouse moving up the element

CHORDMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a CHORD point

CHORDMouseOverOpacity
Opacity when mouse moving over the element

CHORDMouseOverStrokeColor
Stroke color when mouse moving over the element

CHORDMouseOverStrokeWidth
Stroke width when mouse moving over the element

HISTOGRAMxlink Default False, add/not xlink for HISTOGRAM module

HISTOGRAMMouseEvent
Default True, open/not open mouse event of HISTOGRAM module

HISTOGRAMMouseClickedDisplay
Default False, show/not the tooltip when mouse click on a HISTOGRAM point

HISTOGRAMMouseClickedColor
Color when mouse clicking

HISTOGRAMMouseClickedOpacity
Opacity when mouse clicking

HISTOGRAMMouseClickedStrokeColor
Stroke color when mouse clicking

HISTOGRAMMouseClickedStrokeWidth
Stroke width when mouse clicking

HISTOGRAMMouseDownDisplay
Default False, show/not the tooltip when mouse click down a HISTOGRAM point

HISTOGRAMMouseDownColor
Color when mouse moving down the element

HISTOGRAMMouseDownOpacity
Opacity when mouse moving up the element

HISTOGRAMMouseDownStrokeColor
Stroke color when mouse moving up the element

HISTOGRAMMouseDownStrokeWidth
Stroke width when mouse moving up the element

HISTOGRAMMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a HISTOGRAM point

HISTOGRAMMouseEnterColor
Color when mouse entering the element

HISTOGRAMMouseEnterOpacity
Opacity when mouse entering the element

HISTOGRAMMouseEnterStrokeColor
Stroke color when mouse entering the element

HISTOGRAMMouseEnterStrokeWidth
Stroke width when mouse entering the element

HISTOGRAMMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a HISTOGRAM point

HISTOGRAMMouseLeaveColor
Color when mouse leaving the element

HISTOGRAMMouseLeaveOpacity
Opacity when mouse leaving the element

HISTOGRAMMouseLeaveStrokeColor
Stroke color when mouse leaving the element

HISTOGRAMMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

HISTOGRAMMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a HISTOGRAM point

HISTOGRAMMouseMoveColor
Color when mouse moving in the element

HISTOGRAMMouseMoveOpacity
Opacity when mouse moving in the element

HISTOGRAMMouseMoveStrokeColor
Stroke color when mouse moving in the element

HISTOGRAMMouseMoveStrokeWidth
Stroke width when mouse moving in the element

HISTOGRAMMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a HISTOGRAM point anymore

HISTOGRAMMouseOutAnimationTime
Animation time when mouse moving out the element

HISTOGRAMMouseOutColor
Color when mouse moving out the element

HISTOGRAMMouseOutOpacity
Opacity when mouse moving out the element

HISTOGRAMMouseOutStrokeColor
Stroke color when mouse moving out the element

HISTOGRAMMouseOutStrokeWidth
Stroke width when mouse moving out the element

HISTOGRAMMouseUpDisplay
Default False, show/not the tooltip when mouse click up a HISTOGRAM point

HISTOGRAMMouseUpColor
Color when mouse moving up the element

HISTOGRAMMouseUpOpacity
Opacity when mouse moving up the element

HISTOGRAMMouseUpStrokeColor
Stroke color when mouse moving up the element

HISTOGRAMMouseUpStrokeWidth
Stroke width when mouse moving up the element

HISTOGRAMMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a HISTOGRAM point

HISTOGRAMMouseOverColor
Color when mouse moving over the element

HISTOGRAMMouseOverOpacity
Opacity when mouse moving over the element

HISTOGRAMMouseOverStrokeColor
Stroke color when mouse moving over the element

HISTOGRAMMouseOverStrokeWidth
Stroke width when mouse moving over the element

HISTOGRAMMouseOverTooltipsSetting
Default "style1"

HISTOGRAMMouseOverTooltipsHtml
Default " "

HISTOGRAMMouseOverTooltipsPosition
Default "absolute"

HISTOGRAMMouseOverTooltipsBackgroundColor
Default "white"

HISTOGRAMMouseOverTooltipsBorderStyle
Default "solid"

HISTOGRAMMouseOverTooltipsBorderWidth
Default 0

HISTOGRAMMouseOverTooltipsPadding
Default "3px"

HISTOGRAMMouseOverTooltipsBorderRadius
Default "3px"

HISTOGRAMMouseOverTooltipsOpacity
Default 0.8

LINEMouseEvent Default True, open/not open mouse event of LINE module

LINEMouseClickedDisplay
Default False, show/not the tooltip when mouse click on a LINE point

LINEMouseClickedLineOpacity
Line opacity when mouse clicking the element

LINEMouseClickedLineStrokeColor
Stroke color when mouse clicking the element

LINEMouseClickedLineStrokeWidth
Stroke width when mouse clicking the element

LINEMouseDownDisplay
Default False, show/not the tooltip when mouse click down a LINE point

LINEMouseDownLineOpacity
Line opacity when mouse moving down the element

LINEMouseDownLineStrokeColor
Stroke color when mouse moving down the element

LINEMouseDownLineStrokeWidth
Stroke width when mouse moving down the element

LINEMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a LINE point

LINEMouseEnterLineOpacity
Line opacity when mouse entering the element

LINEMouseEnterLineStrokeColor
Stroke color when mouse entering the element

LINEMouseEnterLineStrokeWidth
Stroke width when mouse entering the element

LINEMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a LINE point

LINEMouseLeaveLineOpacity
Line opacity when mouse leaving the element

LINEMouseLeaveLineStrokeColor
Stroke color when mouse leaving the element

LINEMouseLeaveLineStrokeWidth
Stroke width when mouse leaving the element

LINEMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a LINE point

LINEMouseMoveLineOpacity
Line opacity when mouse moving in the element

LINEMouseMoveLineStrokeColor
Stroke color when mouse moving in the element

LINEMouseMoveLineStrokeWidth
Stroke width when mouse moving in the element

LINEMouseOutDisplay
Default False, hide/not tooltip when mouse is not hovering a LINE point any-
more

LINEMouseOutAnimationTime
Animation time when mouse moving out the element

LINEMouseOutLineOpacity
Line opacity when mouse moving out the element

LINEMouseOutLineStrokeColor
Stroke color when mouse moving out the element

LINEMouseOutLineStrokeWidth
Stroke width when mouse moving out the element

LINEMouseUpDisplay
Default False, show/not the tooltip when mouse click up a LINE point

LINEMouseUpLineOpacity
Line opacity when mouse moving up the element

LINEMouseUpLineStrokeColor
Stroke color when mouse moving up the element

LINEMouseUpLineStrokeWidth
Stroke width when mouse moving up the element

LINEMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a LINE point

LINEMouseOverLineOpacity
Line opacity when mouse moving over the element

LINEMouseOverLineStrokeColor
Stroke color when mouse moving over the element

LINEMouseOverLineStrokeWidth
 Stroke width when mouse moving over the element
 LINEMouseOverTooltipsSetting
 Default "style1"
 LINEMouseOverTooltipsHtml
 Default " "
 LINEMouseOverTooltipsPosition
 Default "absolute"
 LINEMouseOverTooltipsBackgroundColor
 Default "white"
 LINEMouseOverTooltipsBorderStyle
 Default "solid"
 LINEMouseOverTooltipsBorderWidth
 Default 0
 LINEMouseOverTooltipsPadding
 Default "3px"
 LINEMouseOverTooltipsBorderRadius
 Default "3px"
 LINEMouseOverTooltipsOpacity
 Default 0.8
 WIGMouseEvent Default True, open/not open mouse event of WIG module
 WIGMouseClickedDisplay
 Default False, show/not the tooltip when mouse click on a WIG point
 WIGMouseClickedLineOpacity
 Line opacity when mouse clicking the element
 WIGMouseClickedLineStrokeColor
 Stroke color when mouse clicking the element
 WIGMouseClickedLineStrokeWidth
 Stroke width when mouse clicking the element
 WIGMouseClickedFillColor
 Filling color when mouse clicking the element
 WIGMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a WIG point
 WIGMouseDownLineOpacity
 Line opacity when mouse moving down the element
 WIGMouseDownLineStrokeColor
 Stroke color when mouse moving down the element
 WIGMouseDownLineStrokeWidth
 Stroke width when mouse moving down the element
 WIGMouseDownFillColor
 Filling color when mouse moving down the element
 WIGMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a WIG point
 WIGMouseEnterLineOpacity
 Line opacity when mouse entering the element
 WIGMouseEnterLineStrokeColor
 Stroke color when mouse entering the element
 WIGMouseEnterLineStrokeWidth
 Stroke width when mouse entering the element

WIGMouseEnterFillColor	Filling color when mouse entering the element
WIGMouseLeaveDisplay	Default False, show/not the tooltip when mouse mover leave a WIG point
WIGMouseLeaveLineOpacity	Line opacity when mouse leaving the element
WIGMouseLeaveLineStrokeColor	Stroke color when mouse leaving the element
WIGMouseLeaveLineStrokeWidth	Stroke width when mouse leaving the element
WIGMouseLeaveFillColor	Filling color when mouse leaving the element
WIGMouseMoveDisplay	Default False, show/not the tooltip when mouse move into a WIG point
WIGMouseMoveLineOpacity	Line opacity when mouse moving in the element
WIGMouseMoveLineStrokeColor	Stroke color when mouse moving in the element
WIGMouseMoveLineStrokeWidth	Stroke width when mouse moving in the element
WIGMouseMoveFillColor	Filling color when mouse leaving the element
WIGMouseOutDisplay	Defalut False, hide/not tooltip when mouse is not hovering a WIG point anymore
WIGMouseOutAnimationTime	Animation time when mouse moving out the element
WIGMouseOutLineOpacity	Line opacity when mouse moving out the element
WIGMouseOutLineStrokeColor	Stroke color when mouse moving out the element
WIGMouseOutLineStrokeWidth	Stroke width when mouse moving out the element
WIGMouseOutFillColor	Filling color when mouse moving out the element
WIGMouseUpDisplay	Default False, show/not the tooltip when mouse click up a WIG point
WIGMouseUpLineOpacity	Line opacity when mouse moving up the element
WIGMouseUpLineStrokeColor	Stroke color when mouse moving up the element
WIGMouseUpLineStrokeWidth	Stroke width when mouse moving up the element
WIGMouseUpFillColor	Filling color when mouse moving up the element
WIGMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a WIG point
WIGMouseOverLineOpacity	Line opacity when mouse moving over the element

WIGMouseOverLineStrokeColor	Stroke color when mouse moving over the element
WIGMouseOverLineStrokeWidth	Stroke width when mouse moving over the element
WIGMouseOverFillColor	Filling color when mouse moving over the element
WIGMouseOverTooltipsSetting	Default "style1"
WIGMouseOverTooltipsHtml	Default " "
WIGMouseOverTooltipsPosition	Default "absolute"
WIGMouseOverTooltipsBackgroundColor	Default "white"
WIGMouseOverTooltipsBorderStyle	Default "solid"
WIGMouseOverTooltipsBorderWidth	Default 0
WIGMouseOverTooltipsPadding	Default "3px"
WIGMouseOverTooltipsBorderRadius	Default "3px"
WIGMouseOverTooltipsOpacity	Default 0.8
SCATTERxlink	Default False, add/not xlink for SCATTER module
SCATTERMouseEvent	Default True, open/not open mouse event of SCATTER module
SCATTERMouseClickedDisplay	Default False, show/not the tooltip when mouse click on a SCATTER point
SCATTERMouseClickedColor	Color when mouse clicking the element
SCATTERMouseClickedCircleSize	Circle size when mouse clicking the element
SCATTERMouseClickedCircleOpacity	Circle opacity when mouse clicking the element
SCATTERMouseClickedCircleStrokeColor	Circle stroke color when mouse clicking the element
SCATTERMouseClickedCircleStrokeWidth	Circle stroke width when mouse clicking the element
SCATTERMouseClickedTextFromData	Text column when mouse clicking the element
SCATTERMouseClickedTextOpacity	Text opacity when mouse clicking the element
SCATTERMouseClickedTextColor	Text color when mouse clicking the element
SCATTERMouseClickedTextSize	Text size when mouse clicking the element
SCATTERMouseClickedTextPostionX, SCATTERMouseClickedTextPostionY	Text coordinates when mouse clicking the element

SCATTERMouseClickedTextDrag
Whether text is draggable when clicking element

SCATTERMouseDownDisplay
Default False, show/not the tooltip when mouse click down a SCATTER point

SCATTERMouseDownColor
Color when mouse moving down the element

SCATTERMouseDownCircleSize
Circle size when mouse moving down the element

SCATTERMouseDownCircleOpacity
Circle opacity when mouse moving down the element

SCATTERMouseDownCircleStrokeColor
Circle stroke color when mouse moving down the element

SCATTERMouseDownCircleStrokeWidth
Circle stroke width when mouse moving down the element

SCATTERMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a SCATTER point

SCATTERMouseEnterColor
Color when mouse entering the element

SCATTERMouseEnterCircleSize
Circle size when mouse entering the element

SCATTERMouseEnterCircleOpacity
Circle opacity when mouse entering the element

SCATTERMouseEnterCircleStrokeColor
Circle stroke color when mouse entering the element

SCATTERMouseEnterCircleStrokeWidth
Circle stroke width when mouse entering the element

SCATTERMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a SCATTER point

SCATTERMouseLeaveColor
Color when mouse leaving the element

SCATTERMouseLeaveCircleSize
Circle size when mouse leaving the element

SCATTERMouseLeaveCircleOpacity
Circle opacity when mouse leaving the element

SCATTERMouseLeaveCircleStrokeColor
Circle stroke color when mouse leaving the element

SCATTERMouseLeaveCircleStrokeWidth
Circle stroke width when mouse leaving the element

SCATTERMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a SCATTER point

SCATTERMouseMoveColor
Color when mouse moving in the element

SCATTERMouseMoveCircleSize
Circle size when mouse moving in the element

SCATTERMouseMoveCircleOpacity
Circle opacity when mouse moving in the element

SCATTERMouseMoveCircleStrokeColor
Circle stroke color when mouse moving in the element

SCATTERMouseMoveCircleStrokeWidth
Circle stroke width when mouse moving in the element

SCATTERMouseOutDisplay
Default False, hide/not tooltip when mouse is not hovering a SCATTER point anymore

SCATTERMouseOutAnimationTime
Animation time when mouse moving out the element

SCATTERMouseOutColor
Color when mouse moving out the element

SCATTERMouseOutCircleSize
Circle size when mouse moving out the element

SCATTERMouseOutCircleOpacity
Circle opacity when mouse moving out the element

SCATTERMouseOutCircleStrokeColor
Circle stroke color when mouse moving out the element

SCATTERMouseOutCircleStrokeWidth
Circle stroke width when mouse moving out the element

SCATTERMouseUpDisplay
Default False, show/not the tooltip when mouse click up a SCATTER point

SCATTERMouseUpColor
Color when mouse moving up the element

SCATTERMouseUpCircleSize
Circle size when mouse moving up the element

SCATTERMouseUpCircleOpacity
Circle opacity when mouse moving up the element

SCATTERMouseUpCircleStrokeColor
Circle stroke color when mouse moving up the element

SCATTERMouseUpCircleStrokeWidth
Circle stroke width when mouse moving up the element

SCATTERMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a SCATTER point

SCATTERMouseOverColor
Color when mouse moving over the element

SCATTERMouseOverCircleSize
Circle size when mouse moving over the element

SCATTERMouseOverCircleOpacity
Circle opacity when mouse moving over the element

SCATTERMouseOverCircleStrokeColor
Circle stroke color when mouse moving over the element

SCATTERMouseOverCircleStrokeWidth
Circle stroke width when mouse moving over the element

SCATTERMouseOverTooltipsSetting
Default "style1"

SCATTERMouseOverTooltipsHtml
Default " "

SCATTERMouseOverTooltipsPosition
Default "absolute"

SCATTERMouseOverTooltipsBackgroundColor
Default "white"

SCATTERMouseOverTooltipsBorderStyle
 Default "solid"
 SCATTERMouseOverTooltipsBorderWidth
 Default 0
 SCATTERMouseOverTooltipsPadding
 Default "3px"
 SCATTERMouseOverTooltipsBorderRadius
 Default "3px"
 SCATTERMouseOverTooltipsOpacity
 Default 0.8
 ARCXlink Default False, add/not xlink for ARC module
 ARCMouseEvent Default True, open/not open mouse event of ARC module
 ARCMouseClickDisplay
 Default False, show/not the tooltip when mouse click on a ARC point
 ARCMouseClickColor
 Color when mouse clicking the element
 ARCMouseClickArcOpacity
 Arc opacity when mouse clicking the element
 ARCMouseClickArcStrokeColor
 Arc stroke color when mouse clicking the element
 ARCMouseClickArcStrokeWidth
 Arc stroke width when mouse clicking the element
 ARCMouseClickTextFromData
 Text column when mouse clicking the element
 ARCMouseClickTextOpacity
 Text opacity when mouse clicking the element
 ARCMouseClickTextColor
 Text color when mouse clicking the element
 ARCMouseClickTextSize
 Text size when mouse clicking the element
 ARCMouseClickTextPostionX, ARCMouseClickTextPostionY
 Text coordinates when mouse clicking the element
 ARCMouseClickTextDrag
 Whether text is draggable when mouse clicking the element
 ARCMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a ARC point
 ARCMouseDownColor
 Color when mouse moving down the element
 ARCMouseDownArcOpacity
 Arc opacity when mouse moving down the element
 ARCMouseDownArcStrokeColor
 Arc stroke color when mouse moving down the element
 ARCMouseDownArcStrokeWidth
 Arc stroke width when mouse moving down the element
 ARCMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a ARC point
 ARCMouseEnterColor
 Color when mouse entering the element

ARCMouseEnterArcOpacity
Arc opacity when mouse entering the element

ARCMouseEnterArcStrokeColor
Arc stroke color when mouse entering the element

ARCMouseEnterArcStrokeWidth
Arc stroke width when mouse entering the element

ARCMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a ARC point

ARCMouseLeaveColor
Color when mouse leaving the element

ARCMouseLeaveArcOpacity
Arc opacity when mouse leaving the element

ARCMouseLeaveArcStrokeColor
Arc stroke color when mouse leaving the element

ARCMouseLeaveArcStrokeWidth
Arc stroke width when mouse leaving the element

ARCMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a ARC point

ARCMouseMoveColor
Color when mouse moving in the element

ARCMouseMoveArcOpacity
Arc opacity when mouse moving in the element

ARCMouseMoveArcStrokeColor
Arc stroke color when mouse moving in the element

ARCMouseMoveArcStrokeWidth
Arc stroke width when mouse moving in the element

ARCMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a ARC point any-
more

ARCMouseOutAnimationTime
Animation time when mouse moving out the element

ARCMouseOutColor
Color when mouse moving out the element

ARCMouseOutArcOpacity
Arc opacity when mouse moving out the element

ARCMouseOutArcStrokeColor
Arc stroke color when mouse moving out the element

ARCMouseOutArcStrokeWidth
Arc stroke width when mouse moving out the element

ARCMouseUpDisplay
Default False, show/not the tooltip when mouse click up a ARC point

ARCMouseUpColor
Color when mouse moving up the element

ARCMouseUpArcOpacity
Arc opacity when mouse moving up the element

ARCMouseUpArcStrokeColor
Arc stroke color when mouse moving up the element

ARCMouseUpArcStrokeWidth
Arc stroke width when mouse moving up the element

ARCMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a ARC point
ARCMouseOverColor	Color when mouse moving over the element
ARCMouseOverArcOpacity	Arc opacity when mouse moving over the element
ARCMouseOverArcStrokeColor	Arc stroke color when mouse moving over the element
ARCMouseOverArcStrokeWidth	Arc stroke width when mouse moving over the element
ARCMouseOverTooltipsSetting	Default "style1"
ARCMouseOverTooltipsHtml	Default " "
ARCMouseOverTooltipsPosition	Default "absolute"
ARCMouseOverTooltipsBackgroundColor	Default "white"
ARCMouseOverTooltipsBorderStyle	Default "solid"
ARCMouseOverTooltipsBorderWidth	Default 0
ARCMouseOverTooltipsPadding	Default "3px"
ARCMouseOverTooltipsBorderRadius	Default "3px"
ARCMouseOverTooltipsOpacity	Default 0.8
GENExlink	Default False, add/not xlink for GENE module
GENEMouseEvent	Default True, open/not open mouse event of GENE module
GENEMouseClickDisplay	Default False, show/not the tooltip when mouse click on a GENE point
GENEMouseClickColor	Color when mouse clicking the element
GENEMouseClickArcOpacity	Arc opacity when mouse clicking the element
GENEMouseClickArcStrokeColor	Arc stroke color when mouse clicking the element
GENEMouseClickArcStrokeWidth	Arc stroke width when mouse clicking the element
GENEMouseClickTextFromData	Text column when mouse clicking the element
GENEMouseClickTextOpacity	Text opacity when mouse clicking the element
GENEMouseClickTextColor	Text color when mouse clicking the element
GENEMouseClickTextSize	Text size when mouse clicking the element

GENEMouseClickTextPostionX, GENEMouseClickTextPostionY
Text coordinates when mouse clicking the element

GENEMouseClickTextDrag
Whether text is draggable when mouse clicking the element

GENEMouseDownDisplay
Default False, show/not the tooltip when mouse click down a GENE point

GENEMouseDownColor
Color when mouse moving down the element

GENEMouseDownArcOpacity
Arc opacity when mouse moving down the element

GENEMouseDownArcStrokeColor
Arc stroke color when mouse moving down the element

GENEMouseDownArcStrokeWidth
Arc stroke width when mouse moving down the element

GENEMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a GENE point

GENEMouseEnterColor
Color when mouse entering the element

GENEMouseEnterArcOpacity
Arc opacity when mouse entering the element

GENEMouseEnterArcStrokeColor
Arc stroke color when mouse entering the element

GENEMouseEnterArcStrokeWidth
Arc stroke width when mouse entering the element

GENEMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a GENE point

GENEMouseLeaveColor
Color when mouse leaving the element

GENEMouseLeaveArcOpacity
Arc opacity when mouse leaving the element

GENEMouseLeaveArcStrokeColor
Arc stroke color when mouse leaving the element

GENEMouseLeaveArcStrokeWidth
Arc stroke width when mouse leaving the element

GENEMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a GENE point

GENEMouseMoveColor
Color when mouse moving in the element

GENEMouseMoveArcOpacity
Arc opacity when mouse moving in the element

GENEMouseMoveArcStrokeColor
Arc stroke color when mouse moving in the element

GENEMouseMoveArcStrokeWidth
Arc stroke width when mouse moving in the element

GENEMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a GENE point any-
more

GENEMouseOutAnimationTime
Animation time when mouse moving out the element

GENEMouseOutColor
 Color when mouse moving out the element
 GENEMouseOutArcOpacity
 Arc opacity when mouse moving out the element
 GENEMouseOutArcStrokeColor
 Arc stroke color when mouse moving out the element
 GENEMouseOutArcStrokeWidth
 Arc stroke width when mouse moving out the element
 GENEMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a GENE point
 GENEMouseUpColor
 Color when mouse moving up the element
 GENEMouseUpArcOpacity
 Arc opacity when mouse moving up the element
 GENEMouseUpArcStrokeColor
 Arc stroke color when mouse moving up the element
 GENEMouseUpArcStrokeWidth
 Arc stroke width when mouse moving up the element
 GENEMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a GENE point
 GENEMouseOverColor
 Color when mouse moving over the element
 GENEMouseOverArcOpacity
 Arc opacity when mouse moving over the element
 GENEMouseOverArcStrokeColor
 Arc stroke color when mouse moving over the element
 GENEMouseOverArcStrokeWidth
 Arc stroke width when mouse moving over the element
 GENEMouseOverTooltipsSetting
 Default "style1"
 GENEMouseOverTooltipsHtml
 Default " "
 GENEMouseOverTooltipsPosition
 Default "absolute"
 GENEMouseOverTooltipsBackgroundColor
 Default "white"
 GENEMouseOverTooltipsBorderStyle
 Default "solid"
 GENEMouseOverTooltipsBorderWidth
 Default 0
 GENEMouseOverTooltipsPadding
 Default "3px"
 GENEMouseOverTooltipsBorderRadius
 Default "3px"
 GENEMouseOverTooltipsOpacity
 Default 0.8
 LOLLIPOPxlink Default False, add/not xlink for LOLLIPOP module
 LOLLIPOPMouseEvent
 Default True, open/not open mouse event of LOLLIPOP module

LOLLIPOPMouseClickedDisplay
Default False, show/not the tooltip when mouse click on a LOLLIPOP point

LOLLIPOPMouseClickedColor
Color when mouse clicking

LOLLIPOPMouseClickedCircleSize
Circle size when mouse clicking the element

LOLLIPOPMouseClickedCircleOpacity
Circle opacity when mouse clicking the element

LOLLIPOPMouseClickedCircleStrokeColor
Circle stroke color when mouse clicking the element

LOLLIPOPMouseClickedCircleStrokeWidth
Circle stroke width when mouse clicking the element

LOLLIPOPMouseClickedTextFromData
Text column when mouse clicking the element

LOLLIPOPMouseClickedTextOpacity
Text opacity when mouse clicking the element

LOLLIPOPMouseClickedTextColor
Text color when mouse clicking the element

LOLLIPOPMouseClickedTextSize
Text size when mouse clicking the element

LOLLIPOPMouseClickedTextPostionX, LOLLIPOPMouseClickedTextPostionY
Text coordinates when mouse clicking the element

LOLLIPOPMouseClickedTextDrag
Whether text is draggable when mouse clicking the element

LOLLIPOPMouseDownDisplay
Default False, show/not the tooltip when mouse click down a LOLLIPOP point

LOLLIPOPMouseDownColor
Color when mouse moving down the element

LOLLIPOPMouseDownCircleSize
Circle size when mouse moving down the element

LOLLIPOPMouseDownCircleOpacity
Circle opacity when mouse moving down the element

LOLLIPOPMouseDownCircleStrokeColor
Circle stroke color when mouse moving down the element

LOLLIPOPMouseDownCircleStrokeWidth
Circle stroke width when mouse moving down the element

LOLLIPOPMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a LOLLIPOP point

LOLLIPOPMouseEnterColor
Color when mouse entering the element

LOLLIPOPMouseEnterCircleSize
Circle size when mouse entering the element

LOLLIPOPMouseEnterCircleOpacity
Circle opacity when mouse entering the element

LOLLIPOPMouseEnterCircleStrokeColor
Circle stroke color when mouse entering the element

LOLLIPOPMouseEnterCircleStrokeWidth
Circle stroke width when mouse entering the element

LOLLIPOPMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a LOLLIPOP point

LOLLIPOPMouseLeaveColor
Color when mouse leaving the element

LOLLIPOPMouseLeaveCircleSize
Circle size when mouse leaving the element

LOLLIPOPMouseLeaveCircleOpacity
Circle opacity when mouse leaving the element

LOLLIPOPMouseLeaveCircleStrokeColor
Circle stroke color when mouse leaving the element

LOLLIPOPMouseLeaveCircleStrokeWidth
Circle stroke width when mouse leaving the element

LOLLIPOPMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a LOLLIPOP point

LOLLIPOPMouseMoveColor
Color when mouse moving in the element

LOLLIPOPMouseMoveCircleSize
Circle size when mouse moving in the element

LOLLIPOPMouseMoveCircleOpacity
Circle opacity when mouse moving in the element

LOLLIPOPMouseMoveCircleStrokeColor
Circle stroke color when mouse moving in the element

LOLLIPOPMouseMoveCircleStrokeWidth
Circle stroke width when mouse moving in the element

LOLLIPOPMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a LOLLIPOP point anymore

LOLLIPOPMouseOutAnimationTime
Animation time when mouse moving out the element

LOLLIPOPMouseOutColor
Color when mouse moving out the element

LOLLIPOPMouseOutCircleSize
Circle size when mouse moving out the element

LOLLIPOPMouseOutCircleOpacity
Circle opacity when mouse moving out the element

LOLLIPOPMouseOutCircleStrokeColor
Circle stroke color when mouse moving out the element

LOLLIPOPMouseOutCircleStrokeWidth
Circle stroke width when mouse moving out the element

LOLLIPOPMouseUpDisplay
Default False, show/not the tooltip when mouse click up a LOLLIPOP point

LOLLIPOPMouseUpColor
Color when mouse moving up the element

LOLLIPOPMouseUpCircleSize
Circle size when mouse moving up the element

LOLLIPOPMouseUpCircleOpacity
Circle opacity when mouse moving up the element

LOLLIPOPMouseUpCircleStrokeColor	Circle stroke color when mouse moving up the element
LOLLIPOPMouseUpCircleStrokeWidth	Circle stroke width when mouse moving up the element
LOLLIPOPMouseOverDisplay	Default False, show/not the tooltip when mouse hover on a LOLLIPOP point
LOLLIPOPMouseOverColor	Color when mouse moving over the element
LOLLIPOPMouseOverCircleSize	Circle size when mouse moving over the element
LOLLIPOPMouseOverCircleOpacity	Circle opacity when mouse moving over the element
LOLLIPOPMouseOverCircleStrokeColor	Circle stroke color when mouse moving over the element
LOLLIPOPMouseOverCircleStrokeWidth	Circle stroke width when mouse moving over the element
LOLLIPOPMouseOverTooltipsSetting	Default "style1"
LOLLIPOPMouseOverTooltipsHtml	Default " "
LOLLIPOPMouseOverTooltipsPosition	Default "absolute"
LOLLIPOPMouseOverTooltipsBackgroundColor	Default "white"
LOLLIPOPMouseOverTooltipsBorderStyle	Default "solid"
LOLLIPOPMouseOverTooltipsBorderWidth	Default 0
LOLLIPOPMouseOverTooltipsPadding	Default "3px"
LOLLIPOPMouseOverTooltipsBorderRadius	Default "3px"
LOLLIPOPMouseOverTooltipsOpacity	Default 0.8
elementId	the name of the HTML id to be used to contain the visualization
...	Ignored

Value

The main figure for interacCircos with all tracks

Examples

```
Circos(genome = "hg19")
```

CircosArc

*ARC module***Description**

Create the CNV plot without value, Gene domain, Chromosome band

Usage

```
CircosArc(
  modulename,
  compareGroup = 1,
  outerRadius = 150,
  innerRadius = 130,
  opacity = 1,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
innerRadius, outerRadius	Where the module should begin and end
opacity	The opacity for arc
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of arc with details including chr, start, end, color, des, link and html. Details can be found on document
...	Ignored

Value

The module tracks for arc modules

Examples

```
arcData<-arcExample
Circos(CircosArc('Arc01', outerRadius = 212, innerRadius = 224, data=arcData),
  genome=list("EGFR"=1211),outerRadius = 220,genomeFillColor = c("grey"))
```

CircosAuxLine	<i>AUXILIARYLINE module</i>
---------------	-----------------------------

Description

A auxiliary line for better explanation of the visualization

Usage

```
CircosAuxLine(
  modulename,
  startX = 20,
  startY = 20,
  endX = 120,
  endY = 120,
  color = "red",
  width = 0.5,
  type = "straight",
  controlPointX = 0,
  controlPointY = 0,
  lineType = "solid",
  dashArray = 3,
  marker = TRUE,
  markerType = "circle",
  markerColor = "blue",
  markerHeight = 5,
  markerWidth = 5,
  markerPosition = 2,
  animationDisplay = FALSE,
  animationTime = 50,
  animationDelay = 1000,
  animationType = "linear",
  ...
)
```

Arguments

modulename	The name of the new module
startX, startY	Start coordinates for auxiliary line
endX, endY	End coordinates for auxiliary line
color	Color for auxiliary line
width	Width for auxiliary line
type	Type for auxiliary line, could be straight/curve/broken
controlPointX, controlPointY	The middle point coordinates for curve and broken
lineType	Line type, could be solid/dot
dashArray	The dash gap width
marker	Whether display a marker on the end of line

markerType Type of marker, could be circle/square/arrow/stub
 markerColor, markerHeight, markerWidth
 Color, Height and Width for marker
 markerPosition 1 means start, 2 means end, 3 means both
 animationDisplay
 whether display animation
 animationTime, animationDelay, animationType
 The time, delay and display type for animation
 ... Ignored

Value

The module tracks for auxliary line modules

Examples

```
Circos(CircosAuxLine('AuxLine01'))
```

CircosBackground	<i>BACKGROUND module</i>
------------------	--------------------------

Description

Background for better display of other modules

Usage

```

CircosBackground(
  modulename,
  compareGroup = 1,
  fillColors = "#EEEEFF",
  borderColors = "#000000",
  axisShow = FALSE,
  axisColor = "#000",
  axisOpacity = 0.5,
  axisNum = 4,
  axisWidth = 0.3,
  maxRadius = 190,
  minRadius = 105,
  borderSize = 0.3,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  ...
)

```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
fillColors	The filling color of the module
borderColors	The border color of the module
axisShow	Whether show a axis or not
axisWidth, axisColor, axisOpacity, axisNum	The color, opacity value and number of line for axis
minRadius, maxRadius	The outer and inner ring range of module
borderSize	The thickness of the border
animationDisplay	Whether display animation or not
animationTime, animationDelay, animationType	The time, delay and display type for animation
...	Ignored

Value

The module tracks for background modules.

Examples

```
Circos(CircosBackground('bg01', fillColors="#FFEEEE", borderSize = 1))
```

CircosBubble	<i>BUBBLE module</i>
--------------	----------------------

Description

Create a bubble plot

Usage

```
CircosBubble(  
  modulename,  
  compareGroup = 1,  
  maxRadius = 200,  
  minRadius = 50,  
  blockStroke = TRUE,  
  blockStrokeColor = "black",  
  blockStrokeWidth = 1,  
  blockFill = FALSE,  
  blockFillColor = "white",  
  bubbleMaxSize = 5,  
  bubbleMinSize = 2,  
  minColor = "red",  
  maxColor = "green",  
)
```

```

ValueAxisManualScale = FALSE,
ValueAxisMaxScale = 10,
ValueAxisMinScale = 0,
totalLayer = 1,
animationDisplay = FALSE,
animationTime = 2000,
animationDelay = 20,
animationType = "bounce",
data,
...
)

```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>maxRadius, minRadius</code>	The outer and inner ring range of module
<code>blockStroke</code>	Whether display the stroke between each bubble block
<code>blockStrokeColor</code>	Stroke color for block
<code>blockStrokeWidth</code>	Stroke width for block
<code>blockFill</code>	Whether fill a block or not
<code>blockFillColor</code>	The color for filling the block
<code>bubbleMaxSize</code>	The max size for bubble
<code>bubbleMinSize</code>	The min size for bubble
<code>minColor</code>	The color the bubble of min value
<code>maxColor</code>	The color the bubble of max value
<code>ValueAxisManualScale</code>	Whether manually control the scale of value
<code>ValueAxisMaxScale, ValueAxisMinScale</code>	The max and min scale value for manually control
<code>totalLayer</code>	The color and width for stroke
<code>animationDisplay</code>	Whether display animation
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation
<code>data</code>	A list of value in bubble plot with details including chr, start, end, value, name, layer, color and html. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for bubble modules

Examples

```
bubbleData<-bubbleExample
Circos(CircosBubble('Bubble01', maxRadius = 230, minRadius = 170, data=bubbleData,
blockStroke = TRUE, bubbleMaxSize=10, bubbleMinSize = 2, maxColor = "red", minColor = "yellow",
totalLayer =3, animationDisplay = TRUE, animationType="linear"),
genome = list("2L"=23011544,"2R"=21146708,"3L"=24543557,"3R"= 27905053,"X"=22422827,"4"=1351857),
BUBBLEMouseOverDisplay =TRUE,innerRadius = 236)
```

CircosChord

CHORD module of NG-Circos

Description

Create a chord module using a data matrix

Usage

```
CircosChord(
  modulename,
  innerRadius = 237,
  outerRadius = 238,
  fillOpacity = 0.67,
  fillStrokeWidth = 1,
  padding = 0.06,
  autoFillColor = TRUE,
  fillColor = c("#B8B8B8"),
  fillStrokeColor = c("black"),
  outerARC = TRUE,
  outerARCAutoColor = TRUE,
  outerARCColor = c("red"),
  outerARCStrokeColor = c("black"),
  outerARCText = TRUE,
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>innerRadius</code>	The inner radius for chord circle
<code>outerRadius</code>	The outer radius for chord circle
<code>fillOpacity</code>	The opacity for filling color
<code>fillStrokeWidth</code>	The stroke width for chord
<code>padding</code>	The pad of chord
<code>autoFillColor</code>	Whether auto assign color for chord
<code>fillColor</code>	If not, manually assign color for chord

fillStrokeColor	The color for stroke
outerARC	Whether display outer arc
outerARCAutoColor	If true, whether auto assign color for arc
outerARCColor	The manually assigned color for arc
outerARCStrokeColor	The stroke color for arc
outerARCText	Whether display text for arc or not
data	A matrix-list of chord value with relationship details
...	Ignored

Value

The module tracks for chord modules of NG-Circos

Examples

```
chordData<-chordExample
Circos(CircosChord('CHORD', data = chordData,innerRadius= 210,outerRadius= 211,fillOpacity=0.67,
strokeColor="black",strokeWidth= "1px",outerARCText=FALSE),genome=list("C.CK" = 189.51,"C.NPK"=188,
"GC.CK"=186.11, "GC.NPK"=191.51,"Alphaproteobacteria"=70.16,"Betaproteobacteria"=23.51,
"Gammaproteobacteria"=25.51, "Deltaproteobacteria"=23.28,"Acidobacteria"=53.62,
"Actinobacteria"=72.33, "Bacteroidetes"=22.41, "Chloroflexi"=15.08,"Firmicutes"=10.72,
"Gemmatimonadetes"=26.37, "Planctomycetes"=19.26,"Thaumarchaeota"=6.15, "Verrucomicrobia"=8.3,
"Ascomycota"=159.41, "Basidiomycota"=79.73,"Zygomycota"=139.29 ),outerRadius = 217,
genomeLabelDisplay = FALSE)
```

CircosChord.p

CHORD module of circosJS

Description

Create a chord module using a data path. chord.p means chord plot based on path

Usage

```
CircosChord.p(
  modulename,
  radius = 216,
  opacity = 0.67,
  color = "#B8B8B8",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
radius	The radius for chord circle
opacity	The opacity for chord
color	The color for chord
data	A list of chord value with relationship details, details could be found on chord.pExample
...	Ignored

Value

The module tracks for chord modules of circosJS

Examples

```
chord.pData<-chord.pExample
Circos()
```

CircosCnv

CNV module

Description

Create a copy number variance module

Usage

```
CircosCnv(
  modulename,
  compareGroup = 1,
  maxRadius = 200,
  minRadius = 190,
  width = 10,
  color = "#CAE1FF",
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  strokeColor = "black",
  strokeWidth = 1,
  opacity = 1,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 50,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>maxRadius, minRadius</code>	The outer and inner ring range of module
<code>width</code>	Width for CNV module
<code>color</code>	Color for CNV module
<code>ValueAxisManualScale</code>	Whether manually control the scale of value or not
<code>ValueAxisMaxScale, ValueAxisMinScale</code>	The max and min scale value for manually control
<code>strokeColor, strokeWidth</code>	The color and width for stroke
<code>opacity</code>	The opacity for module
<code>animationDisplay</code>	Whether display animationn
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animationn
<code>data</code>	A list of CNV with details including start, end, value, link, color and html. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for cnv modules

Examples

```
cnvData<-cnvExample
Circos(CircosCnv('Cnv01',maxRadius =175, minRadius =116, data =cnvData,width=2,color = "#4876FF")+
CircosBackground("bg01",minRadius = 116,maxRadius = 175,fillColors = "#F2F2F2",axisShow = TRUE),
CNVMouseOverDisplay = TRUE)
```

CircosGene

GENE module

Description

Create a number of genes with different functional region

Usage

```

CircosGene(
  modulename,
  compareGroup = 1,
  outerRadius = 180,
  innerRadius = 150,
  pathColor = "black",
  pathWidth = 1,
  arrow = TRUE,
  arrowGap = 2,
  arrowColor = "blue",
  arrowSize = 5,
  cdsColor = "#1e77b3",
  cdsStrokeColor = "black",
  cdsStrokeWidth = 1,
  utrWidth = -5,
  utrColor = "blue",
  utrStrokeColor = "blue",
  utrStrokeWidth = 1,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)

```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>outerRadius, innerRadius</code>	Where the module should begin and end
<code>pathColor</code>	The color for path between gene elements
<code>pathWidth</code>	The width for path between gene elements
<code>arrow</code>	Whether display arrows on path
<code>arrowGap, arrowColor, arrowSize</code>	The gap, color and size for arrow
<code>cdsColor, cdsStrokeColor, cdsStrokeWidth</code>	The color, stroke color and stroke width for coding
<code>utrWidth, utrColor, utrStrokeColor, utrStrokeWidth</code>	The max size for bubble
<code>animationDisplay</code>	Whether display animation
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation
<code>data</code>	A list of gene with details including chr, strand, start, end, type, name, link and html. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for gene modules

Examples

```
geneData<-geneExample
Circos(CircosGene('Gene01', outerRadius = 195, innerRadius = 180, data=geneData,arrowGap = 10,
  arrowColor = "black",arrowSize = "12px",cdsColor = "#1e77b3",cdsStrokeColor = "#1e77b3",
  cdsStrokeWidth= 5, utrWidth= -2,utrColor= "#fe7f0e",utrStrokeColor= "#fe7f0e",
  animationDisplay = TRUE),genome =list("EGFR"=1000), outerRadius = 220)
```

CircosHeatmap	<i>HEATMAP module</i>
---------------	-----------------------

Description

Create a heatmap plot

Usage

```
CircosHeatmap(
  modulename,
  compareGroup = 1,
  maxRadius = 180,
  minRadius = 100,
  minColor = "red",
  maxColor = "green",
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  totallayer = 1,
  animationDisplay = FALSE,
  animationDirection = "O2I",
  animationColorDirection = "L2C",
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
minColor	The color for heatmap of min value
maxColor	The color for heatmap of max value

ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
totalLayer	The color and width for stroke
animationDisplay	Whether display animation
animationDirection	The direction for animation. O2I: from outside to inside, I2O: from inside to outside
animationColorDirection	The color changing in animation. L2C: lowest to customized, H2C: highest to customized, the customized color should be defined in data
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of value in heatmap plot with details including chr, start, end, value, name, layer and html. Details can be found on document
...	Ignored

Value

The module tracks for heatmap modules.

Examples

```
heatmapData<-heatmapExample
Circos(CircosHeatmap('Heatmap01', maxRadius= 180, minRadius = 100, data=heatmapData,totalLayer = 3),
genome = list("2L"=23011544,"2R"=21146708,"3L"=24543557,"3R"=27905053,"4"=1351857,"X"=22422827),
HEATMAPMouseEvent = TRUE,HEATMAPMouseOverDisplay = TRUE)
```

CircosHistogram

HISTOGRAM module

Description

Create a multi-layer histogram plot

Usage

```
CircosHistogram(
  modulename,
  compareGroup = 1,
  maxRadius = 108,
  minRadius = 95,
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  fillColor = "red",
  animationDisplay = FALSE,
```

```
    animationTime = 2000,  
    animationDelay = 20,  
    data,  
    ...  
  )
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
fillColor	The color for histogram
animationDisplay	Whether display animation
animationTime, animationDelay	The time and delay for animation
data	A list of value with details including chr, start, end, name, link, value and html. Details can be found on document
...	Ignored

Value

The module tracks for histogram modules

Examples

```
histogramData<-histogramExample  
Circos(CircosHistogram('HISTOGRAM01', data = histogramData,fillColor= "#ff7f0e",maxRadius = 210,  
minRadius = 175),genome=list("2L"=23011544,"2R"=21146708,"3L"=24543557,"3R"= 27905053,  
"X"=22422827,"4"=1351857),  
outerRadius = 220)
```

CircosLegend	<i>LEGEND module</i>
--------------	----------------------

Description

Simple legend annotation displayed in the visualization

Usage

```
CircosLegend(
  modulename,
  x = 20,
  y = 20,
  title = "legend",
  size = 6,
  weight = "normal",
  GapBetweenGraphicText = 5,
  GapBetweenLines = 20,
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>x, y</code>	The coordinates if legend
<code>title</code>	The title for legend
<code>size</code>	Font size for title
<code>weight</code>	Font weight for title. Should be either "normal", "bold", "bolder" or "lighter"
<code>GapBetweenGraphicText</code>	Gap between icon and text in legend
<code>GapBetweenLines</code>	Gap between each two lines in legend
<code>data</code>	A list of legend with details including type, color, opacity, circleSize, rectSize, lineWidth, lineHeight, text, textSize and textWeight. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for legend modules.

Examples

```
legend1 <- list(type= "circle", color="#1E77B4",opacity="1.0",circleSize="8",text= "C.CK",
  textSize= "14",textWeight="normal")
legend2 <- list(type= "circle", color="#AEC7E8",opacity="1.0",circleSize="8",text= "C.NPK",
  textSize= "14",textWeight="normal")
Circos(CircosLegend('legend01', title = "legend",data=list(legend1,legend2),size = 20))
```

CircosLine

*LINE module***Description**

Create a multi-layer line plot

Usage

```
CircosLine(
  modulename,
  compareGroup = 1,
  maxRadius = 108,
  minRadius = 95,
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  color = "red",
  width = 2,
  type = "cardinal",
  animationDisplay = FALSE,
  animationDirection = "S2E",
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
color	Color for line
width	Width for line
type	Type for line, could be linear, cardinal, basis and monotone
animationDisplay	Whether display animation
animationDirection	The direction of animation, could be S2E(start to end) or E2S(end to start)
animationTime, animationDelay, animationType	The time, delay and display type for animation

data	A list of value with details including chr, pos, des, value and html. Details can be found on document
...	Ignored

Value

The module tracks for line modules

Examples

```
lineData<-lineExample
Circos(CircosLine('LINE01', data = lineData,maxRadius=200,minRadius=150,color= "#ff0031")+
CircosBackground('BG01',minRadius = 205,maxRadius = 150))
```

CircosLink	<i>LINK module</i>
------------	--------------------

Description

Create a link of two specific region in genome

Usage

```
CircosLink(
  modulename,
  compareGroup = 1,
  radius = 108,
  fillColor = "red",
  width = 3,
  type = "Q",
  displayLinkAxis = TRUE,
  axisColor = "#B8B8B8",
  axisWidth = 0.5,
  axisPad = 3,
  displayLinkLabel = TRUE,
  labelColor = "red",
  labelSize = 13,
  labelPad = 8,
  animationDisplay = FALSE,
  animationDirection = "1to2",
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>radius</code>	Radius of link circle
<code>fillColor</code>	Color for link
<code>width</code>	Width for link
<code>type</code>	Type of link, could be Q/S/T
<code>displayLinkAxis</code>	Whether display axis for link or not
<code>axisColor</code>	The color for axis
<code>axisWidth</code>	The width for axis
<code>axisPad</code>	The pad for axis
<code>displayLinkLabel</code>	Whether display label for link or not
<code>labelColor</code>	The color for label
<code>labelSize</code>	The size for label
<code>labelPad</code>	The pad for label
<code>animationDisplay</code>	Whether display animation
<code>animationDirection</code>	The direction of link animation, could be 1to2 or 2to1
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation
<code>data</code>	A list of link with details including g1chr, g1start, g1end, g2chr, g2start, g2end, g1name, g2name, fusion, link and html. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for link modules

Examples

```
linkData<-linkExample
Circos(CircosLink('LINK', data = linkData,LinkRadius= 140,fillColor= "#9e9ac6",width= 2,
axisPad= 3,labelPad=8,animationDisplay=TRUE,animationDirection="1to2", animationType= "linear" ))
```

CircosLollipop	<i>LOLLIPOP module</i>
----------------	------------------------

Description

Create a lollipop plot

Usage

```
CircosLollipop(
  modulename,
  compareGroup = 1,
  fillColor = "#9400D3",
  secondColor = "#FFFFFF",
  pointType = "circle",
  circleSize = 2,
  diamondWidth = 10,
  diamondHeight = 5,
  rectWidth = 2,
  rectHeight = 2,
  stroke = TRUE,
  strokeColor = "#000000",
  strokeWidth = 0.5,
  lineAutoHeight = TRUE,
  lineAutoMaximumHeightZoomRate = 1,
  lineHeightRate = 0.75,
  lineWidth = 2,
  lineColor = "#000000",
  realStart = 0,
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>fillColor</code>	Filling color for lollipop
<code>secondColor</code>	Second filling color for heterogeneous lollipop
<code>pointType</code>	The type for lollipop, could be circle, rect and diamond
<code>circleSize</code>	If circle, the size for lollipop
<code>diamondWidth, diamondHeight</code>	If diamond, the width and height for lollipop

rectWidth, rectHeight	If rect, the width and height for lollipop
stroke	Whether display the stroke for lollipop
strokeColor, strokeWidth	The color and width for stroke
lineAutoHeight	Whether auto assign the height for each lollipop
lineAutoMaximumHeightZoomRate	If auto assign, the zoom rate for each lollipop
lineHeightRate	If manually assign, the rate of lollipop compared to real value
lineWidth, lineColor	The width and color for the line of lollipop
realStart	The real start position for data in genome
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of lollipop value with details including protein, chr, pos, strand, Cancer-TypeNumber, color, link, Consequence, AA_pos, AA_change, type, link and html. Details can be found on document
...	Ignored

Value

The module tracks for lollipop modules.

Examples

```
lollipopData<-lollipopExample
arcData<-arcExample
Circos(CircosLollipop('Lollipop01', data=lollipopData, fillColor="#9400D3",
circleSize= 6, strokeColor= "#999999", strokeWidth= "1px", animationDisplay=TRUE, lineWidth= 2,
realStart= 101219350)+CircosArc('Arc01', outerRadius = 212, innerRadius = 224, data=arcData),
genome=list("EGFR"=1211),outerRadius = 220,genomeFillColor = c("grey"))
```

CircosModuleList

Create a list of modules

Description

This allows the use of the '+' and '-' operator on these lists

Usage

```

CircosModuleList()

## S3 method for class 'CircosModuleList'
x + ...

## S3 method for class 'CircosModuleList'
x - ...

```

Arguments

x The moduleList on which other modules should be added or removed
 ... The modules to add (as moduleLists) or to remove (as module names)

Value

The list of all tracks of modules.

CircosScatter

SCATTER module

Description

Create a point plot

Usage

```

CircosScatter(
  modulename,
  compareGroup = 1,
  radius = 140,
  innerCircleSize = 1,
  outerCircleSize = 5,
  innerCircleColor = "#F26223",
  outerCircleColor = "#F26223",
  innerPointType = "circle",
  outerPointType = "circle",
  innerrectWidth = 2,
  innerrectHeight = 2,
  outerrectWidth = 2,
  outerrectHeight = 2,
  outerCircleOpacity = 1,
  random_data = 0,
  animationDisplay = FALSE,
  animationInitialPositionX = 0,
  animationInitialPositionY = 0,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)

```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>radius</code>	Radius of scatter circle
<code>innerCircleSize, outerCircleSize</code>	If circle, inner and outer circle size
<code>innerCircleColor, outerCircleColor</code>	If circle, inner and outer circle color
<code>innerPointType, outerPointType</code>	The type for inner and outer point, could be circle or rect
<code>innerrectWidth, innerrectHeight</code>	If rect, inner width and height
<code>outerrectWidth, outerrectHeight</code>	If rect, inner width and height
<code>outerCircleOpacity</code>	If circle, the opacity for outer circle
<code>random_data</code>	Scatter position fluctuation
<code>animationDisplay</code>	Whether display animation
<code>animationInitialPositionX, animationInitialPositionY</code>	The initial coordinates for animation
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation
<code>data</code>	A list of value with details including chr, start, end, name, des, link and html. Details can be found on document
<code>...</code>	Ignored

Value

The module tracks for scatter modules

Examples

```
scatterData<-scatterExample
Circos(CircosScatter('SCATTER01', data = scatterData, radius=180, innerCircleColor= "#3d6390",
outerCircleColor= "#99cafe", random_data= 40))
```

CircosSnp

SNP module

Description

Create SNPs are defined by genomic coordinates and associated with a numerical value

Usage

```

CircosSnp(
  modulename,
  compareGroup = 1,
  minRadius = 153,
  maxRadius = 205,
  fillColorType = "specific",
  fillColor = "#9400D3",
  fillr2Color = c("13#ff0031", "#ff0031", "#ff0031", "#ff0031", "#ff0031"),
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  pointType = "circle",
  circleSize = 2,
  rectWidth = 2,
  rectHeight = 2,
  animationDisplay = FALSE,
  animationInitialPositionX = 0,
  animationInitialPositionY = 0,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)

```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>maxRadius, minRadius</code>	Where the module should begin and end
<code>fillColorType</code>	The type of filling color, could be either specific or r2(means based on r2)
<code>fillColor</code>	If specific, the color for SNP filling
<code>fillr2Color</code>	If r2, the color for SNP filling
<code>ValueAxisManualScale</code>	Whether manually control the scale of value
<code>ValueAxisMaxScale, ValueAxisMinScale</code>	The max and min scale value for manually control
<code>pointType</code>	The type of SNP point, could be circle or rect
<code>circleSize</code>	If circle, the size for SNP circle
<code>rectWidth</code>	If rect, the width for SNP rect
<code>rectHeight</code>	If rect, the height for SNP rect
<code>animationDisplay</code>	Whether display animation
<code>animationInitialPositionX, animationInitialPositionY</code>	The initial position coordinates for animation
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation

data	A list of SNP value with details including chr, pos, value, des, color, r2value, link, index, image and html. Details can be found on document
...	Ignored

Value

The module tracks for snp modules

Examples

```
snpData<-snpExample
Circos(CircosSnp('SNP01', minRadius =150, maxRadius = 190, data = snpExample,fillColor= "#9ACD32",
  circleSize= 2, SNPAanimationDisplay=TRUE,SNPAanimationTime= 2000,SNPAanimationDelay= 0,
  SNPAanimationType= "linear") + CircosBackground('BG01',minRadius = 145, maxRadius = 200))
```

CircosText

Text module

Description

Text for better explanation of other modules

Usage

```
CircosText(
  modulename,
  text,
  x = 0,
  y = 0,
  size = "1.2em",
  weight = "bold",
  opacity = 1,
  color = "#000000",
  rotateRate = 0,
  animationDisplay = FALSE,
  animationInitialSize = 20,
  animationInitialWeight = "bold",
  animationInitialColor = "black",
  animationInitialOpacity = 1,
  animationInitialPositionX = 0,
  animationInitialPositionY = 0,
  animationInitialRotate = 0,
  animationDelay = 50,
  animationTime = 1000,
  animationType = "linear",
  ...
)
```

Arguments

modulename	The name of the new module
text	The details of text
x, y	The coordinates of the text
size	Font size
weight	Font weight. Should be either "normal", "bold", "bolder" or "lighter"
opacity	Font opacity
color	Font color
rotateRate	rotate rate for text
animationDisplay	Whether display animation or not
animationInitialSize	Initial text size in animation
animationInitialWeight	Initial text weight in animation
animationInitialColor	Initial text color in animation
animationInitialOpacity	Initial text opacity in animation
animationInitialPositionX, animationInitialPositionY	Initial text coordinates in animation(The parameter x,y will become the final position for text if animation displayed)
animationInitialRotate	Initial rotate rate in animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
...	Ignored

Value

The module tracks for text modules.

Examples

```
Circos(CircosText('text01', 'Annotation', color = '#DD2222', x = -40))
```

CircosWig

WIG module

Description

Create a multi-layer line plot

Usage

```

CircosWig(
  modulename,
  compareGroup = 1,
  maxRadius = 108,
  minRadius = 95,
  direction = "out",
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  color = "red",
  opacity = 1,
  strokeColor = "black",
  strokeWidth = 1,
  strokeType = "cardinal",
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)

```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
direction	The direction of plot, either inside or outside
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
color	Color for plot
opacity	Opacity for plot
strokeColor	The color for stroke
strokeWidth	The width for stroke
strokeType	Line type for stroke, could be linear, cardinal, basis and monotone
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of value with details including chr, pos, des, value and html. Details can be found on document
...	Ignored

Value

The module tracks for wig modules

Examples

```
wigData<-wigExample  
Circos(CircosWig('WIG01', data = wigData, maxRadius= 200,minRadius= 150,strokeColor= "darkblue",  
color= "lightblue",strokeType= "cardinal")+CircosBackground('BG01',minRadius = 205,maxRadius = 150)  
,genome=list("chr8"=1000),outerRadius = 220)
```

cnvExample

Cnv module example data

Description

The data is in matrix with column names

Usage

```
cnvExample
```

Format

A data frame with 7 columns:

chr chromosome

start start position

end end position

value value

link hyperlink for cnv

color color

html The external html language

geneExample

Gene plot example data

Description

The data is in matrix with column names

Usage

```
geneExample
```

Format

A data frame with 8 columns:

chr chromosome

strand strand, - or +

start start position

end end position

type region type, gene or utr or cds

name name for description

link hyperlink for this region

html The external html language

heatmapExample

Heatmap plot example data

Description

The data is in matrix with column names

Usage

heatmapExample

Format

A data frame with 7 columns:

chr chromosome

start start position

end end position

name name for description

value value

layer layer number

html The external html language

hg19_ideogram	<i>Ideogram for hg19</i>
---------------	--------------------------

Description

The ideogram for human hg19 reference including the color for each region

Usage

```
hg19_ideogram
```

Format

A data frame with 4 columns:

chr chromosome

start start position

end end position

color color

histogramExample	<i>Histogram plot example data</i>
------------------	------------------------------------

Description

The data is in matrix with column names

Usage

```
histogramExample
```

Format

A data frame with 7 columns:

chr chromosome

start start position

end end position

name name for description

link hyperlink

value value

html The external html language

lineExample	<i>Line plot example data</i>
-------------	-------------------------------

Description

The data is in matrix with column names

Usage

lineExample

Format

A data frame with 5 columns:

- chr** chromosome
- pos** position
- des** description
- value** value
- html** The external html language

linkExample	<i>Link plot example data</i>
-------------	-------------------------------

Description

The data is in matrix with column names

Usage

linkExample

Format

A data frame with 11 columns:

- g1chr** first chromosome
- g1start** first start position
- g1end** first end position
- g2chr** second chromosome
- g2start** second start position
- g2end** second end position
- g1name** first name
- g2name** second name
- fusion** fusion name
- link** hyperlink for link line
- html** The external html language

lollipopExample	<i>Lollipop plot example data</i>
-----------------	-----------------------------------

Description

The data is in matrix with column names

Usage

```
lollipopExample
```

Format

A data frame with 12 columns:

protein protein name

chr chromosome

pos position

strand strand, - or +

CancerTypeNumber Cancer type number

color color

link hyperlink

Consequence consequence

AA_pos AA_pos

AA_change AA_change

type type for mutation,Hetero or Homo

html The external html language

scatterExample	<i>Scatter plot example data</i>
----------------	----------------------------------

Description

The data is in matrix with column names

Usage

```
scatterExample
```

Format

A data frame with 7 columns:

chr chromosome

start start position

end end position

name name for scatter

des description

link hyperlink

html The external html language

snpExample

Snp plot example data

Description

The data is in matrix with column names

Usage

snpExample

Format

A data frame with 10 columns:

chr chromosome

pos position

value value, such as p-value

des description

color color

r2value r2 value

link hyperlink for snp

index index for combination

image image for combination

html The external html language

`wigExample`*Wig plot example data*

Description

The data is in matrix with column names

Usage

```
wigExample
```

Format

A data frame with 5 columns:

chr chromosome

pos position

des description

value value

html The external html language

Index

* datasets

- arcExample, [2](#)
- bubbleExample, [3](#)
- chord.pExample, [3](#)
- chordExample, [4](#)
- cnvExample, [77](#)
- geneExample, [77](#)
- heatmapExample, [78](#)
- hg19_ideogram, [79](#)
- histogramExample, [79](#)
- lineExample, [80](#)
- linkExample, [80](#)
- lollipopExample, [81](#)
- scatterExample, [81](#)
- snpExample, [82](#)
- wigExample, [83](#)
- + .CircosModuleList (CircosModuleList), [70](#)
- .CircosModuleList (CircosModuleList), [70](#)

arcExample, [2](#)

bubbleExample, [3](#)

chord.pExample, [3](#)

chordExample, [4](#)

Circos, [5](#)

CircosArc, [52](#)

CircosAuxLine, [53](#)

CircosBackground, [54](#)

CircosBubble, [55](#)

CircosChord, [57](#)

CircosChord.p, [58](#)

CircosCnv, [59](#)

CircosGene, [60](#)

CircosHeatmap, [62](#)

CircosHistogram, [63](#)

CircosLegend, [64](#)

CircosLine, [66](#)

CircosLink, [67](#)

CircosLollipop, [69](#)

CircosModuleList, [70](#)

CircosScatter, [71](#)

CircosSnp, [72](#)

CircosText, [74](#)

CircosWig, [75](#)

cnvExample, [77](#)

geneExample, [77](#)

heatmapExample, [78](#)

hg19_ideogram, [79](#)

histogramExample, [79](#)

lineExample, [80](#)

linkExample, [80](#)

lollipopExample, [81](#)

scatterExample, [81](#)

snpExample, [82](#)

wigExample, [83](#)