

Package ‘cancerdata’

April 13, 2017

Type Package

Version 1.12.0

Date 2011-10-26

Title Development and validation of diagnostic tests from
high-dimensional molecular data: Datasets

Author Jan Budczies, Daniel Kosztyla

Maintainer Daniel Kosztyla <danielkossi@hotmail.com>

Description Dataset for the R package cancerclass

Depends R (>= 2.10.1), Biobase

License GPL (>= 2)

biocViews CancerData, MicroarrayData

NeedsCompilation no

R topics documented:

cancerdata-package	1
VEER	2
VIJVER	3
YOUNG	3

Index	5
--------------	----------

cancerdata-package	<i>Development and validation of diagnostic tests from high-dimensional molecular data: Datasets</i>
--------------------	--

Description

This package contains dataset for the R package cancerclass.

Details

Package: cancerdata
Type: Package
Version: 1.1.0
Date: 2010-10-26
License: GPL (>=2)

Author(s)

Jan Budczies <jan.budczies@charite.de>, Daniel Kosztyla <danielkossi@hotmail.com>

References

[1] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

See Also

[VEER1](#)

Examples

```
### see: help(VEER1);
```

VEER

Breast cancer gene expression data (van't Veer)

Description

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 78 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 78 tumor samples).

Usage

```
data(VEER)
data(VEER1)
```

Value

Data and annotations are organized in a ExpressionSet of the package Biobase.

VEER	ExpressionSet
VEER1	ExpressionSet

References

[1] van 't Veer LJ et al. (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-536.
[2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

Examples

```
### see: help(GOLUB);
```

VIJVER *Breast cancer gene expression data (Vijver)*

Description

Gene expression data from the breast cancer microarray study of Vijver et al. [1]. The data set VIJVER includes expression values of 24481 genes in 295 tumor samples. The data set VIJVER1 is a filtered version of VIJVER [2] including expression values of 4948 genes in 295 tumor samples.

Usage

```
data(VIJVER)
data(VIJVER1)
```

Value

Data and annotations are organized in a ExpressionSet of the package Biobase.

```
VIJVER      ExpressionSet
VIJVER1     ExpressionSet
```

References

- [1] van de Vijver MJ, He YD, van't Veer LJ, et al. (2002): *A gene-expression signature as a predictor of survival in breast cancer*. N Engl J Med, 347:1999-2009.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-493.

Examples

```
### see: help(GOLUB);
```

YOUNG *Breast cancer gene expression data (van't Veer, young patients)*

Description

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 19 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 19 tumor samples).

Usage

```
data(YOUNG)
data(YOUNG1)
```

Value

Data and annotations are organized in a ExpressionSet of the package Biobase.

```
YOUNG      ExpressionSet
YOUNG1     ExpressionSet
```

References

- [1] van 't Veer LJ et al (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-56.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

Examples

```
### see: help(GOLUB);
```

Index

*Topic **datasets**

VEER, [2](#)

VIJVER, [3](#)

YOUNG, [3](#)

*Topic **package**

cancerdata-package, [1](#)

cancerdata (cancerdata-package), [1](#)

cancerdata-package, [1](#)

VEER, [2](#)

VEER1, [2](#)

VEER1 (VEER), [2](#)

VIJVER, [3](#)

VIJVER1 (VIJVER), [3](#)

YOUNG, [3](#)

YOUNG1 (YOUNG), [3](#)