## Package 'HEEBOdata'

October 18, 2017

Type Package

**Version** 1.14.0

Title HEEBO set and HEEBO controls.

is a list of negative controls identifiers.

controls recognizing this sequence.

<b>Date</b> 2006-08-31	
Author Agnes Paquet	
Maintainer Agnes Paquet <apaquet@medsfgh.ucsf.edu></apaquet@medsfgh.ucsf.edu>	
<b>Description</b> R objects describing the HEEBO oligo set.	
biocViews ExperimentData	
License LGPL	
<pre>URL http://alizadehlab.stanford.edu/ http://arrays.ucsf.edu/</pre>	
NeedsCompilation no	
R topics documented:	
HEEBO	1 2
Index	3
HEEBO Annotations and controls for the HEEBO set.	
Description	
HEEBOset: character matrix containing annotations for all oligos in the HEEBO set, e.g. sequer id, name, description of the oligo. The annotations used here come from the original HEEI dataset and are not updated.	
HEEBOctrl: list of matrices describing mismatch transcripts and negative controls. For each the 10 unique transcripts used to design the mismatch controls, we provide some annotations all derived mismatch probes (like sequnce id, array identifier, description), the type of mismatchored or Distributed), the number of mismatched bases, and the binding energy. The last objective or described bases are described by the number of mismatched bases.	for tch

HEEBOtilingres: list of 11 vectors, one for each sequence used to design the series of tiling controls. Each vector contains the unique HEEBO identifiers and the distance from 3' end for each tiling

### **Source**

These data were derived from the HEEBO set description files provided by Ash Alizadeh. The R code used to parse the file is available upon request. For more information about the HEEBO set, please refer to http://alizadehlab.stanford.edu.

## Description

63421.gpr and hoc.gal are an example of hybridization on HEEBO arrays, using a doping-control mixture from SFGF.

DCV2.0June06.txt is an example of spike-type file from SFGF.

### **Source**

These data were provided by members of the Brown lab (Stanford) and the Stanford Shared Genomics Core Facility.

# **Index**

```
*Topic datasets
    HEEBO, 1
    StanfordExampleData, 2
63421.gpr (StanfordExampleData), 2

DCV2.0June06.txt (StanfordExampleData), 2

HEEBO, 1
HEEBOctrl (HEEBO), 1
HEEBOset (HEEBO), 1
HEEBOtilingres (HEEBO), 1
hoc.gal (StanfordExampleData), 2

StanfordExampleData, 2
```