

Package ‘maftools’

April 12, 2018

Type Package

Title Summarize, Analyze and Visualize MAF Files

Version 1.4.28

Date 2015-12-14

Author Anand Mayakonda <anand_mt@hotmail.com>

Maintainer Anand Mayakonda <anand_mt@hotmail.com>

Description Analyze and visualize Mutation Annotation Format (MAF) files from large scale sequencing studies. This package provides various functions to perform most commonly used analyses in cancer genomics and to create feature rich customizable visualizations with minimal effort.

URL <https://github.com/PoisonAlien/maftools>

BugReports <https://github.com/PoisonAlien/maftools/issues>

License MIT + file LICENSE

LazyData TRUE

Depends R (>= 3.4)

Imports data.table, ggplot2(>= 2.0), cowplot, cometExactTest, RColorBrewer, NMF, ggrepel, methods, ComplexHeatmap, mclust, VariantAnnotation, Biostrings, Rsamtools, rjson, grid, wordcloud, grDevices, changepoint, gridExtra, survival

RoxygenNote 6.0.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

biocViews DataRepresentation, DNASEq, Visualization, DriverMutation, VariantAnnotation, FeatureExtraction, Classification, SomaticMutation, Sequencing, FunctionalGenomics, Survival

NeedsCompilation no

R topics documented:

annovarToMaf	3
coOncoplot	4
extractSignatures	5
forestPlot	6
geneCloud	7

genesToBarcodes	8
genotypeMatrix	8
getClinicalData	9
getCytobandSummary	9
getFields	10
getGeneSummary	11
getSampleSummary	11
GISTIC-class	12
gisticBubblePlot	12
gisticChromPlot	13
gisticOncoPlot	14
icgcSimpleMutationToMAF	15
inferHeterogeneity	16
lollipopPlot	17
MAF-class	19
mafCompare	19
mafSummary	20
mafSurvival	21
math.score	22
mutCountMatrix	23
oncodrive	24
oncoplot	25
oncostrip	27
oncotate	28
pancanComparison	29
pfamDomains	30
plotApobecDiff	31
plotCBSsegments	32
plotClusters	33
plotmafSummary	34
plotOncodrive	35
plotSignatures	36
plotTiTv	36
plotVaf	37
prepareMutSig	38
rainfallPlot	39
read.maf	40
readGistic	41
somaticInteractions	42
subsetMaf	43
tcgaCompare	44
titv	45
trinucleotideMatrix	46
write.GisticSummary	47
write.mafSummary	48

annovarToMaf	<i>Converts annovar annotations into MAF.</i>
--------------	---

Description

Converts variant annotations from Annovar into a basic MAF.

Usage

```
annovarToMaf(annovar, Center = NULL, refBuild = "hg19", tsbCol = NULL,
  table = "refGene", basename = NULL, sep = "\t", MAFobj = FALSE,
  sampleAnno = NULL)
```

Arguments

annovar	input annovar annotation file.
Center	Center field in MAF file will be filled with this value. Default NA.
refBuild	NCBI_Build field in MAF file will be filled with this value. Default hg19.
tsbCol	column name containing Tumor_Sample_Barcode or sample names in input file.
table	reference table used for gene-based annotations. Can be 'ensGene' or 'refGene'. Default 'refGene'
basename	If provided writes resulting MAF file to an output file.
sep	field separator for input file. Default tab separated.
MAFobj	If TRUE, returns results as an MAF object.
sampleAnno	annotations associated with each sample/Tumor_Sample_Barcode in input annovar file. If provided it will be included in MAF object. Could be a text file or a data.frame. Ideally annotation would contain clinical data, survival information and other necessary features associated with samples. Default NULL.

Details

Annovar is one of the most widely used Variant Annotation tools in Genomics. Annovar output is generally in a tabular format with various annotation columns. This function converts such annovar output files into MAF. This function requires that annovar was run with gene based annotation as a first operation, before including any filter or region based annotations. Please be aware that this function performs no transcript prioritization.

e.g, `table_annovar.pl example/ex1.avinput humandb/ -buildver hg19 -out myanno -remove -protocol (refGene),cytoBand,dbnsfp30a -operation (g),r,f -nastring NA`

This function mainly uses gene based annotations for processing, rest of the annotation columns from input file will be attached to the end of the resulting MAF.

Value

MAF table.

References

Wang, K., Li, M. & Hakonarson, H. ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic Acids Res* 38, e164 (2010).

Examples

```
var.annovar <- system.file("extdata", "variants.hg19_multianno.txt", package = "maftools")
var.annovar.maf <- annovarToMaf(annovar = var.annovar, Center = 'CSI-NUS', refBuild = 'hg19',
tsbCol = 'Tumor_Sample_Barcode', table = 'ensGene')
```

coOncoplot

Draw two oncoplots side by side for cohort comparison.

Description

Draw two oncoplots side by side for cohort comparison.

Usage

```
coOncoplot(m1, m2, genes = NULL, m1Name = NULL, m2Name = NULL,
  clinicalFeatures1 = NULL, clinicalFeatures2 = NULL,
  annotationColor1 = NULL, annotationColor2 = NULL, colors = NULL,
  removeNonMutated = TRUE, geneNamefont = 10, showSampleNames = FALSE,
  SampleNamefont = 10, legendFontSize = 10, titleFontSize = 12,
  keepGeneOrder = FALSE, includeSyn = FALSE)
```

Arguments

m1	first MAF object
m2	second MAF object
genes	draw these genes. Default plots top 5 mutated genes from two cohorts.
m1Name	optional name for first cohort
m2Name	optional name for second cohort
clinicalFeatures1	columns names from 'clinical.data' slot of m1 MAF to be drawn in the plot. Default NULL.
clinicalFeatures2	columns names from 'clinical.data' slot of m2 MAF to be drawn in the plot. Default NULL.
annotationColor1	list of colors to use for 'clinicalFeatures1' Default NULL.
annotationColor2	list of colors to use for 'clinicalFeatures2' Default NULL.
colors	named vector of colors for each Variant_Classification.
removeNonMutated	Logical. If TRUE removes samples with no mutations in the oncoplot for better visualization. Default TRUE.
geneNamefont	font size for gene names. Default 10
showSampleNames	whether to show sample names. Default FALSE.
SampleNamefont	font size for sample names. Default 10
legendFontSize	font size for legend. Default 10
titleFontSize	font size for title. Default 12
keepGeneOrder	force the resulting plot to use the order of the genes as specified. Default FALSE
includeSyn	Set to TRUE to include silent variants. Default FALSE.

Details

Draws two oncoplots side by side to display difference between two cohorts.

Value

Returns nothing. Just draws plot.

Examples

```
#' ##Primary and Relapse APL
primary.apl <- system.file("extdata", "APL_primary.maf.gz", package = "maftools")
relapse.apl <- system.file("extdata", "APL_relapse.maf.gz", package = "maftools")
##Read mafs
primary.apl <- read.maf(maf = primary.apl)
relapse.apl <- read.maf(maf = relapse.apl)
##Plot
coOncoplot(m1 = primary.apl, m2 = relapse.apl, m1Name = 'Primary APL', m2Name = 'Relapse APL')
dev.off()
```

extractSignatures	<i>Extract mutational signatures from trinucleotide context.</i>
-------------------	--

Description

Decompose a matrix of 96 substitution classes into n signatures.

Usage

```
extractSignatures(mat, n = NULL, nTry = 6, plotBestFitRes = FALSE,
  parallel = NULL)
```

Arguments

mat	Input matrix of dimension nx96 generated by <code>trinucleotideMatrix</code>
n	decompose matrix into n signatures. Default NULL. Tries to predict best value for n by running NMF on a range of values and chooses based on cophenetic correlation coefficient.
nTry	tries upto this number of signatures before choosing best n. Default 6.
plotBestFitRes	plots consensus heatmap for range of values tried. Default FALSE
parallel	calls to <code>.opt</code> argument of <code>nmf</code> . e.g, 'P4' for using 4 cores. See note on <code>nmf</code> for MAC users.

Details

This function decomposes a non-negative matrix into n signatures. Extracted signatures are compared against 30 experimentally validated signatures by calculating cosine similarity. See <http://cancer.sanger.ac.uk/cosm> for details.

Value

a list with decomposed scaled signatures, signature contributions in each sample and a cosine similarity table against validated signatures.

See Also

[trinucleotideMatrix](#) [plotSignatures](#)

Examples

```
## Not run:
laml.tnm <- trinucleotideMatrix(maf = laml, ref_genome = 'hg19.fa', prefix = 'chr',
add = TRUE, useSyn = TRUE)
laml.sign <- extractSignatures(mat = laml.tnm, plotBestFitRes = FALSE)

## End(Not run)
```

forestPlot

Draw forest plot for differences between cohorts.

Description

Draw forest plot for differences between cohorts.

Usage

```
forestPlot(mafCompareRes, pVal = 0.05, fdr = NULL, show = NULL,
color = NULL, geneFontSize = 12, file = NULL, width = 5, height = 6)
```

Arguments

mafCompareRes	results from mafCompare
pVal	p-value threshold. Default 0.05.
fdr	fdr threshold. Default NULL. If provided uses adjusted pvalues (fdr).
show	can be either stat or pval
color	vector of colors for cohorts. Default NULL.
geneFontSize	Font size for gene symbols. Default 12
file	basename for output file. Plot will saved to an output pdf.
width	width of plot to be generated
height	height of plot to be generated

Details

Plots results from `link{mafCompare}` as a forest plot with x-axis as log10 converted odds ratio and differentially mutated genes on y-axis.

Value

ggplot object of the plot.

See Also

[mafCompare](#)

Examples

```
##Primary and Relapse APL
primary.apl <- system.file("extdata", "APL_primary.maf.gz", package = "maftools")
relapse.apl <- system.file("extdata", "APL_relapse.maf.gz", package = "maftools")
##Read mafs
primary.apl <- read.maf(maf = primary.apl)
relapse.apl <- read.maf(maf = relapse.apl)
##Perform analysis and draw forest plot.
pt.vs.rt <- mafCompare(m1 = primary.apl, m2 = relapse.apl, m1Name = 'Primary',
m2Name = 'Relapse', minMut = 5)
forestPlot(mafCompareRes = pt.vs.rt, show = 'stat')
```

geneCloud

*Plots wordcloud.***Description**

Plots word cloud of mutated genes or altered cytobands with size proportional to the event frequency.

Usage

```
geneCloud(input, minMut = 3, col = NULL, top = NULL,
genesToIgnore = NULL, ...)
```

Arguments

input	an MAF or GISTIC object generated by read.maf or readGistic
minMut	Minimum number of samples in which a gene is required to be mutated.
col	vector of colors to choose from.
top	Just plot these top n number of mutated genes.
genesToIgnore	Ignore these genes.
...	Other options passed to wordcloud

Value

nothing.

Examples

```
lam1.input <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.input, useAll = FALSE)
geneCloud(input = lam1, minMut = 5)
```

genesToBarcodes *Extracts Tumor Sample Barcodes where the given genes are mutated.*

Description

Extracts Tumor Sample Barcodes where the given genes are mutated.

Usage

```
genesToBarcodes(maf, genes = NULL, justNames = FALSE)
```

Arguments

maf an [MAF](#) object generated by [read.maf](#)
 genes Hogo_Symbol for which sample names to be extracted.
 justNames if TRUE, just returns samples names instead of summarized tables.

Value

list of data.tables with samples in which given genes are mutated.

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
genesToBarcodes(maf = laml, genes = 'DNMT3A')
```

genotypeMatrix *Creates a Genotype Matrix for every variant*

Description

Creates a Genotype matrix using allele frequencies or by mutation status.

Usage

```
genotypeMatrix(maf, genes = NULL, tsb = NULL, includeSyn = FALSE,
  vafCol = NULL, vafCutoff = c(0.1, 0.75))
```

Arguments

maf an [MAF](#) object generated by [read.maf](#)
 genes create matrix for only these genes. Define NULL
 tsb create matrix for only these tumor sample barcodes/samples. Define NULL
 includeSyn whether to include silent mutations. Default FALSE
 vafCol specify column name for vaf's. Default NULL. If not provided simply assumes all mutations are heterozygous.
 vafCutoff specify minimum and maximum vaf to define mutations as heterozygous. Default range 0.1 to 0.75. Mutations above maximum vafs are defined as homozygous.

Value

matrix

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
genotypeMatrix(maf = laml, genes = "RUNX1")
```

getClinicalData	<i>extract annotations from MAF object</i>
-----------------	--

Description

extract annotations from MAF object

Usage

```
getClinicalData(x)

## S4 method for signature 'MAF'
getClinicalData(x)
```

Arguments

x An object of class MAF

Value

annotations associated with samples in MAF

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
getClinicalData(x = laml)
```

getCytobandSummary	<i>extract cytoband summary from GISTIC object</i>
--------------------	--

Description

extract cytoband summary from GISTIC object

Usage

```
getCytobandSummary(x)

## S4 method for signature 'GISTIC'
getCytobandSummary(x)
```

Arguments

x An object of class GISTIC

Value

summarized gistic results by altered cytobands.

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
getCytobandSummary(laml.gistic)
```

getFields

extract available fields from MAF object

Description

extract available fields from MAF object

Usage

```
getFields(x)

## S4 method for signature 'MAF'
getFields(x)
```

Arguments

x An object of class MAF

Value

Field names in MAF file

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
getFields(x = laml)
```

getGeneSummary *extract gene summary from MAF or GISTIC object*

Description

extract gene summary from MAF or GISTIC object

Usage

```
getGeneSummary(x)

## S4 method for signature 'MAF'
getGeneSummary(x)

## S4 method for signature 'GISTIC'
getGeneSummary(x)
```

Arguments

x An object of class MAF or GISTIC

Value

gene summary table

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
getGeneSummary(lam1)
```

getSampleSummary *extract sample summary from MAF or GISTIC object*

Description

extract sample summary from MAF or GISTIC object

Usage

```
getSampleSummary(x)

## S4 method for signature 'MAF'
getSampleSummary(x)

## S4 method for signature 'GISTIC'
getSampleSummary(x)
```

Arguments

x An object of class MAF or GISTIC

Value

sample summary table

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "mafTools")
lam1 <- read.maf(maf = lam1.maf)
getSampleSummary(x = lam1)
```

GISTIC-class

Class GISTIC

Description

S4 class for storing summarized MAF.

Slots

data data.table of summarized GISTIC file.
 cnv.summary table containing alterations per sample
 cytoband.summary table containing alterations per cytoband
 gene.summary table containing alterations per gene
 cnMatrix character matrix of dimension n*m where n is number of genes and m is number of samples
 numericMatrix numeric matrix of dimension n*m where n is number of genes and m is number of samples
 gis.scores gistic.scores
 summary table with basic GISTIC summary stats
 classCode mapping between numeric values in numericMatrix and copy number events.

See Also

[getGeneSummary](#) [getSampleSummary](#) [getCytobandSummary](#)

gisticBubblePlot

Plot gistic results as a bubble plot

Description

Plots significantly altered cytobands as a function of number samples in which it is altered and number genes it contains. Size of each bubble is according to $-\log_{10}$ transformed q values.

Usage

```
gisticBubblePlot(gistic = NULL, color = NULL, markBands = NULL,
  fdrCutoff = 0.1, txtSize = 3, file = NULL, width = 6, height = 5)
```

Arguments

gistic	an object of class GISTIC generated by readGistic
color	colors for Amp and Del events.
markBands	any cytobands to label.
fdrCutOff	fdr cutoff to use. Default 0.1
txtSize	label size for bubbles.
file	if given saves plot as a pdf.
width	width of the file to be saved.
height	height of the file to be saved.

Value

invisible ggplot2 object

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
gisticBubblePlot(gistic = laml.gistic)
```

gisticChromPlot

Plot gistic results along linearized chromosome

Description

A genomic plot with segments highlighting significant Amplifications and Deletion regions.

Usage

```
gisticChromPlot(gistic = NULL, fdrCutOff = 0.1, markBands = NULL,
  markBandsCol = "purple", color = NULL, ref.build = "hg19",
  cytobandOffset = 0.01, file = NULL, width = 6, height = 5)
```

Arguments

gistic	an object of class GISTIC generated by readGistic
fdrCutOff	fdr cutoff to use. Default 0.1
markBands	any cytobands to label. If 'all' labels all significantly altered cytobands (below fdrCuoff)
markBandsCol	color for highlighted region
color	colors for Amp and Del events.
ref.build	reference build. Could be hg18, hg19 or hg38.
cytobandOffset	if scores.gistic file is given use this to adjust cytoband size.
file	if given saves plot as a pdf.
width	width of the file to be saved.
height	height of the file to be saved.

Value

nothing

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
gisticChromPlot(laml.gistic)
```

gisticOncoPlot	<i>Plot gistic results.</i>
----------------	-----------------------------

Description

takes output generated by readGistic and draws a plot similar to oncoplot.

Usage

```
gisticOncoPlot(gistic, top = NULL, showTumorSampleBarcodes = FALSE,
  clinicalData = NULL, clinicalFeatures = NULL, sortByAnnotation = FALSE,
  annotationColor = NULL, bandsToIgnore = NULL, removeNonAltered = FALSE,
  colors = NULL, fontSize = 10)
```

Arguments

gistic	an GISTIC object generated by readGistic
top	how many top cytobands to be drawn. defaults to all.
showTumorSampleBarcodes	logical to include sample names.
clinicalData	data.frame with columns containing Tumor_Sample_Barcodes and rest of columns with annotations.
clinicalFeatures	columns names from 'clinicalData' to be drawn in the plot. Default NULL.
sortByAnnotation	logical sort oncomatrix (samples) by provided 'clinicalFeatures'. Defaults to FALSE. column-sort
annotationColor	list of colors to use for clinicalFeatures. Default NULL.
bandsToIgnore	do not show these bands in the plot Default NULL.
removeNonAltered	Logical. If TRUE removes samples with no mutations in the oncoplot for better visualization. Default FALSE.
colors	named vector of colors Amp and Del events.
fontSize	font size for cytoband names. Default 10.

Details

Takes gistic file as input and plots it as a matrix. Any desired annotations can be added at the bottom of the oncoplot by providing annotation

Value

None.

See Also

[oncostrip](#)

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
gisticOncPlot(laml.gistic)
```

icgcSimpleMutationToMAF

Converts ICGC Simple Somatic Mutation format file to MAF

Description

Converts ICGC Simple Somatic Mutation format file to Mutation Annotation Format. Basic fields are converted as per MAF specifications, rest of the fields are retained as in the input file. Ensemble gene IDs are converted to HGNC Symbols. Note that by default Simple Somatic Mutation format contains all affected transcripts of a variant resulting in multiple entries of the same variant in same sample. It is hard to choose a single affected transcript based on annotations alone and by default this program removes repeated variants as duplicated entries. If you wish to keep all of them, set `removeDuplicatedVariants` to `FALSE`.

Usage

```
icgcSimpleMutationToMAF(icgc, basename = NA, MAFobj = FALSE,
  clinicalData = NULL, removeDuplicatedVariants = TRUE,
  addHugoSymbol = FALSE)
```

Arguments

<code>icgc</code>	Input data in ICGC Simple Somatic Mutation format. Can be gz compressed.
<code>basename</code>	If given writes to output file with <code>basename</code> .
<code>MAFobj</code>	If <code>TRUE</code> returns results as an MAF object.
<code>clinicalData</code>	Clinical data associated with each sample/Tumor_Sample_Barcode in MAF. Could be a text file or a <code>data.frame</code> . Default <code>NULL</code> .
<code>removeDuplicatedVariants</code>	removes repeated variants in a particular sample, mapped to multiple transcripts of same Gene. See Description . Default <code>TRUE</code> .
<code>addHugoSymbol</code>	If <code>TRUE</code> replaces ensemble gene IDs with <code>Hugo_Symbols</code> . Default <code>FALSE</code> .

Details

ICGC Simple Somatic Mutation format specification can be found here: <http://docs.icgc.org/submission/guide/icgc-simple-somatic-mutation-format/>

Value

tab delimited MAF file.

Examples

```
esca.icgc <- system.file("extdata", "simple_somatic_mutation.open.ESCA-CN.sample.tsv.gz", package = "maftool")
esca.maf <- icgcSimpleMutationToMAF(icgc = esca.icgc)
```

inferHeterogeneity *Clusters variants based on Variant Allele Frequencies (VAF).*

Description

takes output generated by `read.maf` and clusters variants to infer tumor heterogeneity. This function requires VAF for clustering and density estimation. VAF can be on the scale 0-1 or 0-100. Optionally if copy number information is available, it can be provided as a segmented file (e.g. from Circular Binary Segmentation). Those variants in copy number altered regions will be ignored.

Usage

```
inferHeterogeneity(maf, tsb = NULL, top = 5, vafCol = NULL,
  segFile = NULL, ignChr = NULL, minVaf = 0, maxVaf = 1,
  dirichlet = FALSE)
```

Arguments

<code>maf</code>	an MAF object generated by <code>read.maf</code>
<code>tsb</code>	specify sample names (Tumor_Sample_Barcodes) for which clustering has to be done.
<code>top</code>	if <code>tsb</code> is NULL, uses top n number of most mutated samples. Defaults to 5.
<code>vafCol</code>	manually specify column name for vafs. Default looks for column 't_vaf'
<code>segFile</code>	path to CBS segmented copy number file. Column names should be Sample, Chromosome, Start, End, Num_Probes and Segment_Mean (log2 scale).
<code>ignChr</code>	ignore these chromosomes from analysis. e.g. sex chromosomes chrX, chrY. Default NULL.
<code>minVaf</code>	filter low frequency variants. Low vaf variants maybe due to sequencing error. Default 0. (on the scale of 0 to 1)
<code>maxVaf</code>	filter high frequency variants. High vaf variants maybe due to copy number alterations or impure tumor. Default 1. (on the scale of 0 to 1)
<code>dirichlet</code>	Deprecated! No longer supported. uses nonparametric dirichlet process for clustering. Default FALSE - uses finite mixture models.

Details

This function clusters variants based on VAF to estimate univariate density and cluster classification. There are two methods available for clustering. Default using parametric finite mixture models and another method using nonparametric infinite mixture models (Dirichlet process).

Value

list of clustering tables.

References

Chris Fraley and Adrian E. Raftery (2002) Model-based Clustering, Discriminant Analysis and Density Estimation *Journal of the American Statistical Association* 97:611-631

Jara A, Hanson TE, Quintana FA, Muller P, Rosner GL. DPpackage: Bayesian Semi- and Nonparametric Modeling in R. *Journal of statistical software*. 2011;40(5):1-30.

Olshen AB, Venkatraman ES, Lucito R, Wigler M. Circular binary segmentation for the analysis of array-based DNA copy number data. *Biostatistics*. 2004;5(4):557-72.

See Also

[plotClusters](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
TCGA.AB.2972.clust <- inferHeterogeneity(maf = lam1, tsb = 'TCGA-AB-2972', vafCol = 'i_TumorVAF_WU')
```

lollipopPlot

Draws lollipop plot of amino acid changes on to Protein structure.

Description

Draws lollipop plot of amino acid changes.

Usage

```
lollipopPlot(maf, gene = NULL, AACol = NULL, labelPos = NULL,
  labPosSize = 3, showMutationRate = TRUE, fn = NULL,
  showDomainLabel = TRUE, cBioPortal = FALSE, refSeqID = NULL,
  proteinID = NULL, repel = FALSE, collapsePosLabel = TRUE,
  legendTxtSize = 10, labPosAngle = 0, domainLabelSize = 2.5,
  axisTextSize = c(9, 12), printCount = FALSE, colors = NULL,
  domainColors = NULL, labelOnlyUniqueDoamins = TRUE, defaultYaxis = TRUE,
  titleSize = c(12, 10), pointSize = 1.5)
```

Arguments

maf	an MAF object generated by <code>read.maf</code>
gene	HGNC symbol for which protein structure to be drawn.
AACol	manually specify column name for amino acid changes. Default looks for fields 'HGVS_Short', 'AACChange' or 'Protein_Change'. Changes can be of any format i.e, can be a numeric value or HGVS annotations (e.g; p.P459L, p.L2195Pfs*30 or p.Leu2195ProfsTer30)
labelPos	Amino acid positions to label. If 'all', labels all variants.
labPosSize	Text size for labels. Default 3
showMutationRate	Default TRUE
fn	basename for plot file to be saved. If provided a pdf will be generated. Default NULL.
showDomainLabel	Label domains within the plot. Default TRUE. If FALSE they will be annotated in legend.
cBioPortal	Adds annotations similar to cBioPortals MutationMapper and collapse Variants into Truncating and rest.
refSeqID	RefSeq transcript identifier for gene if known.
proteinID	RefSeq protein identifier for gene if known.
repel	If points are too close to each other, use this option to repel them. Default FALSE. Warning: naive method, might make plot ugly in case of too many variants!
collapsePosLabel	Collapses overlapping labels at same position. Default TRUE
legendTxtSize	Text size for legend. Default 10
labPosAngle	angle for labels. Defaults to horizontal 0 degree labels. Set to 90 for vertical; 45 for diagonal labels.
domainLabelSize	text size for domain labels. Default 2.
axisTextSize	text size x and y tick labels. Default c(9,12).
printCount	If TRUE, prints number of summarized variants for the given protein.
colors	named vector of colors for each Variant_Classification. Default NULL.
domainColors	Manual colors for protein domains
labelOnlyUniqueDoamins	Default TRUE only labels unique doamins.
defaultYaxis	If FALSE, just labels min and maximum y values on y axis.
titleSize	font size for title and subtitle. Default c(12, 10)
pointSize	size of lollipop heads. Default 1.5

Details

This function by default looks for fields 'HGVS_Short', 'AACChange' or 'Protein_Change' in maf file. One can also manually specify field name containing amino acid changes.

Value

ggplot object of the plot, which can be further modified.

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
lollipopPlot(maf = lam1, gene = 'KIT', AACol = 'Protein_Change')
```

MAF-class

Class MAF

Description

S4 class for storing summarized MAF.

Slots

`data` `data.table` of MAF file containing all non-synonymous variants.

`variants.per.sample` table containing variants per sample

`variant.type.summary` table containing variant types per sample

`variant.classification.summary` table containing variant classification per sample

`gene.summary` table containing variant classification per gene

`summary` table with basic MAF summary stats

`maf.silent` subset of main MAF containing only silent variants

`clinical.data` clinical data associated with each sample/Tumor_Sample_Barcode in MAF.

See Also

[getGeneSummary](#) [getSampleSummary](#) [getFields](#)

mafCompare

compare two cohorts (MAF).

Description

compare two cohorts (MAF).

Usage

```
mafCompare(m1, m2, m1Name = NULL, m2Name = NULL, minMut = 5,
           useCNV = TRUE)
```

Arguments

m1	first MAF object
m2	second MAF object
m1Name	optional name for first cohort
m2Name	optional name for second cohort
minMut	Consider only genes with minimum this number of samples mutated in at least one of the cohort for analysis. Helpful to ignore single mutated genes. Default 5.
useCNV	whether to include copy number events to compare MAFs. Only applicable when MAF is read along with copy number data. Default TRUE if available.

Details

Performs fisher test on 2x2 contingency table generated from two cohorts to find differentially mutated genes.

Value

result list

See Also

[forestPlot](#)

Examples

```
primary.apl <- system.file("extdata", "APL_primary.maf.gz", package = "maftools")
relapse.apl <- system.file("extdata", "APL_relapse.maf.gz", package = "maftools")
primary.apl <- read.maf(maf = primary.apl)
relapse.apl <- read.maf(maf = relapse.apl)
pt.vs.rt <- mafCompare(m1 = primary.apl, m2 = relapse.apl, m1Name = 'Primary',
m2Name = 'Relapse', minMut = 5)
```

mafSummary

Summary statistics of MAF

Description

Summarizes genes and samples irrespective of the type of alteration. This is different from [getSampleSummary](#) and [getGeneSummary](#) which returns summaries of only non-synonymous variants.

Usage

```
mafSummary(maf)
```

Arguments

maf an MAF object generated by [read.maf](#)

Details

This function takes MAF object as input and returns summary table.

Value

Returns a list of summarized tables

See Also

[getGeneSummary](#) [getSampleSummary](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
mafSummary(maf = lam1)
```

mafSurvival	<i>Performs survival analysis</i>
-------------	-----------------------------------

Description

Performs survival analysis by grouping samples from maf based on mutation status of given gene(s) or manual grouping of samples.

Usage

```
mafSurvival(maf, genes = NULL, samples = NULL, clinicalData = NULL,
  time = "Time", Status = "Status", groupNames = c("Mutant", "WT"),
  showConfInt = TRUE, addInfo = TRUE, col = c("maroon", "royalblue"),
  isTCGA = FALSE, textSize = 12, fn = NULL, width = 6, height = 6)
```

Arguments

maf	an MAF object generated by read.maf
genes	gene names for which survival analysis needs to be performed.
samples	samples to group by. Genes and samples are mutually exclusive.
clinicalData	dataframe containing events and time to events. Default looks for clinical data in annotation slot of MAF .
time	column name containing time in clinicalData
Status	column name containing status of patients in clinicalData. must be logical or numeric. e.g, TRUE or FALSE, 1 or 0.
groupNames	names for groups. Should be of length two. Default c("Mutant", "WT")
showConfInt	TRUE. Whether to show confidence interval in KM plot.
addInfo	TRUE. Whether to show survival info in the plot.
col	colors for plotting.
isTCGA	FALSE. Is data is from TCGA.
textSize	Text size for surv table. Default 7.
fn	NULL. If provided saves pdf plot with basename fn.
width	width of plot to be saved. Default 6
height	height of plot to be saved. Default 6

Details

This function takes MAF file and groups them based on mutation status associated with given gene(s) and performs survival analysis. Requires dataframe containing survival status and time to event. Make sure sample names match to Tumor Sample Barcodes from MAF file.

Value

Survival plot

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "mafTools")
laml.clin <- system.file("extdata", "tcga_laml_annot.tsv", package = "mafTools")
laml <- read.maf(maf = laml.maf, clinicalData = laml.clin)
mafSurvival(maf = laml, genes = 'DNMT3A', time = 'days_to_last_followup', Status = 'Overall_Survival_Status',
```

math.score

calculates MATH (Mutant-Allele Tumor Heterogeneity) score.

Description

calculates MATH scores from variant allele frequencies. Mutant-Allele Tumor Heterogeneity (MATH) score is a measure of intra-tumor genetic heterogeneity. High MATH scores are related to lower survival rates. This function requires vafs.

Usage

```
math.score(maf, vafCol = NULL, sampleName = NULL, vafCutOff = 0.075)
```

Arguments

maf	an MAF object generated by read.maf
vafCol	manually specify column name for vafs. Default looks for column 't_vaf'
sampleName	sample name for which MATH score to be calculated. If NULL, calculates for all samples.
vafCutOff	minimum vaf for a variant to be considered for score calculation. Default 0.075

Value

data.table with MATH score for every Tumor_Sample_Barcode

References

Mroz, Edmund A. et al. Intra-Tumor Genetic Heterogeneity and Mortality in Head and Neck Cancer: Analysis of Data from The Cancer Genome Atlas. Ed. Andrew H. Beck. PLoS Medicine 12.2 (2015): e1001786.

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
laml.math <- math.score(maf = laml, vafCol = 'i_TumorVAF_WU',
  sampleName = c('TCGA-AB-3009', 'TCGA-AB-2849', 'TCGA-AB-3002', 'TCGA-AB-2972'))
```

mutCountMatrix	<i>Generates count matrix of mutations.</i>
----------------	---

Description

Generates a count matrix of mutations. i.e, number of mutations per gene per sample.

Usage

```
mutCountMatrix(maf, includeSyn = FALSE, countOnly = NULL,
  removeNonMutated = TRUE)
```

Arguments

maf	an MAF object generated by read.maf
includeSyn	whether to include synonymous variants in ouput matrix. Default FALSE
countOnly	Default NULL - counts all variants. You can specify type of 'Variant_Classification' to count. For e.g, countOnly = 'Splice_Site' will generates matrix for only Splice_Site variants.
removeNonMutated	Logical Default TRUE, removes samples with no mutations from the matrix.

Value

Integer Matrix

See Also

[getFields](#) [getGeneSummary](#) [getSampleSummary](#)

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
##Generate matrix
mutCountMatrix(maf = laml)
##Generate count matrix of Splice_Site mutations
mutCountMatrix(maf = laml, countOnly = 'Splice_Site')
```

`oncodrive`*Detect cancer driver genes based on positional clustering of variants.*

Description

Clusters variants based on their position to detect disease causing genes.

Usage

```
oncodrive(maf, AACol = NULL, minMut = 5, pvalMethod = "zscore",  
          nBgGenes = 100, bgEstimate = TRUE, ignoreGenes = NULL)
```

Arguments

<code>maf</code>	an MAF object generated by <code>read.maf</code>
<code>AACol</code>	manually specify column name for amino acid changes. Default looks for field 'AACChange'
<code>minMut</code>	minimum number of mutations required for a gene to be included in analysis. Default 5.
<code>pvalMethod</code>	either <code>zscore</code> (default method for <code>oncodriveCLUST</code>), <code>poisson</code> or <code>combined</code> (uses lowest of the two pvalues).
<code>nBgGenes</code>	minimum number of genes required to estimate background score. Default 100. Do not change this unless its necessary.
<code>bgEstimate</code>	If <code>FALSE</code> skips background estimation from synonymous variants and uses predefined values estimated from COSMIC synonymous variants.
<code>ignoreGenes</code>	Ignore these genes from analysis. Default <code>NULL</code> . Helpful in case data contains large number of variants belonging to polymorphic genes such as mucins and <code>TTN</code> .

Details

This is the re-implimentation of algorithm defined in `OncodriveCLUST` article. Concept is based on the fact that most of the variants in cancer causing genes are enriched at few specific loci (aka hotspots). This method takes advantage of such positions to identify cancer genes. Cluster score of 1 means, a single hotspot hosts all observed variants. If you use this function, please cite `OncodriveCLUST` article.

Value

data table of genes ordered according to p-values.

References

Tamborero D, Gonzalez-Perez A and Lopez-Bigas N. `OncodriveCLUST`: exploiting the positional clustering of somatic mutations to identify cancer genes. *Bioinformatics*. 2013; doi: 10.1093/bioinformatics/btt395s

See Also

[plotOncodrive](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "mafTools")
lam1 <- read.maf(maf = lam1.maf)
lam1.sig <- oncodrive(maf = lam1, AACol = 'Protein_Change', minMut = 5)
```

oncoplot	<i>draw an oncoplot</i>
----------	-------------------------

Description

takes output generated by `read.maf` and draws an oncoplot

Usage

```
oncoplot(maf, top = 20, genes = NULL, mutsig = NULL, mutsigQval = 0.1,
  drawRowBar = TRUE, drawColBar = TRUE, clinicalFeatures = NULL,
  annotationDat = NULL, annotationColor = NULL, genesToIgnore = NULL,
  showTumorSampleBarcodes = FALSE, removeNonMutated = TRUE, colors = NULL,
  sortByMutation = FALSE, sortByAnnotation = FALSE,
  annotationOrder = NULL, keepGeneOrder = FALSE, GeneOrderSort = TRUE,
  sampleOrder = NULL, writeMatrix = FALSE, fontSize = 10,
  SampleNameFontSize = 10, titleFontSize = 15, legendFontSize = 12,
  annotationFontSize = 12, annotationTitleFontSize = 12)
```

Arguments

<code>maf</code>	an MAF object generated by <code>read.maf</code>
<code>top</code>	how many top genes to be drawn. defaults to 20.
<code>genes</code>	Just draw oncoplot for these genes. Default NULL.
<code>mutsig</code>	Mutsig results if available. Usually file named <code>sig_genes.txt</code> If provided plots significant genes and corresponding Q-values as side row-bar. Default NULL.
<code>mutsigQval</code>	Q-value to choose significant genes from mutsig results. Default 0.1
<code>drawRowBar</code>	logical plots barplot for each gene. Default TRUE.
<code>drawColBar</code>	logical plots barplot for each sample. Default TRUE.
<code>clinicalFeatures</code>	columns names from 'clinical.data' slot of MAF to be drawn in the plot. Default NULL.
<code>annotationDat</code>	If MAF file was read without clinical data, provide a custom data.frame with a column containing <code>Tumor_Sample_Barcodes</code> along with rest of columns with annotations. You can specify which columns to be drawn using 'clinicalFeatures' argument.
<code>annotationColor</code>	list of colors to use for 'clinicalFeatures'. Must be a named list. Default NULL.
<code>genesToIgnore</code>	do not show these genes in Oncoplot. Default NULL.
<code>showTumorSampleBarcodes</code>	logical to include sample names.

<code>removeNonMutated</code>	Logical. If TRUE removes samples with no mutations in the oncoplot for better visualization. Default TRUE.
<code>colors</code>	named vector of colors for each <code>Variant_Classification</code> .
<code>sortByMutation</code>	Force sort matrix according mutations. Helpful in case of MAF was read along with copy number data. Default FALSE.
<code>sortByAnnotation</code>	logical sort oncomatrix (samples) by provided <code>'clinicalFeatures'</code> . Sorts based on first <code>'clinicalFeatures'</code> . Defaults to FALSE. column-sort
<code>annotationOrder</code>	Manually specify order for annotations. Works only for first <code>'clinicalFeatures'</code> . Default NULL.
<code>keepGeneOrder</code>	logical whether to keep order of given genes. Default FALSE, order according to mutation frequency
<code>GeneOrderSort</code>	logical this is applicable when <code>'keepGeneOrder'</code> is TRUE. Default TRUE
<code>sampleOrder</code>	Manually speify sample names for oncolplot ordering. Default NULL.
<code>writeMatrix</code>	writes character coded matrix used to generate the plot to an output file. This can be used as an input for ComplexHeatmap oncoPrint function if you wish to customize the plot.
<code>fontSize</code>	font size for gene names. Default 10.
<code>SampleNamefontSize</code>	font size for sample names. Default 10
<code>titleFontSize</code>	font size for title. Default 15
<code>legendFontSize</code>	font size for legend. Default 12
<code>annotationFontSize</code>	font size for annotations. Default 12
<code>annotationTitleFontSize</code>	font size for annotation title. Default 12

Details

Takes maf file as input and plots it as a matrix. Any desired clinical features can be added at the bottom of the oncoplot by providing `clinicalFeatures`. Oncoplot can be sorted either by mutations or by `clinicalFeatures` using arguments `sortByMutation` and `sortByAnnotation` respectively.

Value

None.

See Also

[oncostrip](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
oncoplot(maf = lam1, top = 3)
```

oncostrip *draw an oncostrip similar to cBioportal oncprinter output.*

Description

draw an oncostrip similar to cBioportal oncprinter output.

Usage

```
oncostrip(maf, genes = NULL, top = 5, colors = NULL, sort = TRUE,
  clinicalFeatures = NULL, annotationDat = NULL, sortByAnnotation = FALSE,
  annotationOrder = NULL, removeNonMutated = TRUE,
  showTumorSampleBarcodes = FALSE, annotationColor = NULL, fontSize = 10,
  titleFontSize = 15, legendFontSize = 12)
```

Arguments

maf	an MAF object generated by <code>read.maf</code>
genes	draw oncprinter for these genes. default NULL. Plots top 5 genes.
top	how many top genes to be drawn. defaults to 5.
colors	named vector of colors for each <code>Variant_Classification</code> .
sort	logical sort oncomatrix for enhanced visualization. Defaults to TRUE.
clinicalFeatures	columns names from 'clinical.data' slot of MAF to be drawn in the plot. Default NULL.
annotationDat	If MAF file was read without annotations, provide a custom data.frame with a column containing <code>Tumor_Sample_Barcodes</code> along with rest of columns with annotations. You can specify which columns to be drawn using 'clinicalFeatures' argument.
sortByAnnotation	logical sort oncomatrix (samples) by provided 'clinicalFeatures' Defaults to FALSE. column-sort.
annotationOrder	Manually specify order for annotations. Works only for first 'clinicalFeatures'. Default NULL.
removeNonMutated	Logical. If TRUE removes samples with no mutations in the oncoplot for better visualization. Default TRUE.
showTumorSampleBarcodes	logical to include sample names.
annotationColor	list of colors to use for 'clinicalFeatures'. Must be a named list. Default NULL.
fontSize	font size for gene names. Default 10.
titleFontSize	font size for title. Default 15
legendFontSize	font size for legend. Default 12

Value

None.

See Also

[oncoplots](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
dev.new()
oncostrip(maf = lam1, genes = c('NPM1', 'RUNX1'))
```

oncotate

Annotates given variants using oncotator api.

Description

Takes input variants and annotates them using Broad's oncotator api (<http://www.broadinstitute.org/oncotator/>). Output is a dataframe of annotated variants in maf format.

Input should be tsv file or a data.frame with first five columns in the order chr, start, end, ref_allele, alt_allele (and so on, but only first five will be used, rest will be attached to resulting maf file). Note: Time consuming if input is huge. Try to include necessary columns such as Tumor_Sample_Barcode along with above 5 fields. Only supports hg19/GRCh37 build.

Usage

```
oncotate(maflite, header = FALSE, basename = NULL)
```

Arguments

mafLite	input tsv file or a data.frame with chr, start, end, ref_allele, alt_allele columns. (rest of the columns, if present will be attached to the output maf)
header	logical. Whether input has a header line. Default is FALSE. Only applicable when the input is a tsv file.
basename	NULL. if basename is given, annotations will be written to <basename>.maf file.

Value

returns a data.table in maf format.

Examples

```
sample.var = data.frame(chromosome = c('chr4', 'chr15'), Start = c(55589774, 41961117),
end = c(55589774, 41961117), ref = c('A', 'TGGCTAA'), alt = c('G', '-'),
Tumor_Sample_Barcode = c('fake_1', 'fake2'))
write.table(sample.var, 'sampleVars.txt', sep='\t', quote = FALSE, row.names = FALSE)
##var.maf <- oncotate(mafLite = 'sampleVars.txt', header = TRUE)
```

pancanComparison *Perform PacCancer analysis*

Description

Takes MutSig results and compares them against PanCancer results.

Usage

```
pancanComparison(mutsigResults, qval = 0.1, cohortName = "input",
  inputSampleSize = NULL, label = 1, genesToLabel = NULL,
  normSampleSize = FALSE, file = NULL, width = 6, height = 6,
  pointSize = 3, labelSize = 3)
```

Arguments

mutsigResults	MutSig results (usually sig_genes.txt). Can be gz compressed.
qval	qvalue threshold to define SMG. Default 0.1
cohortName	Input cohort name.
inputSampleSize	Sample size from MAF file used to generate mutSig results. Optional.
label	Default 1. Can be 1, 2 or 3.
genesToLabel	Default NULL. Exclusive with label argument.
normSampleSize	normalizes gene sizes to draw bubble plot. Requires inputSampleSize. i.e, bubble sizes proportional to fraction of samples in which the gene is mutated.
file	basename for output file (both raw data and plot are saved)
width	width of the file to be saved.
height	height of the file to be saved.
pointSize	size for scatter plot. Default 1.
labelSize	label text size. Default 3

Details

This function takes MutSig results and compares them against panCancer cohort (~5000 tumor samples from 21 cancer types). This analysis can reveal novel genes exclusively mutated in input cohort.

Value

ggplot object

References

Lawrence MS, Stojanov P, Mermel CH, et al. Discovery and saturation analysis of cancer genes across 21 tumor types. *Nature*. 2014;505(7484):495-501. doi:10.1038/nature12912.

Examples

```
lam1.mutsig <- system.file("extdata", "LAML_sig_genes.txt.gz", package = "maftools")
pancanComparison(mutsigResults = lam1.mutsig, qval = 0.1, cohortName = 'LAML', inputSampleSize = 200, label =
```

pfamDomains *pfam domain annotation and summarization.*

Description

Summarizes amino acid positions and annotates them with pfam domain information.

Usage

```
pfamDomains(maf = NULL, AACol = NULL, summarizeBy = "AAPos", top = 5,
  domainsToLabel = NULL, baseName = NULL, varClass = "nonSyn",
  width = 5, height = 5, labelSize = 3)
```

Arguments

maf	an MAF object generated by read.maf
AACol	manually specify column name for amino acid changes. Default looks for field 'AChange'
summarizeBy	Summarize domains by amino acid position or conversions. Can be "AAPos" or "AChange"
top	How many top mutated domains to label in the scatter plot. Defaults to 5.
domainsToLabel	Default NULL. Exclusive with top argument.
baseName	If given writes the results to output file. Default NULL.
varClass	which variants to consider for summarization. Can be nonSyn, Syn or all. Default nonSyn.
width	width of the file to be saved.
height	height of the file to be saved.
labelSize	font size for labels. Default 3.

Value

returns a list two tables summarized by amino acid positions and domains respectively. Also plots top 5 most mutated domains as scatter plot.

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
pfamDomains(maf = lam1, AACol = 'Protein_Change')
```

plotApobecDiff	<i>Plot differences between APOBEC enriched and non-APOBEC enriched samples.</i>
----------------	--

Description

Plots differences between APOBEC enriched and non-APOBEC enriched samples

Usage

```
plotApobecDiff(tnm, maf, title_size = 1, axis_lwd = 2, font_size = 1.2)
```

Arguments

tnm	output generated by trinucleotideMatrix
maf	an MAF object used to generate the matrix
title_size	size of title. Default 1.3
axis_lwd	axis width. Default 2.
font_size	font size. Default 1.2

Details

Plots differences between APOBEC enriched and non-APOBEC enriched samples (TCW). Plot includes differences in mutations load, tCw motif distribution and top genes altered.

Value

list of table containing differentially altered genes. This can be passed to [forestPlot](#) to plot results.

See Also

[trinucleotideMatrix](#) [plotSignatures](#)

Examples

```
## Not run:  
lam1.tnm <- trinucleotideMatrix(maf = lam1, ref_genome = 'hg19.fa', prefix = 'chr',  
add = TRUE, useSyn = TRUE)  
plotApobecDiff(lam1.tnm)  
  
## End(Not run)
```

plotCBSsegments *Plots segmented copy number data.*

Description

Plots segmented copy number data.

Usage

```
plotCBSsegments(cbsFile = NULL, maf = NULL, tsb = NULL, chr = NULL,
  savePlot = FALSE, width = 6, height = 3, labelAll = FALSE,
  genes = NULL, ref.build = "hg19", writeTable = FALSE,
  removeXY = FALSE, color = NULL)
```

Arguments

cbsFile	CBS segmented copy number file. Column names should be Sample, Chromosome, Start, End, Num_Probes and Segment_Mean (log2 scale).
maf	optional MAF
tsb	If segmentation file contains many samples (as in gistic input), specify sample name here. Default plots all samples. If you are mapping maf, make sure sample names in Sample column of segmentation file matches to those Tumor_Sample_Barcodes in MAF.
chr	Just plot this chromosome.
savePlot	If true plot is saved as pdf.
width	width of plot
height	height of plot
labelAll	If true and if maf object is specified, maps all mutations from maf onto segments. Default FALSE, maps only variants on copy number altered regions.
genes	highlight only these variants
ref.build	Reference build for chromosome sizes. Can be hg18, hg19 or hg38. Default hg19.
writeTable	If true and if maf object is specified, writes plot data with each variant and its corresponding copynumber to an output file.
removeXY	don not plot sex chromosomes.
color	Manually specify color scheme for chromosomes. Default NULL. i.e, alternating Gray70 and midnightblue

Details

this function takes segmented copy number data and plots it. If MAF object is specified, all mutations are highlighted on the plot.

Value

ggplot object

Examples

```
tcga.ab.009.seg <- system.file("extdata", "TCGA.AB.3009.hg19.seg.txt", package = "maftools")
plotCBSsegments(cbsFile = tcga.ab.009.seg)
```

plotClusters

Plot density plots from clustering results.

Description

Plots results from `inferHeterogeneity`.

Usage

```
plotClusters(clusters, tsb = NULL, genes = NULL, showCNvars = FALSE,
             savePlot = FALSE, width = 6, height = 5, colors = NULL)
```

Arguments

<code>clusters</code>	clustering results from inferHeterogeneity
<code>tsb</code>	sample to plot from clustering results. Default plots all samples from results.
<code>genes</code>	genes to highlight on the plot. Can be a vector of gene names, <code>CN_altered</code> to label copy number altered variants. or <code>all</code> to label all genes. Default <code>NULL</code> .
<code>showCNvars</code>	show copy numbered altered variants on the plot. Default <code>FALSE</code> .
<code>savePlot</code>	If <code>TRUE</code> saves plot to output pdf
<code>width</code>	plot width. Default 6.
<code>height</code>	plot height. Default 5.
<code>colors</code>	manual colors for clusters. Default <code>NULL</code> .

Value

returns nothing.

See Also

[inferHeterogeneity](#)

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
seg = system.file('extdata', 'TCGA.AB.3009.hg19.seg.txt', package = 'maftools')
TCGA.AB.3009.clust <- inferHeterogeneity(maf = laml, tsb = 'TCGA-AB-3009',
                                       segFile = seg, vafCol = 'i_TumorVAF_WU')
plotClusters(TCGA.AB.3009.clust, genes = c('NF1', 'SUZ12'), showCNvars = TRUE)
```

plotmafSummary *Plots maf summary.*

Description

Plots maf summary.

Usage

```
plotmafSummary(maf, file = NULL, rmOutlier = TRUE, dashboard = TRUE,
  titvRaw = TRUE, width = 10, height = 7, addStat = NULL,
  showBarcodes = FALSE, fs = 10, textSize = 2, color = NULL,
  statFontSize = 3, titleSize = c(10, 8), titvColor = NULL, top = 10)
```

Arguments

maf	an MAF object generated by read.maf
file	If given pdf file will be generated.
rmOutlier	If TRUE removes outlier from boxplot.
dashboard	If FALSE plots simple summary instead of dashboard style.
titvRaw	TRUE. If false instead of raw counts, plots fraction.
width	plot parameter for output file.
height	plot parameter for output file.
addStat	Can be either mean or median. Default NULL.
showBarcodes	include sample names in the top bar plot.
fs	base size for text. Default 10.
textSize	font size if showBarcodes is TRUE. Default 2.
color	named vector of colors for each Variant_Classification.
statFontSize	font size if addStat is used. Default 3.
titleSize	font size for title and subtitle. Default c(10, 8)
titvColor	colors for SNV classifications.
top	include top n genes dashboard plot. Default 10.

Value

Prints plot.

See Also

[read.maf](#) MAF

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf, useAll = FALSE)
plotmafSummary(maf = laml, addStat = 'median')
```

plotOncodrive	<i>Plots results from oncodrive</i>
---------------	-------------------------------------

Description

Takes results from oncodrive and plots them as a scatter plot. Size of the gene shows number of clusters (hotspots), x-axis can either be an absolute number of variants accumulated in these clusters or a fraction of total variants found in these clusters. y-axis is fdr values transformed into $-\log_{10}$ for better representation. Labels indicate Gene name with number clusters observed.

Usage

```
plotOncodrive(res = NULL, fdrCutoff = 0.05, useFraction = FALSE,  
              colCode = NULL, labelSize = 2)
```

Arguments

res	results from oncodrive
fdrCutoff	fdr cutoff to call a gene as a driver.
useFraction	if TRUE uses a fraction of total variants as X-axis scale instead of absolute counts.
colCode	Colors to use for indicating significant and non-significant genes. Default NULL
labelSize	font size for labelling genes. Default 2.

Value

a ggplot object which can be further modified.

See Also

[oncodrive](#)

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")  
laml <- read.maf(maf = laml.maf)  
laml.sig <- oncodrive(maf = laml, AACol = 'Protein_Change', minMut = 5)  
plotOncodrive(res = laml.sig, fdrCutoff = 0.1)
```

plotSignatures *Plots decomposed mutational signatures*

Description

Takes results from [extractSignatures](#) and plots decomposed mutational signatures as a barplot.

Usage

```
plotSignatures(nmfRes = NULL, contributions = FALSE, color = NULL,
  patient_order = NULL, font_size = 1.2, axis_lwd = 2, title_size = 0.9,
  ...)
```

Arguments

nmfRes	results from extractSignatures
contributions	If TRUE plots contribution of signatures in each sample.
color	colors for each Ti/Tv conversion class. Default NULL
patient_order	User defined ordering of samples. Default NULL.
font_size	font size. Default 1.2
axis_lwd	axis width. Default 2.
title_size	size of title. Default 1.3
...	further plot options passed to barplot

Value

ggplot object if contributions is TRUE

See Also

[trinucleotideMatrix](#) [plotSignatures](#)

plotTiTv *Plot Transition and Trasnversion ratios.*

Description

Takes results generated from [titv](#) and plots the Ti/Tv ratios and contributions of 6 mutational conversion classes in each sample.

Usage

```
plotTiTv(res = NULL, plotType = "both", file = NULL, width = 6,
  height = 5, color = NULL, showBarcodes = FALSE, textSize = 2,
  baseFontSize = 12, axisTextSize = c(9, 9))
```

Arguments

res	results generated by titv
plotType	Can be 'bar', 'box' or 'both'. Defaults to 'both'
file	basename for output file name. If given pdf will be generated.
width	width of the plot, in inches.
height	height of the plot, in inches.
color	named vector of colors for each conversion class.
showBarcodes	Whether to include sample names for barplot
textSize	fontsize if showBarcodes is TRUE. Deafult 2.
baseFontSize	font size. Deafult 12.
axisTextSize	text size x and y tick labels. Default c(9,9).

Value

None.

See Also

[titv](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "mafTools")
lam1 <- read.maf(maf = lam1.maf)
lam1.titv = titv(maf = lam1, useSyn = TRUE)
plotTiTv(lam1.titv)
```

plotVaf

Plots vaf distribution of genes

Description

Plots vaf distribution of genes as a boxplot or violinplot.

Usage

```
plotVaf(maf, vafCol = NULL, genes = NULL, violin = FALSE, top = 10,
        orderByMedian = TRUE, flip = FALSE, fn = NULL, width = 6,
        height = 5)
```

Arguments

maf	an MAF object generated by read.maf
vafCol	manually specify column name for vafs. Default looks for column 't_vaf'
genes	specify genes for which plots has to be generated
violin	if TRUE plots violin plot
top	if genes is NULL plots top n number of genes. Defaults to 5.
orderByMedian	Orders genes by decreasing median VAF. Default TRUE
flip	if TRUE, flips axes. Default FALSE
fn	Filename. If given saves plot as a output pdf. Default NULL.
width	Width of plot to be saved. Default 6
height	Height of plot to be saved. Default 5

Value

ggplot object which can be further modified.

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
plotVaf(maf = laml, vafCol = 'i_TumorVAF_WU')
```

prepareMutSig	<i>Prepares MAF file for MutSig analysis.</i>
---------------	---

Description

Corrects gene names for MutSig compatibility.

Usage

```
prepareMutSig(maf, fn = NULL)
```

Arguments

maf	an MAF object generated by read.maf
fn	basename for output file. If provided writes MAF to an output file with the given basename.

Details

MutSig/MutSigCV is most widely used program for detecting driver genes. However, we have observed that covariates files (gene.covariates.txt and exome_full192.coverage.txt) which are bundled with MutSig have non-standard gene names (non Hugo_Symbols). This discrepancy between Hugo_Symbols in MAF and non-Hugo_symbols in covariates file causes MutSig program to ignore such genes. For example, KMT2D - a well known driver gene in Esophageal Carcinoma is represented as MLL2 in MutSig covariates. This causes KMT2D to be ignored from analysis and is represented as an insignificant gene in MutSig results. This function attempts to correct such gene symbols with a manually curated list of gene names compatible with MutSig covariates list.

Value

returns a MAF with gene symbols corrected.

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
prepareMutSig(maf = lam1)
```

rainfallPlot

Rainfall plot to display hyper mutated genomic regions.

Description

Plots inter variant distance as a function of genomic locus.

Usage

```
rainfallPlot(maf, tsb = NULL, detectChangePoints = FALSE,
             ref.build = "hg19", color = NULL, savePlot = FALSE, width = 6,
             height = 3, fontSize = 12, pointSize = 1)
```

Arguments

maf	an MAF object generated by <code>read.maf</code> . Required.
tsb	specify sample names (Tumor_Sample_Barcodes) for which plotting has to be done. If NULL, draws plot for most mutated sample.
detectChangePoints	If TRUE, detects genomic change points where potential kataegis are formed. Results are written to an output tab delimited file.
ref.build	Reference build for chromosome sizes. Can be hg18, hg19 or hg38. Default hg19.
color	named vector of colors for each coversion class.
savePlot	If TRUE plot is saved to output pdf. Default FALSE.
width	width of plot to be saved.
height	height of plot to be saved.
fontSize	Default 12.
pointSize	Default 2.

Details

If ‘detectChangePoints’ is set to TRUE, this method will use Change-Point detection method to identify genomic loci where average inter-mutation distance changes from the background. Segments detected with less than 6 mutations are filtered out.

Value

returns ggplot object of the plot which can be further modified. Results are written to an output file with suffix changePoints.tsv

read.maf *Read MAF files.*

Description

Takes tab delimited MAF (can be plain text or gz compressed) file as an input and summarizes it in various ways. Also creates oncomatrix - helpful for visualization.

Usage

```
read.maf(maf, clinicalData = NULL, removeDuplicatedVariants = TRUE,
         useAll = TRUE, gisticAllLesionsFile = NULL, gisticAmpGenesFile = NULL,
         gisticDelGenesFile = NULL, gisticScoresFile = NULL, cnLevel = "all",
         cnTable = NULL, isTCGA = FALSE, vc_nonSyn = NULL, verbose = TRUE)
```

Arguments

maf	tab delimited MAF file. File can also be gz compressed. Required. Alternatively, you can also provide already read MAF file as a dataframe.
clinicalData	Clinical data associated with each sample/Tumor_Sample_Barcode in MAF. Could be a text file or a data.frame. Default NULL.
removeDuplicatedVariants	removes repeated variants in a particular sample, mapped to multiple transcripts of same Gene. See Description. Default TRUE.
useAll	logical. Whether to use all variants irrespective of values in Mutation_Status. Defaults to TRUE. If FALSE, only uses with values Somatic.
gisticAllLesionsFile	All Lesions file generated by gistic. e.g; all_lesions.conf_XX.txt, where XX is the confidence level. Default NULL.
gisticAmpGenesFile	Amplification Genes file generated by gistic. e.g; amp_genes.conf_XX.txt, where XX is the confidence level. Default NULL.
gisticDelGenesFile	Deletion Genes file generated by gistic. e.g; del_genes.conf_XX.txt, where XX is the confidence level. Default NULL.
gisticScoresFile	scores.gistic file generated by gistic. Default NULL
cnLevel	level of CN changes to use. Can be 'all', 'deep' or 'shallow'. Default uses all i.e, genes with both 'shallow' or 'deep' CN changes
cnTable	Custom copynumber data if gistic results are not available. Input file or a data.frame should contain three columns with gene name, Sample name and copy number status (either 'Amp' or 'Del'). Default NULL.
isTCGA	Is input MAF file from TCGA source. If TRUE uses only first 12 characters from Tumor_Sample_Barcode.
vc_nonSyn	NULL. Provide manual list of variant classifications to be considered as non-synonymous. Rest will be considered as silent variants. Default uses Variant Classifications with High/Moderate variant consequences. http://asia.ensembl.org/Help/Glossary?id=Frame_Shift_Del , "Frame_Shift_Ins", "Splice_Site", "Translation_Start_Site", "Nonsense_Mutation", "Nonstop_Mutation", "In_Frame_Del", "In_Frame_Ins", "Missense_Mutation"
verbose	TRUE logical. Default to be talkative and prints summary.

Details

This function takes MAF file as input and summarizes them. If copy number data is available, e.g from GISTIC, it can be provided too via arguments `gisticAllLesionsFile`, `gisticAmpGenesFile`, and `gisticDelGenesFile`. Copy number data can also be provided as a custom table containing Gene name, Sample name and Copy Number status.

Note that if input MAF file contains multiple affected transcripts of a variant, this function by default removes them as duplicates, while keeping single unique entry per variant per sample. If you wish to keep all of them, set `removeDuplicatedVariants` to `FALSE`.

FLAGS - If you get a note on possible FLAGS while reading MAF, it means some of the top mutated genes are fishy. These genes are often non-pathogenic and passengers, but are frequently mutated in most of the public exome studies. Examples of such genes include TTN, MUC16, etc. This note can be ignored without any harm, it's only generated as to make user aware of such genes. See references for details on FLAGS.

Value

An object of class MAF.

References

Shyr C, Tarailo-Graovac M, Gottlieb M, Lee JJ, van Karnebeek C, Wasserman WW. FLAGS, frequently mutated genes in public exomes. *BMC Med Genomics* 2014; 7: 64.

See Also

[plotmafSummary](#) [write.mafSummary](#)

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
```

readGistic

Read and summarize gistic output.

Description

A little function to summarize gistic output files. Summarized output is returned as a list of tables.

Usage

```
readGistic(gisticAllLesionsFile = NULL, gisticAmpGenesFile = NULL,
  gisticDelGenesFile = NULL, gisticScoresFile = NULL, cnLevel = "all",
  isTCGA = FALSE)
```

Arguments

<code>gisticAllLesionsFile</code>	All Lesions file generated by gistic. e.g; all_lesions.conf_XX.txt, where XX is the confidence level. Required. Default NULL.
<code>gisticAmpGenesFile</code>	Amplification Genes file generated by gistic. e.g; amp_genes.conf_XX.txt, where XX is the confidence level. Default NULL.
<code>gisticDelGenesFile</code>	Deletion Genes file generated by gistic. e.g; del_genes.conf_XX.txt, where XX is the confidence level. Default NULL.
<code>gisticScoresFile</code>	scores.gistic file generated by gistic.
<code>cnLevel</code>	level of CN changes to use. Can be 'all', 'deep' or 'shallow'. Default uses all i.e, genes with both 'shallow' or 'deep' CN changes
<code>isTCGA</code>	Is the data from TCGA. Default FALSE.

Details

Requires output files generated from GISTIC. Gistic documentation can be found here <ftp://ftp.broadinstitute.org/pub/GIS>

Value

A list of summarized data.

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
```

<code>somaticInteractions</code>	<i>Exact tests to detect mutually exclusive, co-occurring and altered gene-sets.</i>
----------------------------------	--

Description

Performs Pair-wise Fisher's Exact test to detect mutually exclusive or co-occurring events. Also identifies gene sets mutated significantly.

Usage

```
somaticInteractions(maf, top = 25, genes = NULL, pvalue = c(0.05, 0.01),
  returnAll = FALSE, findPathways = TRUE, kMax = 3, fontSize = 0.8,
  verbose = TRUE)
```

Arguments

maf	an MAF object generated by <code>read.maf</code>
top	check for interactions among top 'n' number of genes. Defaults to top 25. genes
genes	List of genes among which interactions should be tested. If not provided, test will be performed between top 25 genes.
pvalue	Default c(0.05, 0.01) p-value threshold. You can provide two values for upper and lower threshold.
returnAll	If TRUE returns test statistics for all pair of tested genes. Default FALSE, returns for only genes below pvalue threshold.
findPathways	Uses all mutually exclusive set of genes to further identify altered pathways. Default TRUE
kMax	Default 3. maximum gene set size if findPathways is TRUE. This is time consuming for > 3.
fontSize	cex for gene names. Default 0.8
verbose	Default TRUE

Details

This function and plotting is inspired from genetic interaction analysis performed in the published study combining gene expression and mutation data in MDS. See reference for details.

Value

list of data.tables

References

Gerstung M, Pellagatti A, Malcovati L, et al. Combining gene mutation with gene expression data improves outcome prediction in myelodysplastic syndromes. *Nature Communications*. 2015;6:5901. doi:10.1038/ncomms6901.

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
somaticInteractions(maf = lam1, top = 5)
```

subsetMaf

Subset MAF

Description

Subsets MAF based on given conditions.

Usage

```
subsetMaf(maf, tsb = NULL, genes = NULL, fields = NULL, query = NULL,
  mafObj = FALSE, includeSyn = TRUE, isTCGA = FALSE, restrictTo = "all")
```

Arguments

maf	an MAF object generated by read.maf
tsb	subset by these samples (Tumor Sample Barcodes)
genes	subset by these genes
fields	include only these fields along with necessary fields in the output
query	query string. e.g. "Variant_Classification == 'Missense_Mutation'" returns only Missense variants.
mafObj	returns output as MAF class MAF-class . Default FALSE
includeSyn	Default TRUE, only applicable when mafObj = FALSE. If mafObj = TRUE, synonymous variants will be stored in a separate slot of MAF object.
isTCGA	Is input MAF file from TCGA source.
restrictTo	restrict subset operations to these. Can be 'all', 'cnv', or 'mutations'. Default 'all'. If 'cnv' or 'mutations', subset operations will only be applied on copy-number or mutation data respectively, while retaining other parts as is.

Value

subset table or an object of class [MAF-class](#)

See Also

[getFields](#)

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
##Select all Splice_Site mutations from DNMT3A and NPM1
subsetMaf(maf = laml, genes = c('DNMT3A', 'NPM1'),
query = "Variant_Classification == 'Splice_Site'")
##Select all variants with VAF above 30%
subsetMaf(maf = laml, query = "i_TumorVAF_WU > 30")
##Extract data for samples 'TCGA.AB.3009' and 'TCGA.AB.2933' but only include vaf filed.
subsetMaf(maf = laml, tsb = c('TCGA.AB.3009', 'TCGA.AB.2933'), fields = 'i_TumorVAF_WU')
```

tcgaCompare

Compare mutation load against TCGA cohorts

Description

Compares mutation load in input MAF against all of 33 TCGA cohorts

Usage

```
tcgaCompare(maf, cohortName = NULL, primarySite = FALSE, col = c("gray70",
"black"), medianCol = "red", fn = NULL, width = 8, height = 5,
fontSize = 10)
```

Arguments

maf	an MAF object generated by read.maf
cohortName	name for the input MAF cohort. Default "Input"
primarySite	If TRUE uses primary site of cancer as labels instead of TCGA project IDs. Default FALSE.
col	color vector for length 2 TCGA cohorts and input MAF cohort. Default gray70 and black.
medianCol	color for median line. Default red.
fn	If provided saves plot to output pdf with basename fn. Default NULL.
width	width for output plot
height	height of output plot
fontSize	base fontsize. Default 10.

Value

ggplot object

Examples

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
tcgaCompare(maf = lam1, cohortName = "AML")
```

titv

Classifies SNPs into transitions and transversions

Description

takes output generated by [read.maf](#) and classifies Single Nucleotide Variants into Transitions and Transversions.

Usage

```
titv(maf, useSyn = FALSE, plot = TRUE, file = NULL)
```

Arguments

maf	an MAF object generated by read.maf
useSyn	Logical. Whether to include synonymous variants in analysis. Defaults to FALSE.
plot	plots a titv fractions. default TRUE.
file	basename for output file name. If given writes summaries to output file. Default NULL.

Value

list of data.frames with Transitions and Transversions summary.

See Also[plotTiTv](#)**Examples**

```
lam1.maf <- system.file("extdata", "tcga_lam1.maf.gz", package = "maftools")
lam1 <- read.maf(maf = lam1.maf)
lam1.titv = titv(maf = lam1, useSyn = TRUE)
```

`trinucleotideMatrix` *Extract single 5' and 3' bases flanking the mutated site for de-novo signature analysis. Also estimates APOBEC enrichment scores.*

Description

Extract single 5' and 3' bases flanking the mutated site for de-novo signature analysis. Also estimates APOBEC enrichment scores.

Usage

```
trinucleotideMatrix(maf, ref_genome, prefix = NULL, add = TRUE,
  ignoreChr = NULL, useSyn = TRUE, fn = NULL)
```

Arguments

<code>maf</code>	an MAF object generated by read.maf
<code>ref_genome</code>	faidx indexed reference fasta file.
<code>prefix</code>	Prefix to add or remove from contig names in MAF file.
<code>add</code>	If prefix is used, default is to add prefix to contig names in MAF file. If false prefix will be removed from contig names.
<code>ignoreChr</code>	Chromosomes to remove from analysis. e.g. chrM
<code>useSyn</code>	Logical. Whether to include synonymous variants in analysis. Defaults to TRUE
<code>fn</code>	If given writes APOBEC results to an output file with basename <code>fn</code> . Default NULL.

Details

Extracts immediate 5' and 3' bases flanking the mutated site and classifies them into 96 substitution classes. This function loads reference genome into memory. Typical human genome occupies a peak memory of ~3 gb while extracting bases.

APOBEC Enrichment: Enrichment score is calculated using the same method described by Roberts et al.

$$E = (n_{tcw} * background_c) / (n_C * background_{tcw})$$

where, n_{tcw} = number of mutations within T[C>T]W and T[C>G]W context. (W -> A or T)

n_C = number of mutated C and G

`background_C` and `background_{tcw}` motifs are number of C and TCW motifs occurring around +/- 20bp of each mutation.

One-sided Fisher's Exact test is performed to determine the enrichment of APOBEC tcw mutations over background.

Value

list of 2. A matrix of dimension nx96, where n is the number of samples in the MAF and a table describing APOBEC enrichment per sample.

References

Roberts SA, Lawrence MS, Klimczak LJ, et al. An APOBEC Cytidine Deaminase Mutagenesis Pattern is Widespread in Human Cancers. *Nature genetics*. 2013;45(9):970-976. doi:10.1038/ng.2702.

See Also

[extractSignatures](#) [plotApobecDiff](#)

Examples

```
## Not run:
laml.tnm <- trinucleotideMatrix(maf = laml, ref_genome = 'hg19.fa',
prefix = 'chr', add = TRUE, useSyn = TRUE)

## End(Not run)
```

write.GisticSummary *Writes GISTIC summaries to output tab-delimited text files.*

Description

Writes GISTIC summaries to output tab-delimited text files.

Usage

```
write.GisticSummary(gistic, basename = NULL)
```

Arguments

gistic	an object of class GISTIC generated by readGistic
basename	basename for output file to be written.

Value

None. Writes output as tab delimited text files.

See Also

[readGistic](#)

Examples

```
all.lesions <- system.file("extdata", "all_lesions.conf_99.txt", package = "maftools")
amp.genes <- system.file("extdata", "amp_genes.conf_99.txt", package = "maftools")
del.genes <- system.file("extdata", "del_genes.conf_99.txt", package = "maftools")
scores.gistic <- system.file("extdata", "scores.gistic", package = "maftools")
laml.gistic = readGistic(gisticAllLesionsFile = all.lesions, gisticAmpGenesFile = amp.genes, gisticDelGenesF
write.GisticSummary(gistic = laml.gistic, basename = 'laml')
```

write.mafSummary	<i>Writes maf summaries to output tab-delimited text files.</i>
------------------	---

Description

Writes maf summaries to output tab-delimited text files.

Usage

```
write.mafSummary(maf, basename = NULL)
```

Arguments

maf	an MAF object generated by read.maf
basename	basename for output file to be written.

Value

None. Writes output as text files.

See Also

[read.maf](#)

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml <- read.maf(maf = laml.maf)
write.mafSummary(maf = laml, basename = 'laml')
```

Index

- annovarToMaf, 3
- barplot, 36
- coOncoplot, 4
- extractSignatures, 5, 36, 47
- forestPlot, 6, 20, 31
- geneCloud, 7
- genesToBarcodes, 8
- genotypeMatrix, 8
- getClinicalData, 9
- getClinicalData,MAF-method
(getClinicalData), 9
- getCytobandSummary, 9, 12
- getCytobandSummary,GISTIC-method
(getCytobandSummary), 9
- getFields, 10, 19, 23, 44
- getFields,MAF-method (getFields), 10
- getGeneSummary, 11, 12, 19–21, 23
- getGeneSummary,GISTIC-method
(getGeneSummary), 11
- getGeneSummary,MAF-method
(getGeneSummary), 11
- getSampleSummary, 11, 12, 19–21, 23
- getSampleSummary,GISTIC-method
(getSampleSummary), 11
- getSampleSummary,MAF-method
(getSampleSummary), 11
- GISTIC, 7, 14
- GISTIC (GISTIC-class), 12
- GISTIC-class, 12
- gisticBubblePlot, 12
- gisticChromPlot, 13
- gisticOncoPlot, 14
- icgcSimpleMutationToMAF, 15
- inferHeterogeneity, 16, 33
- lollipopPlot, 17
- MAF, 3, 4, 7, 8, 15, 16, 18, 20–22, 24, 25, 27, 30–32, 34, 38, 39, 43, 45, 46, 48
- MAF (MAF-class), 19
- MAF-class, 19
- mafCompare, 6, 19
- mafSummary, 20
- mafSurvival, 21
- math.score, 22
- mutCountMatrix, 23
- nmf, 5
- oncodrive, 24, 35
- oncoplot, 25, 28
- oncoPrint, 26
- oncostrip, 15, 26, 27
- oncotate, 28
- pancanComparison, 29
- pfamDomains, 30
- plotApobecDiff, 31, 47
- plotCBSsegments, 32
- plotClusters, 17, 33
- plotmafSummary, 34, 41
- plotOncodrive, 24, 35
- plotSignatures, 6, 31, 36, 36
- plotTiTv, 36, 46
- plotVaf, 37
- prepareMutSig, 38
- rainfallPlot, 39
- read.maf, 7, 8, 16, 18, 20–25, 30, 34, 38, 39, 40, 43–46, 48
- readGistic, 7, 14, 41, 47
- somaticInteractions, 42
- subsetMaf, 43
- tcgaCompare, 44
- titv, 37, 45
- trinucleotideMatrix, 5, 6, 31, 36, 46
- wordcloud, 7
- write.GisticSummary, 47
- write.mafSummary, 41, 48