

oneChannelGUI Package Installation

Raffaele A Calogero, Francesca Cordero, Remo Sanges

May 12 2011

1 Installation

It is important to install additional software other than R and Bioconductor libraries, for the complete functionality of oneChannelGUI.

The external tools and data needed to run exon array analysis in oneChannelGUI are shown in figure 1.




Figure 1: External tools needed for exon array analysis when oneChannelGUI add-on is loaded in affylmGUI.

1.1 Windows users

The latest version of R need to be installed. It can be downloaded at: <http://www.r-project.org/> oneChannelGUI needs the installation of the following packages:

```
> packageDescription("oneChannelGUI")$Depends
```

```
[1] "Biobase, affyilmGUI, tkrplot, tkWidgets, IRanges, Rsamtools (>= 1.13.1),\nBiostrings"
```

oneChannelGUI suggests the installation of the following packages:

```
> packageDescription("oneChannelGUI")$Suggests
```

```
[1] "annotate, genefilter, maSigPro, pamr, pdmclass, ChIPpeakAnno,\n\nchipseq, BSgenome, BSgenome.Hs.BSgenomeHuman"
```

In order to install all the Bioconductor packages needed to run oneChannelGUI a specific R function can be downloaded from <http://www.bioinformatics.unito.it/oneChannelGUI/> To use it user needs to open an R session on a computer connected to internet and copy and paste the following code:

```
source("http://bioconductor.org/biocLite.R")
biocLite(c("AnnotationDbi", "affy", "AffyCompatible", "affyilmGUI", "affyPLM", "annaffy", "beadarray", "Biobase", "biomaRt", "Biostrings", "IRanges", "DynDoc", "GEO.db", "GEOstats", "graph", "hugene10sttranscriptcluster.db", "hgu133a", "hgu133a2probe", "hgu133acdf", "hgu133aprobe", "hgu133plus2.db", "hgu133plus2cdf", "hgu95av2cdf", "hgu95av2probe", "hugene10sttranscriptcluster.db", "illuminaHumanv2BeadID.db", "illuminaHumanv3BeadID.db", "IRanges", "limma", "MergeMaid", "metaArray", "MiPP", "mogene10sttranscriptcluster.db", "multicat", "org.Hs.eg.db", "org.Mm.eg.db", "org.Rn.eg.db", "pamr", "pdmclass", "preprocessCore", "ragene10sttranscriptcluster.db", "RankProd", "RColorBrewer", "Rgraphviz", "sizepower", "ssize", "tkrplot", "tkWidgets", "widgetTools", "xtable", "HsExon", "MoExExonProbesetLocation", "RaExExonProbesetLocation", "edgeR", "BSgenome", "snow", "RmiR", "RmiR.Hs.miRNA", "oneChannelGUI"))
```

oneChannelGUI inherits the core graphical interface of affyilmGUI. This interface need, under windows, the installation of TCL/TK libraries that can be download from: <http://www.activestate.com/Products/ActiveTcl/>

To load Hs/Mm/Rn exon 1.0 ST Affymatrix arrays users need to install APT tools 1.12.0. The windows binaries can be downloaded from: <http://www.affymetrix.com/support/developer/powertools/index.affx> In addition library files for gene/exon arrays are directly downloaded and installed locally from oneChannelGUI interface, the first time an Exon 1.0 ST or Gene 1.0 ST analysis is started. Or using the function *oneChannelGUI: Set library folder and install Affy gene/Exon library files* present in the General tools Menu.

*IMPORTANT APT TOOLS AND EXON LIBRARY FILES NEED TO BE LOCATED
IN A FOLDER CHARACTERIZED BY A PATH WITHOUT SPACES*

C:/apt.1.8.0 THIS IS OK

C:/PROGRAM FILES/APT.1.8.0 STARTING APT TOOLS FROM oneChannelGUI will produce an error

If you are interested to run RNA-seq secondary analysis it is also required the installation of perl. The easy way is to install the active perl: <http://www.activestate.com/activeperl>

1.2 Unix users

The packages to be downloaded for unix users are those indicated for windows users unless for the TCL/TK libraries.

To use Tcl/Tk then the interface package tcltk must be installed into R. If an R package uses Tcl/Tk then Tcl/Tk must be installed on the OS before the R package can be installed into R. Furthermore, these two Tcl/Tk packages are needed by oneChannelGUI, affyImGUI and limmaGUI for their functionality:

1. BWidget, this is a package written entirely in the tcl scripting language and hence is not compiled. Consequently it is the same on any platform and should be in the Tcl/Tk path.
2. Tktable, this package has some code written in C and hence is a compiled package. It therefore is different for each type of CPU and OS.

It is possible to encounter problems in installing those libraries on x64 machines. For this reason I found quite useful the suggestions of Keith Satterley (24 Apr 2007) subject: Re: [Bioc-devel] Tcl/TK package "Bwidget" available on the Bioconductor mailing list.